
MOTORAGE

Chicago, April 10, 1913

Ten Cents a Copy



The name MOON has

become synonymous with honest construction in motor cars—it's selling lots of cars for MOON dealers.

MOON MOTOR CAR CO.

Saint Louis

SHO

Moon 39 Completely \$1,650

Moon 48 Completely \$1,985

DOLLARS IN YOUR POCKET

ago .. marte

INSTEAD OF DRILLS IN THE SCRAP HEAP

Nearly all drills ground by hand are ground inaccurately, last about half as long and do about half as much work as they would if ground correctly.

Because the angle on which the lips are ground is usually wrong, they are not ground on the same angle or are ground off center or sometimes both ways.

Either way makes one lip do most of the cutting; also the clearance is either too much or too little. If too much, the thin cutting edge produced will not stand up, or if too little the drill will rub, and cut very poorly. A drill ground any of the above ways requires frequent regrinding and is a slow producer.


THE AMERICAN DRILL GRINDER

operated by a boy will correct all the errors so common in hand grinding; make your drills cut faster and last longer—a double gain to you.

THE HEALD MACHINE COMPANY

26 New Bond Street,

WORCESTER, MASS.



PEERLESS TRUCKS

Standardized as the Best Investment

THE Curtis & Pope Lumber Company—the largest lumber dealers in Boston—have been operating motor trucks at their main yard for three years.

Two years ago they bought a 3-ton Peerless for their Chelsea branch (Pope & Cottle Co.) After it had been in use for a year, a second Peerless was installed at the same point.

Both Peerless Trucks have given satisfactory service at a low maintenance cost. The experience of the Chelsea branch resulted in an order for five 4 ton Peerless Trucks to standardize the equipment at the main yard.

The durability and strength of Peerless Trucks, resulting from proper heat treatment of steel and careful construction, have shown them to be the best investment for all kinds of heavy, long distance hauling.

The Peerless Motor Car Co., Cleveland, Ohio

Makers also of Peerless Passenger Cars

All that the Name Implies



Women Refuse to Ride in An Uncomfortable Car

When automobiles first established themselves as pleasure vehicles they found more adherents among men than women.

And today there are still a great many women who cannot stand the tiring, nerve-racking jolts and jars of a car without shock absorbers. It is only natural that the woman should complain since she is the one who rides in the tonneau.

Riding in the center of the car you are not as subject to road shocks as the passenger who rides directly over the rear axle.

Manufacturers have tried in many ways to overcome the disagree-able action of car springs but so far they have discovered only one true and effective means—the Truffault-Hartford Shock Absorber.

Rubber bumpers, straps and auxiliary springs have unquestionable value, but they are not shock absorbers because they cannot preserve ease of riding. You have seen other makes of shock absorbers come and go, several to be eliminated by court proceedings as infringements on Truffault-Hartford patent rights.

And despite the fact that there are various types on the market today, the Truffault-Hartford Shock Absorber is used by twenty-five leading car manufacturers as standard equipment.

You cannot enjoy the same immunity from jolt and jar—the same economy of upkeep—the same increase of tire mileage—the same insurance against crystalization of axles and steering knuckles—the same safety from breaking of springs by using other than the

Truffault - Hartford
SHOCK ABSORBER
"The Pioneer Shock Absorber"

Unlike others, they do not detract from the car's appearance or interfere with spring action on smooth roads. Our guarantee is for complete satisfaction. Write for catalog.



Every Buyer Should Specify Truffault-Hartfords for His New Car.

HARTFORD SUSPENSION CO.

EDWARD V. HARTFORD, Pres.

Office and Works: Jersey City, N. J.

Branch Offices and Dealers Everywhere

Manufacturers of Hartford Electric Starter



MOTORAGE



Volume XXIII

APRIL 10, 1913

No. 15


Contents

	A. A. A. HOSTS INVADE NORTHWEST Features of 1913 national reliability route which tentatively has been laid out to run from Minneapolis to Glacier Park, Mont.	5						
	Organized attempt being made by motorists to defeat bill which would double truck registration fees—Mississippi court holds tag law to be unconstitutional							
	EDITORIAL—FAIR PLAY TAXATION WANTED	12						
	REPORTS ON CONVICT LABOR Warden Tynan of Colorado penitentiary claims work of his charges on roads saved state \$223,479 in 1912							
NEW TARIFF BILL CUTS DUTY ON CHASSIS								
COMPARE WORM AND BEVEL-DRIVE AXLES Detroit engineers have lively discussion as to relative merits of two types								
	NATIONAL COMMERCIAL SHOWS DROPPED							
RAILROADS RECOVERING FROM THE FLOOD								
	THE STORY OF MOTOR SPIRITS, NEW FUEL	20						
	FUEL QUESTION AROUSES NATIONAL BODIES N. A. A. M. and S. A. E. join in seeking relief	21						
	HOW THE LAW DOUBLE-CROSSES THE MOTORIST Tax paid on horsepower that cannot be used legally	22						
	VULCAN ELECTRIC GEARSHIFT ON S. G. V Device makes gear changes by buttons							
	NEW CONTINENTAL LITTLE SIX MOTOR	31						
	FRENCH TRY MOTOR TRACTORS	32						
	DEPARTMENTS							
	Routes and Touring Information From the Four Winds	40						
	Department 24 Among Makers and Dealers	42						
	Readers' Clearing House 26 Motor Car Repair Shop							
	With Accessory Makers 36 Brief Business Announcements.							
	Housing the Motor Car 37 Motorists' Kindergarten	46						

RHINELAND MACHINE WORKS CO. 142 W 42 M St. New York

4

The ELECTRIC DISCO System starting—Lighting



The Secret of Getting A Quick, Sure Start

is in having an Electric Starter that turns your motor fast; that makes it fairly SPIN. Then there's no chance of failure, no matter how large your engine or how cold the weather.

The Electric Disco spins a 4 cylinder automobile engine 150 times per minute. It spins a big six sixty H. P. 110.

Other Electric Starters merely crank the engine. Instead of making the motor sing they turn it over slowly with a "c-h-u-g, c-h-u-r-n, c-h-u-r-n" sort of a noise.

If you want a quick positive start EVERY TIME, own the Electric Starter that SPINS your motor.

At the big shows the Electric Disco established the world's record.

It publicly accomplished 59,000 successive starts—not one failure—not one single adjustment.


If you started your car 20 times every day for 8 years you would not make 59,000 starts.

Yet an examination, after making these 59,000 starts, showed the Electric Disco to be in good order. Even the battery was in perfect condition. Experts agreed that the battery was still good for many years of service.

Now the Electric Disco costs more than other Starters but that's because it is a perfect machine. One can't expect to buy the best at the lowest price.

Don't buy a car without carefully investigating this Starter situation. Send today for the last Disco Book.

The Disco Co., 710 Dodge Bldg., Detroit, U.S.A.



ROUTE FAVORED BY MINNESOTANS FOR THE NATIONAL RELIABILITY TOUR

A. A. A. Hosts Invade Northwest

Features of 1913 National Reliability Route

By J. C. Burton

FOLLOWING the trails of the pious Jesuit missionaries, the intrepid explorers of Lewis and Clark and the rugged trappers sent out by John Jacob Astor to ensnare in the howling, snarling wilderness of the northwest the foundations of a colossal fortune, participants in the national reliability tour of the American Automobile Association, last week awarded to Minneapolis and St. Paul by the A. A. A. executive committee, will visit landmarks of unusual historic interest and places of unsurpassed scenic grandeur in their journey across the states of Minnesota, North Dakota and Montana next July, if tentative plans are carried out.

Leaving the twin cities, Minneapolis and St. Paul, very likely on July 7, the motorists will ride for 8 days through a country rich in agricultural and mineral resources, a land where the hills and valleys echo with the tales of pioneers' privations and adventurers' lust. The 1,500-mile run will terminate among the everlasting snows of National Glacier park, a wonderland tucked away in the northwest corner of Montana. The Gophers want the tour to end at Glacier park, the A. A. A. wants Kalispell. The matter will be definitely settled inside of a week.

Are Twentieth-Century Argonauts

The twentieth-century argonauts, riding in modern prairie schooners propelled by gasoline, will trek across the abandoned hunting grounds of the Ojiibway, Dakota and Sioux and scale the rocky throne of the Great Spirit. Motor horns will sound a blast of progress where once the savage war whoop of the redskin was answered by the petulant popping of the pioneer's rifle. Motor lamps will send a friendly glow over the plains where less than a century ago hostile camp fires flickered with a menacing glare and made the pioneers fear for their lives.

It will be a cavalcade of progress into



SPERRY GLACIER BASIN CHALET CAMP





MINNESOTA, "BREADBASKET OF THE WORLD"

VIEW IN LAKE PARK REGION OF MINNESOTA


a country of perpetual romance, historical and geological.

Rubber-shod wheels will leave their marks where the hoofs of the lumbering buffalo and bison, stampeding steer and faithful broncho made their imprint in the pre-motor epoch.

Scattered sporadically over the plains and among the foothills are the Indian reservations where live in peace and quiet the painted terrors of the northwest's dark ages and the civilized descendants of the warriors who slaughtered Custer and his resolute band that red July afternoon at the Little Big Horn.

The Farmer in Evidence

The unromantic overalls and expansive straw hat of the farmer are seen in the fields of golden wheat and blue flax. They have replaced the gay chaparejos and rakish sombrero of the cowboy as insignia of labor. The whirring mower and puffing thresher are heard instead of the neighing mustang and shouting cattle rustler. Meek herds of sheep, which in the last quarter of a century have gradually encroached on the domain of the cow baron, now graze among the skeletons of steers, ghastly



LAKE MILTONA, ALEXANDRIA, MINN.

relics of the bygone day of the pioneer.

In the pine-crested hills are the realized ambitions and the sunken hopes of the prospector. Piles of ore mirror the smiles of fickle-Fortune. Rusty dump carts mark the sites of abandoned claims. The miner's pick and showel have dented the earth's strata with romance. After one glance at the hidden vanits of Nature, imagination runs the gauntlet from pathos to joy.

The route for this year's touring classic will take the contestants for the National, Anderson and Glidden trophies through a country of rolling contour, over the twisting trails of the nomad buffalo herds and into the Bad Lands of North Dakota. In that barren waste of sand where only the hardy cactus can survive are the dry alkali lakes which have shimmered in the glaring sun for centuries and mockingly invited the thirst-crazed traveller to drink deep of the cool waters that flow not in those incrusted pools of disappointment and soul-torment.

Every milestone that marks the winding path through three states tells a story of heroism, sacrifice and martyrdom. Every mountain, lake and stream is immortalized in Indian legend. The national reliability tour of 1913 will be a ride into the pulsating past. The cars will crash through barriers to romance and carry their occupants over trails once red with the blood of the pioneer and adventurer.

Northwest a Land of Romance

The great northwest is not only a land of romance; it is a country of tremendous possibilities where the inhabitants have made the most of their inheritance. Persistence was the richest heritage left by the pioneer to the present generation, a heritage that has transformed arid regions into fertile fields and gave Dakota and Montana the strength to follow the pace of progress. Every silo silhoueted against the blue sky, every dwelling and barn of the hustling homesteader, every fruit tree bending under the load of its luscious yield is a symbol of present prosperity and future promise.

It is doubtful whether another section

of the United States affords as attractive a route for a tour of the character of the A. A. A. reliability contest as does this territory of romance and reclamation. The vagrant trails, leading over mountain and plain, will put the cars to a rigorous efficiency test; the historic landmarks and scenic wonders will make the 8-day ride anything but tedious for the participants.

Trail Not Uncharted One

The A. A. A. tour will not be a blind dash over roads uncharted. It will not be a trail-blazing expedition. Two years ago motorists of the Minnesota State Automobile Association drove over practically the same route with a minimum number of penalizations—seven cars finishing with perfect scores and only two of the nineteen contesting cars withdrawing—and the maximum amount of pleasure.

There were some hardships encountered to be sure, but the scenic delights and historic attractions more than proved a balm for bruises suffered in jolting over rough and hilly highways and in following the winding buffalo paths.

That conditions for the reliability classic of 1913 will be much better than they were for the M. S. A. A. run of 1911 is certain for the residents of Minnesota, North Dakota and Montana are good roads enthusiasts and have improved the highways greatly in the past 2 years.

A patriarch of the union compared with North Dakota and Montana, Minnesota's road problems have not been extremely difficult of solution. Country roads long have been established and worn by continual travel, and engineers have had no mountain ranges to contend with in improving the highways through the rich prairies of the Gopher state.

The road-builders of North Dakota and Montana, on the other hand, have been forced to conquer natural obstacles in their work of transportation improvement. In Montana especially have the labors been arduous. Through the virgin forests of pine that clothe the hills and into the heart of the mountain fastnesses, the residents have hewn pathways 50 feet in

width, covered them with a surface of natural rock, rolled them with heavy steam rollers and converted what were a year or so ago but tortuous pack trails, where even the nimble-footed mountain sheep stumbled and fell, into motor roads that compare very favorably with the city boulevards.

Wherever possible these new-made roads are wide, but in the mountains it will be years before the trails can be widened sufficiently to permit two vehicles to pass except at rare intervals. All through the mountains of the state wind the narrow but hard and smooth roadbeds, always on the brink of some canyon with cliffs rising sheer on one side and a steep precipice dropping to a roaring river hundreds of feet below on the other.

Road building is a new experience for Montana but the residents are persistent in their attempts to make the state attractive to the motorist. North Dakota is just as progressive in this regard. Cooperating with Montana, the inhabitants aim to make the highway between Grand Forks and Glacier park the longest link in the Wonderland trail which will connect Duluth with Spokane and Seattle when completed.

Follows Great Northern Railway

The national reliability tour of 1913 has been so routed that it parallels the line of the Great Northern Railway the greater part of the way. A special hotel train, providing accommodations for at least 150 persons, will accompany the tourists and stop at all noon and night controls to serve meals and provide sleeping quarters. The traveling inn de luxe, which was one of the unique features in connection with the M. S. A. A. contest, probably will be made up of two diners, five sleepers, a compartment press car, supply car carrying tires, supplies and emergency parts, and a baggage and dynamo car.

Diversity of scenery alone makes this route attractive. Lucid lakes, broad prairies, rolling foothills, rich plains where acres of wheat bend before the summer wind and herds of cattle or flocks of sheep

roam, towering forests of pine, and then the arrogant Rockies will be seen on the 8-day ride. There are deer and bear in the woods and mountains, trout in the rippling streams.

Itinerary of the Tour

The itinerary of the Minnesota tourists most probably will be accepted this week, when the Twin City motorists hold a meeting to formally pass on the schedule. The A. A. A. proposition to finish at Kalispell does not meet with favor because it would lengthen the tour 3 days because there is no direct road from Glacier Park Station to Kalispell. The first day's run will be from Minneapolis to Alexandria, a beautiful resort located on the shores of Lake Geneva, a ride of 140 miles half-way across the state of Minnesota over the historic trails that Lewis and Clark blazed through the prairie more than a century ago. It is a region of great beauty, studded with tiny lakes.

The second leg of the journey is a trifle shorter, 124 miles, and the contestants will check in at Fargo for the night. While most of the roads are good, some are quite rough and will require careful driving. A greater part of this ride lies through prairie land where there are only two wheel tracks to form the highway.

On the 200-mile dash from Fargo to Devil's Lake on the third day, the motorists will ride practically all the time in the former domain of the treacherous Sioux chief, Sitting Bull. Life-sustaining grains now grow on the broad plains where 50 years ago the conqueror of Custer held his war councils and rallied his painted braves for the massacre of the paleface settlers of Minnesota and Iowa.

Thrice crossing the state line after leaving Fargo, the tourists will follow the wandering trail to Grand Forks, which probably will be chosen as the noon control. The smooth gumbo roads are excellent in dry weather and the greater portion of the way is over flat prairie land without many fences, trees or landmarks.

Because of the few long stretches of good road, the fourth day's ride of 159




MOTOR ROAD IN GLACIER PARK

miles, from Devil's Lake to Berthold, may cause some spinal jolts far different than the sensations produced by the melodrama. Part of this route leads over sand hills of steep grades requiring the use of first and intermediate speeds by the drivers of even the most powerful cars. The monotonous horizon line occasionally is broken by abandoned, weather-beaten log cabins which were deserted by their builders when the arid soil refused to yield the expected crops.

Into Montana Fifth Day

The motoring pilgrims will ride from Berthold across the state line to Culbertson, Mont., on the fifth day, a distance of 167 miles, according to the preliminary schedule. For 25 miles out of Berthold the tourists will travel over virgin prairie where the old buffalo paths skirt the brinks of treacherous coulees or dip in and out of the hills. The twisting trails, with the innumerable branches that strike off at all angles, make the route impossible to follow without the services of a guide.

After leaving Williston, the noon control, where the United States reclamation





FARM SCENE NEAR HAVRE, MONT.

MOTOR ROAD TO ST. MARY'S LAKE

service has built a giant irrigation pumping plant, the motorists will follow the yellow waters of the Missouri river. High clay bluffs, worn into fantastic shapes by centuries of erosion, rise on one side of the road, while on the other the tortuous stream winds through beautiful valleys. Bad Lands of North Dakota

The territory adjacent to the state line is known as the Bad Lands of North Dakota, an expanse of sand and alkali where in pioneer days the coyotes and buzzards fought for human flesh.


A sort of motor vaudeville will feature the 183-mile trip from Culbertson to Malta the following day. At Poplar, which is located on the Fort Peck reservation, arrangements will be made with the Indian agent for a war dance and the redskins, gay in paint and feathers and riding or bell-haltered ponies, will perform some terpsichorean evolutions that even the exotic and expert Pavlova and Mordkin could not imitate.

After an hour's ride over the prairies, Glasgow, a tough town in the early days that has been but partially regenerated, will be reached. The faro dealer still is a social necessity at Glasgow. The crudely built shanties are ornamented with "\$500

Reward, Dead or Alive'' placards. It is a town of frontier lawlessness, where the citizens continually celebrate their escape from civilization's ennui.

Cowboys Promise Reception

Just before reaching Malta, the trail on which the hounds of General Nelson A. Miles chased the fox of the Sioux, Sitting Bull, will be crossed and at Malta the cowboys will form a reception committee to welcome the motorists. For many years Malta was the heaviest cattle shipping point in Montana and even today the biggest round-ups in the state are held in the vicinity of this town. On the prairies that



encompass it the Olympic games of the frontier are staged, broncho bucking, steer roping and cattle branding contests and exciting races between cowboys and the Amazons of the plains, the cowgirls.

Seventh Leg of Journey

The 92-mile trip from Malta to Havre probably will form the seventh leg of the journey. The roads in this section are good in dry weather, but should it rain a detour, such as was taken by the Gopher state tourists in 1911, will be imperative. Such a change in route will necessitate a journey over the rough roads in the barren rolling country to the north known as the

Mosquito Flats, a few miles from the Canadian boundary. The trails through rocks, sand and sagebrush are dim and the way is cut by deep gullies and washouts.


At Havre the route of the M. S. A. A. tourists, who went south through Great Falls to Helena, will be abandoned and the contestants for the trophies will continue west approximately 200 miles to Glacier Park Station, formerly known as Midvale, where the tour will terminate. The final day's run will take the motorists through the Blackfeet reservation and into the majestic Rockies.

Just as the route is attractive, the ter-

minus is ideal. After an 8-day ride over dusty prairies and in the scorching July sun, the tourists will be glad to recuperate among the snow-capped mountain peaks and mighty glaciers of nature's playhouse above the clouds, where cascades play restful sonatas and the cooling mist envelopes the fatigued visitor in a cloak of peaceful abandon.

Glacier Park Features

Glacier park embraces more than 1,400 square miles of the Rocky mountains, extending north from the main line of the Great Northern Railway to the Canadian border, a distance of 60 miles, and from



the Blackfeet reservations on the east 50 miles to the north fork of the Flathead river.

Rising majestic above the timber line are mute monsters of stone and ice, haughty giants tamed by man after a battle of centuries. They now extend a welcome instead of a challenge. Of glacial formation, these mountains are older than the fanciful aborigines that christened them. They link the primitive to the present. In their lowest strata are the bones of the lethargic dinosaur; at their feet repose modern chalets designed for the comfort of the twentieth century explorer.

Legend of Chief Mountain

Every mountain, stream, glacier and cascade is pregnant with Indian tradition and associated in the mind of the redskin with deeds of prowess, heroism and sacrifice. With stoic face and rugged brow stands Chief mountain, named by the Blackfeet tribe in honor of an ancient warrior who went on the warpath and left a sorrowful squaw in his tepee. This is the tale of a hero's bravery and a woman's broken heart:

In the old days there was a young man of the Blackfeet who was noted for his personal bravery in war. His courage was appreciated and he was made head war chief of one of the big bands of the Peigans. Falling in love with a girl of his tribe, he married her and then lost all desire to take the scalps of his enemies. After a while one of the Peigan war parties went out from his camp and was cut to pieces by the Kootenais, only three or four members of the vanquished party getting back to tell the tale of the slaughter. The chief, his anger aroused and his desire for revenge insatiable, announced at a war feast that he would go on the warpath and punish the offenders.

His woman said that if he went on the warpath she would accompany him. This he forbade. In turn she replied that if he went without her he would find a cold and empty lodge-meaning she would kill herself if left alone-upon his return. Both were obdurate but the squaw finally gave in and the chief went out as leader of a big war party that met and defeated the enemy, but in the fight he was slain.

Chief Goes on Warpath

The chief's followers brought his body back to the camp, which was at the foot of or near Chief mountain. When his squaw learned of his death she was touched by the Great Spirit (crazed) and wandered about looking for her man and calling to him. Although carefully watched by her people, she slipped away with her

baby one day and was far up the side of Chief mountain before anyone saw her. Runners were

THE NATIONAL TROPHY
- TOURING CAR PRIZE

sent after her but she was too fleet for them and gained the top from where she signaled to the camp in sign language that she had found her man and was going to him.

Then she threw the baby far from her out over the cliff that forms the face of Chief mountain and then leaped herself. Both mother and child were crushed to a pulp on the rocks thousands of feet below. She was buried where she fell and her chief laid to rest at her side. From that time on the majestic peak was called Ninnow Stahkoo, the Mountain of the Chief or Chief mountain as it is known today.

Flowing turbulently through the park is Two Medicine river, a name that originated long ago when two large bands of Blackfeet Indians met on the banks of this stream below where Midvale now stands, each tribe intending to hold the medicine lodge ceremonies, which were of a religious nature wherein help and prosperity were asked of the sun and of the gods, tending to increase the welfare and happiness of the whole people.

Naming Two Medicine River

When the two bands learned that they had both come for the same purpose they camped together, each band holding its own medicine lodge ceremonies, but the two lodges being conducted at the same time and place, the only occasion when this was ever done among these people, the event gave rise to the name Two Medicine river, meaning to the Indian the river where two medicine lodges were held at the same time.

On the northwest side of St. Mary's lake stands a peak which a proud marksman named for his prowess Single Shot mountain, christened by George Bird Grinnell, a New York trapper, after he killed a mountain sheep there with a single shot.

St. Mary's lake and St. Mary's river, called by the Blackfeet the lake-and-riverof-the-good-spirit-woman, were named by Hugh Monroe, a French Catholic trapper of the Hudson Bay company, the first white man to live with the Blackfeet. He was adopted by the tribe and married a squaw.

He was called Mick-qua-ee-poh-wock-sin, literally "Rising Wolf," by the redskins from his habit of rising quickly on his hands when awakened from sleep, just as a wolf rises on his forepaws under similar circumstances. Also Monroe "slept like a wolf" because he never slept soundly but appeared to be always "listening and

watching" so that no one could approach and catch him asleep. At the time

among the

peaks were

the paleface

the tribe sig

that the

THE GLIDDEN

TEAM

Munroe lived Blackfeet, the unnamed and member of nified a wish mountain,

> TROPHY PRIZE

then supposed to be the highest of the range, bear his name. The Indians complied with his wish and the mountain ever since has been called "Rising Wolf"the name in the Indian mind commemorating their old time friend, Hugh Munroe, who became a Blackfoot and who slept and got up quickly on his hands like a wolf.

Going-to-the-Sun Mountain

With a gigantic face of stone, like the profile on a silver dollar, Going-to-the-Sun mountain will attract the admiration of the Glidden tourists. It was named after Sour Spirit, among the Blackfeet a mystic creature who came to earth from the lodge of the Sun in a prehistoric day to teach the Indians how to trap buffalo in the "pound" or brush corral, how to tan hides, build the tepee, and in fact, how to make and do the things that the redskins needed in order to live in comfort.

Sour Spirit was a most benevolent necromancer with wonderful powers of magic and entitled to the utmost respect. The Indians say that he was turned to stone when his spirit went back to the lodge of the sun after his work of teaching was completed and that the stone face is left on the mountain to show all nonbelievers that he had been on earth.

There is another mountain whose rough surface awakened in the Indian all of his powers of imagination, Abbe Kunny or Scabby Face mountain, named in honor of John Schultz, who came to Fort Benton as a boy, wooed and won a squaw and lived thereafter with the Blackfeet, leaving them about 1905 or thereabouts. It is evident that Schultz did not carry to the tepee of the redskin the razor, safety or otherwise. If he did, he never felt inclined to treat himself tonsorially, for he was called "Abby Kunny" or "Scabby Face" by the Blackfeet, who appear to have had a sense of humor and christened the mountain after their paleface, hirsute-faced brother.

Heaven's Mountain

There is another lofty peak named by the white man Heaven's mountin, which has been translated into the Blackfeet jargon into Ash-pay-stuht-oak-ky-Ohchit-tow-pihp Meh-stuck or The-Makerwhere-He-Lives mountain. Milk river bears a descriptive name because of the white color of the water that laps its rocky banks.

From Glacier Park Station to St. Mary's lake the Great Northern officials have constructed a \$65,000 motor road which winds its way through some of the most beautiful scenic spots in the park. The A. A. A. wanted the

tour to finish at Kalispell, Mont.

THE ANDERSON TROPHY

Legislation

HARRISBURG, Pa., April 5-Motorists in this state are rallying around the Pennsylvania Motor Federation and the various dealers' organizations in their effort to stem the flood tide of motor-mad legislation now pending before the legislature here. Senator Buckman's bill is the bone of contention.

This bill was originally drafted by the Pennsylvania Motor Federation, but was changed in not a few respects before its introduction, so that in its present form it is being opposed not only by the federation but by all other motoring interests in this state. This bill has a new scale of registration fees for passenger cars and motor trucks. The fees for passenger cars are according to horsepower, and those for motor trucks according to gross weight. The following are the fees:

Passenger	cars under	20 ho	rsepow	er		0				. 9	5
	cars, 20-50										
Passenger	cars, over	50 hors	sepower	۴.			0		0	9	15
Motor true	eks under 4,	,000 pc	ounds.		0				0	0	10
Motor tru	cks, 4,000-5,	000 pc	ounds.		0		0		0		15
Motor tru	cks, 5.000-10	0.000 1	ounds.		0	0		0	0	0	20
Motor tru	cks, 10,000-1	15,000	pound	8.	0				0	0	25
Motor tru	cks. 15,000-2	20,000	pound	8.							30

By this schedule the registration fees on motor trucks are more than doubled as compared with the present fees, but other bills have been introduced which make these fees \$30, \$50 and \$100.

This new legislation places further restrictions on motor trucks, in that the maximum weight of a truck with its load is 20,000 pounds or 10 tons, and that of this total not more than 15,000 pounds can be carried on one rear axle. This places a restriction on present methods of truck construction in which the total gross weight carried on the rear axle is sometimes 80 and as high as 85 per cent of the

There is at present a movement to get the maximum permissible weight on a truck increased to 25,000 pounds, but it is certain that this is being opposed by certain canal interests throughout the state which have many bridges not capable of withstanding such loads; and it is also being opposed by certain counties in which the old-fashioned type of covered wood bridge as constructed 60 years ago is still in existence. The present legislation goes still further and aims to restrict the overall width of a motor truck to 88 inches.

One interesting aspect of the present campaign is the fact that a traction engine company selling many traction engines in this state has circularized every county in the state, asking that the voters go against the present \$50,000,000 bond issue on the ground that traction engines with cleats on the wheels will not be permitted to use the improved highways.

MISSISSIPPI TAG LAW HELD INVALID

Jackson, Miss., April 5-Mississippi may be called upon to refund \$30,000 collected for motor licenses. Judge William A.

Arouses Pennsylvanians

Motorists Fighting Attempt to Double Truck Fees

MISSISSIPPI TAG DECISION

Judge Holds Registration Law Uncon stitutional

IMPORTANT ILLINOIS RULING

Henry, of the Hinds county court, has ruled the law unconstitutional, stating that the collection is a tax, an outcome of class legislation. The question will be carried to the supreme court by the attorney-general who passed on the constitutionality of the bill before it was enacted by the legislature of 1912.

TANGLE OVER TAGS

Washington, D. C., April 5-A sort of a tangle has arisen in the relations of the District of Columbia and the state of Virginia over the temporary permit section of the motor car law The law provides that motorists from the district or elsewhere may visit the state twice each year for not more than 7 days each time without being required to take out the regular license. These temporary permits are supposed to be issued upon request.

It develops, however, that the secretary of the commonwealth of Virginia does not issue temporary permits. Governor Mann has had the matter up with the district commissioners and it is stated the latter have refused to enter into any reciprocal agreement and as a result motor car owners of this city, in order to use Virginia roads, must take out the regular Virginia license.

The Washington Motorists' Association, through its attorney, has taken up the matter with the district commissioners.

IMPORTANT ILLINOIS DECISION

Bloomington, Ill., April 5-Illinois cities and villages, according to Attorney-General P. J. Lucey, cannot legally regulate by ordinance the speed of privately owned motor cars, although they can tax commercial cars. If the supreme court sustains this decision, the collection of fines by cities for violation of the speed ordinances will be illegal. There probably are few cites in the state which do not have a speed ordinance of some kind and which regularly practice the collection of fines for the violation. The opinion was handed down following a request from A.



W. Schaefer of Pekin and construes the law of 1911. It is state-wide in its scope.

The attorney-general, in reviewing the law in its several sections, contends that cities can legally collect a tax or a license from persons who operate motor vehicles for public hire, or commercialized motor cars, but he holds that a city cannot enforce an ordinance which relates to the rate of speed of motor vehicles except in the case of such vehicles in public use.

Attorney-General Lucey cites a construction of the law of 1911 placed by the supreme court in the case of the People vs. Sargent. In this case the power of the city of Chicago to license drivers of commercial motor cars was the issue. The case sustained the license feature but the attorney general construes that the court did not intend to convey the idea that cities had power to regulate, by ordinances, the speed of private machines.

The state law provides speed regulations for private-car drivers, and this, it is inferred from the attorney general's opinion, is sufficient.

The chief effect of the attorney-general's opinion is to stamp as illegal the collection of fines by cites, which fines are paid into city treasuries for speed violations. In other words, it is left to the state to prosecute all cases of offending speed violators.

JERSEY INSISTS ON RECIPROCITY

New York, April 7-The motor authorities of New Jersey are doing their best to enforce the 15-day limit for foreign cars entering the state. Two inspectors are stationed at the ferries which carry cars from Manhattan to New Jersey and other inspectors check incoming and outgoing out-of-state cars in other places. The inspectors meet regularly, and by comparing their records determine what cars pass the 15-day limit for free travel in Jersey, so that their owners may be requested to take out Jersey licenses. The state legislature had adjourned without taking any action of the various motor measures proposed to it.

TEXAS' MOTOR LEGISLATION

Austin, Texas, April 5-The legislature, at its recent regular session, passed the following laws affecting motor cars:

An act permitting fire insurance companies of Texas to Insure motor cars and power trucks. An act levying an annual tax on motor cars and providing for the use of this fund for the improvement of public highways.

An act creating a state highway commission and providing for the construction of an extensive system of public highways.

An act making it unlawful for any person to throw glass, bottles, nails, tacks or any other article that might prove damaging to motor car tires in a public road.

An act authorizing the formation of corporations to construct and maintain motor car till roads.

An act making it an offense for any one to

porations to construct and maintain motor car-toll roads.

An act making it an offense for any one to take or use a motor car or other vehicle with-out the owner's consent.

An act making it an offense and providing a fine of not more than \$500 for any one to obstruct or damage a public road or street.



Fair-Play Taxation Wanted

THERE is pending before the Ohio legislature a bill providing for double taxation of motor cars. Ohio is not the first state that has imposed double taxation on motor vehicles. Citizens of Illinois have paid double taxation for several years, they have paid the annual registration tax, and in addition a wheel tax for the privilege of using the streets and alleys. The same is true in some other states.

THERE is another example of double taxation which is enforced in some states in the union, namely, an annual registration fee and also a personal property tax on the car. In some other states, where an annual registration fee in excess of the cost of registration has been imposed, the motorists have been sufficiently alert to have it specified that it would be in lieu of any personal property tax that might be collected against the vehicle. New York is one example of this. In Pennsylvania there is a heavy annual registration fee but that state has not any personal property tax, so that so far as the motorist is concerned there is not double taxation.

E FFORTS at double taxation of a motor car as well as attempted restrictions upon it are nearly universal in all the states of the union today. Each legislative session seems to be looked upon as incomplete without a great many bills for the regulation of motor vehicles. The majority of these bills have been prompted by the desire to get more revenue under the pretense that the motor car destroys the road and consequently annual registrations must be increased to pay for this destruction. To a certain extent such is correct, and to a certain extent incorrect. In certain territories, and they can be found in nearly every state in the union, the roads are entirely destroyed at this season of the year, and this destruction has been brought about by horse traffic during the winter period, because motorists have not used the roads during such a period. Here is an example, and a very apparent one, of road destruction by horse vehicles, and yet these same vehicles are permitted to use the highways 365 days in the year without the payment of any registration fee or a personal property tax. It is unfair to tax motor cars by way of annual registration fee in excess of the cost of identification, or by way of wheel tax, or by way of personal property tax, when all other types of vehicles, including traction engines with cleats on the wheels, are allowed to go tax free. If the motor car is to be taxed, then all vehicles using the highway must pay their just proportion. This means horse vehicles, traction engines, horses for horseback riding, motorcycles, bicycles, farming implements, etc. 10

LEGISLATORS have gone motor-mad during the last few years solely because they have realized that the motorist has been a man of compromise. In several states the motorists accepted an annual registration fee, which is in excess of the cost of identification, solely because they desired some rational form of control. At the start, a perpetual license was granted. At the next session of the legislature additional revenue was needed, and the perpetual registration was changed to an annual registration. At the succeeding legislature the nominal annual registration fee of \$2 or \$3 was determined by horsepower, and became \$5, \$10 or \$15. At the following session of the

legislature additional revenue, and the thought of road construction, brought forth a fee of 50 cents per horsepower. So the story goes. Then came motor trucks. At first they paid nominal annual registrations, but this year the legislators have pointed their guns at these business vehicles, and are at present trying to put the fees of annual registration, in some cases, as high as \$100.

E VERY motorist must acknowledge that the present form of annual registration of motor cars is illegal when the registration fee is in excess of the cost of registration. Legislators know this also. Motorists must agree that their actions of compromise in the past have been errors in that they have resulted in the annual crop of unreasonable legislation; and further that this compromising propaganda will continue until the motorists unite and take the matter to the supreme court, where it will be decided for the entire country whether motorists will pay annual registration fees and all other users of the road go tax free.

PENNSYLVANIA at present offers a typical example of what other users of the highways will do in order to increase the registration of motor cars and actually work against the movement for better highways. Certain traction engine interests have circularized the entire state of Pennsylvania requesting the electorate to use its influence to defeat the present bill providing for a \$50,000,000 good roads bond issue on the ground that traction engines with cleats on the wheels will not be allowed on the improved highways, and because of such these interests favor the construction of dirt roads in preference to improved types. Where could such an echo of medievalism be found in any other movement? When traction engine interests will go so far as to positively work against good roads is it not time that all motorists should unite and see that modern movements are presented to the public of the various states in their true light?

TRACTION engines are in use in England, France, Germany, and other parts of Europe. They are on the highways every day and they do not use cleats on the wheels. They are compelled to have exceedingly broad driving wheels. Their weight is rationally restricted, and only a stipulated amount of weight can be carried on each of the trailers, so that roads are not needlessly destroyed. What Europe has done to regulate traction engines, on its improved highways, America must do. Not a traction engine with cleats on its wheels should be allowed on an improved American highway, and motorists should make every effort to defeat movements which tend to permit the destruction of highways by such wheels.

THIS warfare of motor-mad legislators is going to continue. The campaign has centered in half dozen states during the past 5 months. The legislation passed in these states will largely be imitated in other states at the sessions of next year. Because of this each state must feel that it is not a factor unto itself, but bears a relationship to every other state in the union. In a word, the co-operation of all the states is at present necessary in order that adequate and just motor legislation shall be entered upon the statute books.

Reports on Convict Labor Colorado Saves \$223,479 on Road Construction in 1912

Colorado's employment of convict labor on its roads has proven highly successful and is a factor that is rapidly bringing that state to the fore in the development of a highway system. According to the report of the warden of the state penitentiary, T. J. Tynan, 157 miles of roadway were constructed during the last biennial period at an estimated saving to the counties of \$223,479.56.

The convicts have been employed largely upon the mountain and more difficult roads, and the model highways they have constructed have stimulated road improvement and development in every section of the state and have given Colorado a nation-wide reputation for its increasingly good roads.

Two of the mountain roads which have attracted widespread attention are the state highway between Colorado Springs and Canon City and the Lincoln highway through Ute pass west from Colorado Springs, Colorado City and Manitou. Touching upon the road work, Warden Tynan says in his report:

Touching upon the road work, Warden Tynan says in his report:

Our largest item of labor performed by the convicts was, of course, the road work. The prisoners have been employed in the construction of roads in Mesa, Fremont, Larimer, Weld, Boulder, Jefferson, El Paso and Pueblo counties. They have built 157 mlles of good roadway, and a great deal of this has been blasted out of solid rock—that in Mesa county being the most difficult and heavy work ever attempted by our men.

Owing to the fact that it was impossible to get from the various counties the cost of material, such as cement, lumber, steel, corrugated culverts, powder, tools and supplies other than actual labor, used in road and bridge building we are enabled to give you only the labor cost to these different counties for the work of the men, This work has been done at an average cost to the different counties of 32 cents per day per man, and, as this cost includes Sundays and holidays, the cost of the labor of these men to the counties for the 2 years, or 731 days, would be \$36,725.44. We have worked twenty-one state teams, and the feed for these teams cost the counties \$20 per month per team, which would amount to \$10,880; making a total cost to the counties for labor of \$46,805.44. The average labor cost for the 157 miles was \$298.12 per mile.

It is hard to estimate the immense value of these roads for the reason that the work in Mesa county alone would have cost, with free labor, not less than \$25,000 per mile, as the rock in places had to be blasted for 75 feet in order to get a proper road bed. In this work it was necessary to drill holes 25 feet deep and to drill three depths before the road bed was reached. So you can readily see the magnitude of this work.

The work in Ute pass, in El Paso county, was done through solid rock for 6 miles, all blasting. The work in Salt canon and Parkdale hill, in Fremont county, and Ingree hill. Cheroke hill and Thompson canon, in Larimer county, all contained a great deal of blasting. This necessarily would

would be worth to the counties \$266,285. Add to this a depreciation of state equipment \$2,000, and the interest on state equipment \$2,000 and you can see that this labor has been worth to the different counties \$270,285. The difference between what the free labor alone would have cost the public—namely \$270,285—and what the labor of our men actually cost them, shows a labor profit of \$223,479.56. However, this labor did not compete with the free labor of the state, for the reason that the counties could not otherwise have afforded to do this work.

Convicts at work on the roads and in camp are allowed much of the freedom of the ordinary camp, and are placed on the honor system. There is only one unarmed guard on duty at each camp at a time. The practicability of this plan has been demonstrated by the small percentage of escapes attempted during the years the work has been carried on. Care, of course, is exercised in the selection of men for road work and a certain amount of time is deducted from the convicts' sentence for each day's work on roads, this being in addition to the regular allowance for good behavior.

Entries for Big Events

500-Mile Sweepstakes

			-				
		un	on	the	Indi	anapolis	s speedway,
	30.						
No.	Car.					91/5/4	Driver.
1.	Stutz						Anderson
2.	Stutz						Merz
3.							H. Endicott
4.	Keeto	n					Burman
5.	Mason						
6.	Mason	n .		. 6. 3.			
7.	Unkn	owr	1 .				
8.							Herr
9.							Guyot
10.	Hend	erac	m				Knipper
12.	Fox :	ane	cial				Wilcox
14.	Smad	a	~1460				Adams
15.	Peng	toe					Zuccarelli
16.							Goux
17.	Schad						Jenkins

CHICAGO-BOSTON RELIABILITY A day and night non-motor stop contest

PIO	moted by the omcago	Automobile	Olub,
to	be run June 25-29.		
	. Car.	Entr	ant.
	Packard		
2.	Abbott-Detroit	A. M. R	obbins
3.	Abbott-Detroit	. Abbott Mot	or Co.
4.	Staver-Chicago	Thomas J	. Hay
5.	Staver-ChicagoS	taver Carria	ge Co.
6.	ImperialImperi	al Automobi	le Co.
7.	ImperialImperi	al Automobi	le Co.
0	Cono	T Conso III 1	M Cla

INDIANA-PACIFIC TOUR

FRENCH GRAND PRIX To be run July 12 over course at Amiens.

-	o be run duly in over course	 Annual of
	nce; distance, 560 miles.	
1.	Sunbeam	 Rigal
2.	Delage	 Bablot
3.	Opel	Joerns
4.	Mathis	
5.	Excelsior	
6.	Th. Schneider	
7.	Itala	
8.	Peugeot	 Boiliot
9.	Sunbeam	 Cailcis
10.	Delage	Guyot
11.	Excelsior	
12.		
	Th. Schneider	
13.	Itala	
14.	Peugeot	 Goux
15.	Sunbeam	 Guinness
16.	Th. Schneider	
17.	Itala	
18.		
	Peugot	
19.	Sunbeam	
20.	Th. Schneider	

Cars Ready for Indianapolis Foreigners Finish Tuning Up for 500-Mile Speedway Race

DARIS, March 29-Training for the Indianapolis race, Albert Guyot spent considerable time on Brooklands track this week with the six-cylinder Sunbeam. Guyot declares himself thoroughly satisfied with the speed possibilities of the car, and was particularly pleased with the manner in which it holds to the ground.

The Sunbeam racer will be packed and sent to Liverpool at the end of April for shipment to New York by cargo boat. The driver will sail from Havre, in all probability, on May 3 by the French line steamer, arriving in New York about May 9. It has been decided that Guyot will have as his mechanic, Crossman, an Englishman.

Another visitor to Brooklands at this time was Jules Goux with one of the grand prix Peugeots, practically identical with the pair preparing for Indianapolis. Goux took part in the Easter handicaps with this car, and in the short handicap came in first from scratch at an average speed of 95% miles an hour. In two following races, starting scratch with an increased handicap, he came in second at an average of over 100 miles an hour.

It is in this car that Goux intends at a very early date to make an attempt on the records now held by the Talbot and Percy Lambert. The racer at Brooklands is the identical car which won at Dieppe last year. The only change is the fitting of a wind-cutting body. The Indianapolis racers differ by having a bore of 108 millimeters instead of 110 millimeters. The stroke remains unchanged at 200 millimeters. Goux, Zuccarelli, and their mechanics doubtless will sail from Havre at the same time as Guyot. The Peugeot mechanics are Emile Begin for Goux, and Ernest Flanelli for Zuccarelli. The French race drivers will be accompanied on their American trip by Charles Faroux, editor of La Vie Automobile.

SEALED-BONNET TEST COMPLETED

Philadelphia, Pa., April 5-Tuesday of next week will wind up the 30-day sealedbonnet test being conducted by the Automobile Club of Philadelphia. A resume of the test as so far completed shows a total mileage of more than 5,000, twenty distinct club routes traversed and over 200 roads surveyed. During the past week the Multiplex car chosen for the test has been to and from the following cities: New York, Baltimore, Norristown, Valley Forge and a 3-day New Jersey end-to-end run, during which 546 miles were covered.

SCHACHT ENTERS 500-MILE RACE

Indianapolis, Ind., April 7-The seventeenth entry for the 500-mile race is a Schacht, which will be driven by Johnny Jenkins, who piloted the White in the 1912 sweepstakes.

New Tariff Bill Cuts Duty on Chassis

Reduction from 45 to 30 Per Cent on Imported Machines Without Bodies Proposed-Ball and Roller Bearings to be Dropped from 45 to 25 Per Cent—Views of Leaders of Motor Industry in Matter

W ASHINGTON, D. C., April 8—Special telegram-Under the new tariff bill introduced today many reductions are made in motor cars and parts as well as in raw materials that go into the make-up of cars.

On chassis imported the present duty of 45 per cent ad valorem is cut to 30 per cent, but complete cars made up of chassis and body remain at the 45-per cent mark. On finished parts going into the make-up of a car the reduction is still greater, being from 45 per cent to 20 per cent.

On ball and roller bearings the tariff is cut from 45 to 25 per cent. Other reductions include axles and parts, chains, rough forgings, malleable castings, steel ingots, iron in stages between ingots and bars, iron ore, welded tubes, flexible tubing, cylindrical tanks, and a score or more of other articles as enumerated in the schedule herewith in which the tariff under the new Underwood proposed plan is in one column and the present tariff under the Payne schedule in the other.

rayne schedule in th	e other.	
COMPARISON OF PA	YNE AND	UNDER-
WOOD T		
A-D-L	Dames	Underwood
Article— Motor cars, finished		
Motor cars, nnisned	45%	45%
Motor car bodies Motor chassis	45%	45%
Motor chassis	45%	30%
Finished parts except		
tires	45%	20%
Aylog and paris	8/ c 1h	10%
Axles and parts	20 11	24%
Chains	oc 10.	20.00
Cylindrical tanks	30%	20%
Flexible tubing	30%	20%
Bolts, blanks, nuts.		
Flexible tubing Bolts, blanks, nuts, washers Special nut locks and	13% c lb.	15%
Special put locks and		7. 10
wachowe	% c lb.	35%
washers	74 C 10.	0070
iron in stages between		
pigs and bars except		
castings, much bars.		
pigs and bars except castings, much bars, bar iron, square iron,		
rolled or hammered.	.3c lb.	8%
Round iron in coils,	.00 10.	0 70
mode home on chance		
rods, bars or shape rolled or hammered. Hoop or band iron and	0 - 11	0.01
rolled or nammered.	.6c lb.	8%
Hoop or band iron and		
steel mfd	.3c lb.	Free
Iron and steel plates		
and sheets	1 to 10c lb.	200%
Steel ingots and sim-	1 60 100 10.	-0 70
Steel ingots and sim-	# 40 - 1b 4 -	
ilar shapes	7-40c lb to	
and the second s	20%	10%
Iron or steel made		
abrasives	1c lb.	30%
Steel and wire rods	.6c lb.	10%
abrasives	.2c lb.	20%
Iron castings advanced		20 10
	.2c lb. plus	10.57
but not finished		
	.7c lb.	10%
Malleable castings	.7c lb.	10%
Lead bearings, ores of		Ti.
all kinds	1 5c lb on	.5c lb on
	lead in it	lead in or
Files and file blanks,	ACCION ALL AL	
races and the blanks,	25-77c doz.	25%
rasps		20 70
Rivets Bearings and parts	45%	
Bearings and parts	45%	35%
Rough forgings, iron		
and steel	30%	25%
Machined tools	30%	50%
Misc. articles, fe., cu., ni., zn., a1 or other metals, n spec	00 70	00 70
ni an al or other		
mi., zn., ar or other	4000	OF W
metals, n spec	45%	25%
Taron spreader for		
Taroil spreader for roads	30%	Free .
roads Nails	.4 to % c lb.	Free
welded times, from	74 - 44	
corr or plate	2c lb.	20%
Other iron and steel	101	20 /0
tubing and steel	2000	00.00
tubing Lap and butt-welded, seamed and joined	30%	20%
Lap and butt-welded,		
seamed and joined		
fron and steel tube		
and pipe	1 to 2c lb.	20%

lron ore		Free
1ron, pigs, Kentledge, Spiegele, Isen	89 50 ton	8%
Wrought and cast scrap	\$2.50 ton	0 70
iron and steel	\$1 ton	80%
iron and steel Ferromanganese	\$2.50 ton	15%
Ferrosilicon	5 ton to 20%	15%
Lead dross, lead bul-	00 101 10 20 70	20 10
lion, base bullion, old		
refuse run into bars		
and blocks fit only		
for remaking	2.125c lb.	25%
Zinc-bearing ores, all		
kinds	Free if less	10%
	than 10%	
	zn.; if more,	
	.25 to 1c	
	per lb.	
Zinc metal	1.625c lb.	10%
Zinc in sheets	1.75c lb.	10%
Zinc, old and worn out		10%
Aluminum	7c to 3c lb	25%
G113	plus 25%	Affe and
Castor oil	35c gal.	15c gal.
Litharge	2.5c lb.	25%
Zinc, white oxide	1c lb.	10%
Paints, colors, pig-	30%	15%
Pumice		5%
Mica trimmed only	5c lb. plus	30%
Mica trimmed somy	20%	00 70
Mica and mica prod-	20 70	
ucts	10c lb. plus	30%
80031	20%	00 10
Electrodes brushes		25%
Grindstones	.\$1.75 ton	\$1.50 ton
Guttapercha and India	LA	
rubber, including		
products	35%	20%

Gist of Importers' Brief

The attitude of the importer of foreign cars is expressed in the brief submitted by E. Lascaris on behalf of the Automobile Importers' Alliance at the hearing on January 10 before the committee on wavs and means.

In this brief it was suggested that the duty of 45 per cent on finished cars was prohibitive and no longer necessary. This view was supported by the fact that where 781 cars were imported up to December 1, 21,700 cars were exported.

In the importers' brief protest was made against the classification of the motor car as a luxury, it being claimed the product of the fourth largest industry of the country is used as a matter of necessity by doctors, farmers and the world at

The importers were of the opinion that a duty of 25 per cent would be more fair to all concerned than the present 45 per cent. At the suggested rate the importers pledge themselves to import 3,000 cars at an approximate value of \$6,810,000. On this amount the duties would be \$1,702,500. At the present rate of duty the value of the parts imported is 15 per cent of the value of the total import, but with the reduction asked the increase in parts imported would raise the revenue from parts alone, \$255,000 as far as a reduction in price to the consumer is concerned, if the Underwood schedule went into effect.

Mr. Lascaris stated in his brief that the average price for the year of 1912 of the foreign car was \$2,275; the average price of the exported American article is \$1,000;

the average selling price of the foreign vehicle in America is \$4,500; the average selling price of the American vehicle is \$3,000; the difference represents the duty and freight, 50 per cent.

To the importers of ball and roller bearings the proposed cut is disappointing, as they had requested a reduction of possibly 20 per cent. The importations of ball bearings for use in motor cars is an important item, and the briefs filed by the importers before the committee of ways and means at Washington show that approximately 75 per cent of the ball bearings used in American cars are imported. The brief further states that approximately 80 per cent of the ball bearings manufactured in Germany are exported to America.

The figures show that during 1912 antifriction bearings were imported to the gross value of \$1,508,939, which, on the 45 per cent schedule, paid a duty of \$679,-022.55. To this sum freight to the extent of \$75,446.95 has to be added, giving a grand total for the year of \$2,263,408.50 as the gross value of foreign ball bearings, including duty and freight when landed here. This brief further shows the steady increase which has been made in the importation of anti-friction bearings within the last few years. The figures for custom receipts are: 1908, \$57,000; 1909, \$193,000; 1910, \$597,000; 1911, \$487,000; 1912, \$679,022.55.

HOW DETROIT VIEWS TARIFF BILL

Detroit, Mich., April 8-There appears to be very little concern among the Detroit manufacturers of motor cars as to the contemplated reduction of import duties on products used by the motor car industry. While it is yet quite early for any of the heads of the industry here to formulate any conclusive opinions as to the effects of the new Wilson tariff bill, it is the consensus of opinion of the halfdozen prominent makers interviewed today that the proposed reductions would make little or no difference to the industry as a whole.

Imported products used today in motor cars are less than 1 per cent, as compared with those obtained from domestic sources. The greatest percentage of parts imported are ball bearings, which probably amount to from a half to two-thirds of the number used in American cars.

The makers in this country are very much better equipped to make moderatepriced and cheap cars than are the Europeans and hence very material tariff reductions would have little or no effect in this direction.

However, this would not hold true in other industries, which are not so wellequipped for cheap production, such as woolen goods manufacturers, and so on. The reductions will have no appreciable effect upon car cost, although raw metals, such as aluminum, nickel, antimony, lead and so forth would be imported at slightly less cost than under the present tariff schedules. However, the importations of these products by car manufacturers are in the minority as compared with those obtained here at home.

James Couzens, secretary and treasurer of the Ford Motor Co., states that from his limited knowledge of the bill, it will have no effect whatever upon the industry as a whole and that his company will make no opposition to such tariff reductions.

Hugh Chalmers, of the Chalmers company, would make no comment, as he had not gone into it enough to form an opinion as vet.

Walter E. Flanders, president of the Maxwell Motor Co., does not believe the industry will be affected.

H. B. Joy, president of the Packard company, states that it is impossible, in so short a time, for him to formulate any serious and intelligent opinions as to the effects of the new bill in detail.

"Any person must know," he says, "that when the bars are let down the cattle and hogs will get into the corn fields. Just so, greater imports will take place under reduced tariff in many lines of industry. Only time can prove just how serious this will be. It is self-evident that when goods are purchased from abroad, , American employes and products in these articles are curtailed to that extent. However, why worry, since business is good?"

R. D. Chapin, president of the Hudson company, states that with the information at hand he can see no detrimental effects of the bill on the motor industry. Importations of forgings and castings do not amount to anything, and while possibly half of the ball bearings used are imported, very many of the bearings used in present-day American cars are of the roller type and little or none of these are imported. He does not believe that congress will effect any reduction in the tariff on motor cars, since cars are still classed as luxuries, and congress is not disposed to reduce the revenue on articles in this class.

AS IMPORTERS VIEW CUT

New York, April 8-Special telegram-The views of importers of complete cars on the tariff reduction are best expressed in the brief which they presented before the ways and means committee some months ago, asking for reductions on chassis and parts. The present reduction in tariff would mean much to the purchaser of an imported car. In most cases it would amount to one-half of the difference between 45 per cent and 30 per cent; in other words, 71/2 per cent.

The Benz importer says that reducing the duty on a chassis from 45 to 30 per cent would cause a material reducing of prices. A 36-horsepower model now costing \$5,600 probably would be reduced to \$5,000. Similarly with commercial motor vehicles. A truck listing at \$6,000 probably would be reduced to \$5,300, and other trucks chassis selling at \$5,250 could be cut to \$4,500.

The Metallurgique people announce that with the present practice of importing complete cars from France, the prices on his cars would not be influenced. There is a possibility of a Belgian body builder opening a factory in this country, which would permit the chassis to be imported and bodies built in this country, under which arrangement there could be a reduction of \$500 in the price of a \$6,500

BLUE BOOK SUES A. C. A.

New York, April 7-The Automobile Blue Book Publishing Co. has filed suit, in the district court of the United States, southern district of New York, against the Automobile Club of America, alleging infringement of the latter of the copyright granted on various editions of the several volumes of the Blue Book.

The bill of complaint tends to show that the Tour Book of the Automobile Club of America, published in recent years, and, according to the Blue Book, to be published again in 1913, utilizes the information gathered laboriously by the editors of the Blue Book and compiled in this publication. It is claimed that the information thus collected and published has been rearranged and put in a new guise.

After lining up the preliminary evidence the bill of complaint prays for a perpetual injunction refraining the A. C. A. from publishing and selling the Tour Book, the sale of which, it is claimed, actually injures the business of the Automobile Blue Book.

TIRE PRICE REDUCTION

Chicago, April 8-The motorist's tire bills will be reduced slightly this season as a result of the new schedule of prices adopted by several of the tire concerns on April 1. Only two of the larger companies, the Republic Rubber Co. and the Kelly-Springfield Tire Co., have decided to maintain their former schedules and stand pat on the old prices. The Michelin Tire Co. has not met the Goodrich reduction as yet, but according to the local representative will reach a decision by the end of this week. The American agents are awaiting word from the French house before making an announcement.

Like the Goodrich company, the Goodyear and Firestone makers have included all pneumatic casings in their new schedule. The manufacturers of the Fisk and United States tires have confined their price reductions to the smooth tread cas-

ings. The Empire price cut is limited now to the plain tread tires, but a reduction in the non-skid type is pending, according to the local branch.

Two reasons are advanced for the Goodrich price reduction; first, the low cost of crude rubber, which is now quoted at 88 cents, and, second, the general use of automatic machines for the manufacture of tire easings, whereby all the fabric is laid and stretched by machinery, a saving in the cost of production of 25 cents per casing.

Following is the standing of most of the rubber companies at the present time on tire price reductions:

Republic Rubber Co.—Has issued statement to effect that cannot change price and keep quality of tires the same.

Firestone—Price list has been completely revised so that the prices are lowered to the consumer 5 per cent.

United States—Reduction of 5 per cent to consumer on plain treads; no reduction on non-skids.

Michelin—No change whatever.

Fisk—Only a single price list now. Price has been lowered to consumers about 5 per cent.

xelly-Springfield-Nothing has been done as Ajax-Grier-Reduction of 5 per cent to con-

sumer.
Swinehart—No change.
Fennsylvania—Reduction of 5 per cent to consumer.
Empire—There is to be a reduction probably about the same as that of the other companies but this has not as yet been determined.

NEW MILLION DOLLAR COMPANY

Chicago, April 9-Formation of a \$1,-000,000 corporation to be known as the Church Motor Car Co., recently incorporated in Delaware, has just been announced. It will manufacture passenger cars and trucks, using the Church pneumatic system automatic motor, which has been developed by the Automatic Motor and Engineering Co., Chicago. The incorporators of the new Delaware corporation are A. G. Latter, W. J. Malony and N. P. Coffin.

Manufacture of cars in quantities will commence in Chicago immediately and it is expected to have the first model on the street by the middle of May and deliveries will commence, according to present plans, by September 1. Efforts are being made to obtain a factory site in Detroit and the permanent plant will be established in that city, the Chicago factory being only temporary.

The car will be radically different from existing types so far as power plant is concerned, as it will employ the pneumatic motor and transmission system developed by Edmund S. Church. This involves a pneumatic clutch which takes the place of both clutch and gearset and also is automatic in that the ratio of engine speed to car speed varies automatically with the load. The system at the same time provides for pressure fuel injection, pneumatic starter and tire inflator and pneumatic tire jacks. It is stated that the engine handles not only gasoline but kerosene and even crude oil as fuel. The motor is a four-cylinder, 31/2 inches bore and 5 inches stroke and rated by the maker at 90 horsepower. The car is to be sold for in the neighborhood of \$2,500.

Compare Worm and Bevel-Drive Axles

Detroit Engineers Have Lively Discussion as to Relative Merits of Two Types

DETROIT, Mich., April 4—The annual business session of the Detroit section of the Society of Automobile Engineers was held last night in connection with the regular monthly meeting. Officers for the ensuing year were elected, as follows: Chairman: E. T. Birdsall; vice-chairman, C. E. Cox; secretary and treasurer, H. A. Connell.

The report of the secretary and treasurer showed that at present the section has 147 members and that cash on hand and in the bank totals \$515.27, with no outstanding debts.

Following the business session, technical matters were taken up. The first talk was given by R. T. Wingo, of the Superior Machine and Engineering Co., Detroit, Mich., and was a comparison of worm and bevel drive axles, which was characterized as being an exceedingly live subject just now. Mr. Wingo's remarks were confined chiefly to the shop end of the question of final drives. Many worm constructions have failed, due to several adverse conditions, and hence many engineers condemn them all. It is the same with the successful type. When one proves to be efficient, many consider them all equally good.

In the motor-driven motor vehicle many conditions govern worm and worm-wheel drives, said Mr. Wingo. If the teeth are adjusted so as to be in correct relation to each other, they very often do not stay where they are placed. The fallacy is in making no provision for permanency of adjustment. It was advised that for best results, adjustment should be provided for both members and for locking these after once properly set.

Methods of manufacture of various types of worm gearing were taken up and the best ways of cutting the members were pointed out. The Hindley and the Lanchester types were discussed and a third design also was mentioned. This latter resembles the Hindley, but it really very much different, in that the worm and worm wheel, as ordinarily considered, are reversed, the wheel in this case being the smaller member. This combination gives an oiling arrangement which is said to be very satisfactory.

Mr. Wingo is in doubt as to the best efficiency of the three types, but on numerous occasions has found it to be about 92 per cent in the best cases. The rather remarkable figure of 99 per cent has been reached by Mr. Wingo with specially constructed bevel gearings, having ball thrusts. This, he stated, ordinarily should be nearer 97 per cent, while with machinery of the ordinary type, it has been estmiated at about 75 per cent.

In closing Mr. Wingo made the rather startling statement that the worm gearing must come for trucks, while for passenger cars it is on the decline, due to the greater perfection of bevel gearing and its lower cost of manufacture, for equal efficiency. The reason that it is essential to trucks is that these have a lower gear ratio and slower speeds, and it is easier to properly proportion the parts and provide for lubrication for this slower run. ning. The passenger car offers the disadvantage of too great average speed.

The final discussion of the evening was that by E. J. Stoddard, member of the nomenclature division of the society. He spoke of the very great importance which the skidding factor has on motor car construction. It was the consensus of opinion that skidding is a much bigger consideration than the average engineer believes. Mr. Stoddard's talk was short, and consisted mainly in the presentation of a problem, which, he stated, has obsessed him for some time, relative to the apparently different rates of travel of the forward and rear ends of a motor vehicle in skidding around a curve.

RIMS WILL BE TRIED OUT

New York, April 7—In developing standard dimensions for rims the passenger car wheel division of the standards committee of the Society of Automobile Engineers has not run against any difficulty which is not surmountable. At the meeting last Wednesday afternoon a report was read which stated that the variations in diameter and felloe width did not exceed .125

inch and .25 inch respectively, and that standard limits of toleration were possible. The work is now in the hands of the subcommittee on the ways and means of carrying on future tests which are necessary before definite action can be taken. This committee is expected to report at an early date.

About seventy-five tests have to be run and a good pressure line needed to make tests on various types of straight side and beaded tires in connection with the different forms of rims. These tests are apt to cost a large amount of time and to be expensive on account of the tubes and casings needed. The specimen rims are now all at the headquarters of the S. A. E. in this city and as soon as the subcommittee has reported the additional work will be taken up.

TO TEST WORM DRIVE

London, Eng., April 1-The Daimler Co. Ltd., has issued a challenge through the Autocar to makers of the straight or parallel-side type of worm gears for an official efficiency and endurance test against the Lanchester hour-glass type of worm made by that company, and has offered its testing machine for the purpose. With the coming of the worm gear rear axle there has arisen a controversy as to the relative efficiency and lift of tne straight and hour-glass types of worms. Heretofore it has been impossible to clarify the atmosphere and obtain the eal facts because the only testing machine in existence capable of the necessary degree of accuracy to decide the question is the Daimler-Lanchester machine owned by the Daimler company.

The probabilities are that there will be definite data on the question within a few weeks, as it is considered certain

S.A.E. Arranges for Summer Meeting

Session at Detroit Will Include 4-Day Cruise on Great Lakes in June

N EW YORK, April 4—Arrangements for the summer meeting of the Society of Automobile Engineers practically have been completed with the exception of some of the minor details. The chief feature of the meeting will be the visit of members of the Institution of Automobile Engineers and of the Society of Motor Manufacturers and Traders of England. This visit is upon invitation of the S. A. E. in return for the hospitality shown the members of the society during their European trip last year.

The summer meeting begins June 4 and consists of a 4-day cruise upon the City of Detroit III, the largest fresh-water passenger steamer afloat. The semi-annual meeting of the society will be held on board the vessel. This is in response to a very general demand consequent upon the success of the last summer meeting,

which was held on board a smaller vessel en route from Detroit to Mackniac Island and return.

This year's plans embrace a more extended trip. Leaving Detroit June 4, a landing will be made at Saulte Ste. Marie the following day. After passing Mackinac island the steamer is to follow the northern shore of Lake Huron to the entrance of St. Mary's river where the government locks around St. Mary's rapids will be inspected. The return trip includes a stop at Mackinac island and the party will disembark at Detroit in the afternoon of June 7.

Proceedings of the society, both professional and business sessions, will be held upon the steamer. A banquet at the Ponchartrain hotel on June 3 in honor of the English visitors, opens the social part of the meeting.

that the challenge will be accepted by one maker, at least, David Brown & Sons, who are one of the chief exponents of the straight type of gear, and against whom the challenge is directed in particular.

A worm testing machine has been offered formally by the Daimler Co. to the National Physical Laboratory as a gift. The challenge is open until April 22 and is first, on the basis of efficiency and, second, a test to destruction. The challenger puts up the sum of \$1,000, half on each test, and the firm accepting the challenge is to put up a like amount.

U. S. RUBBER INCREASES DIVIDENDS

New York, April 7—The United States Rubber Co. on April 4 declared a 15 per cent quarterly dividend on its common stock, instead of the conventional 1 per cent. This puts the stock on a yearly 6 per cent basis, instead of the former 4 per cent, which dividend rate had been maintained since October, 1911.

Although the April 1 report is not complete as yet, President Samuel P. Colt of the company gave out a statement in conjunction with the dividend-increase notice that after all dividends paid for the fiscal year there would still remain a surplus of from \$1,500,000 to \$2,000,000.

The 2 per cent dividend on the first preferred and the 15 per cent on the second preferred stocks were declared as usual.

OWEN WORKING ON GEARSHIFT

New York, April 7—R. M. Owen and Paul Rainey, the former racing driver, are experimenting with an electric transmission mechanism, which is to do away with individual clutch and gearset. The experiments, however, have not reached the point where details may be given out.

National Commercial Shows Dropped

Makers Decide to Give Up Truck Exhibitions in New York and Chicago in Future

N EW YORK, April 7—The executive committees of the N. A. A. M. and Automobile Board of Trade, at their meetings Thursday, reached the decision that no more truck shows are to be held in New York and Chicago hereafter. This action has been foreshadowed repeatedly ever since the closing of the shows in these two cities this year, and now has become definite.

Incidentally, the two bodies decided that it would be of advantage to hold one large passenger car show in New York instead of two, and it was decided to exhibit all the cars, during a 1-week show, in the Grand Central Palace, where plenty of space is available, while the Madison Square Garden has proved more and more inadequate during the last few shows.

While in previous years the ground floor and two stories of the palace were used for car exhibitions, for 1913 three additional floors will be devoted to this purpose, giving a total of six floors. Each of these has 55,000 square feet, making a total of 330,000 square feet. If necessary, even more space could be provided. The palace has ample elevator facilities so that the show will be as easy to review as if all the cars were on one or two floors.

The merger of the N. A. A. M. and the Automobile Board of Trade into the Automobile Chamber of Commerce, although scheduled for last week's meeting of the N. A. A. M. was not effected, a slight obstacle having been interposed that delayed such action for a month.

At the N. A. A. M. meeting the resignations of Alfred Reeves, who has gone from the car to the accessory trade, and S. D. Waldon, of the Packard Motor Car Co., were accepted and J. N. Gunn, general manager of the Studebaker Corp., and Alvin Macaulay, general manager of the Packard company, were elected to fill the vacancies on the executive committee. C. Arthur Benjamin also was elected to membership as a representative of the American Locomotive Co., in place of Harry S. Houpt, resigned.

SPARK PLUG PUMP SUIT FILED

Chicago, April 5-Claiming patent infringement on a spark plug pump, the Mayo Mfg. Co., Chicago, has filed papers for suit in the United States district court against the Automobile Supply Co., Chicago. The patentee claims that the Brown spark plug pump sold by the Automobile Supply Co. has an air valve identical with that on the Mayo pump. The air valve is the only patentable feature of the pump and in both cases is said to be the same as regards dimensions, appearance, and mechanical operation. The case is on the calendar and will come up within a few days. Testimony has been taken in a similar suit of the Mayo company against Marshall-Field & Co., Chicago, who handle also the Brown pump.

OLDS PICKS MANAGING TRIO

Detroit, Mich., April 5—A committee of three will in the future direct the affairs of the Olds Motor Works, due to the recent resignation of General Manager O. C. Hutchinson. This advisory body will consist of Sales Manager J. V. Hall, Factory Manager E. B. Linden and Comptroller D. F. Edwards. The Olds plant, which is located at Lansing, Mich., is one of the General Motors group.

UNITED RIM COMPANY DISSOLVES

Detroit, Mich., April 9—(Special Telegram)—Officers of the United Rim Co., Akron, O., held a formal meeting Friday last and decided to dissolve. R. B. Beebe, its sales manager, was appointed trustee to wind up the company's affairs as soon as possible, which will be not later than June 1. The United Rim Co. has been a holding company, owning the rim patents of Goodyear, Goodrich, Morgan & Wright, Hartford, G. & J., Diamond, and Continental.

ALCO PREFERRED DIVIDEND DECLARED

New York, April 7—The board of directors of the American Locomotive Co. declared the regular 1.75 per cent quarterly dividend on the preferred capital stock, payable April 22, 1913.

French Enjoying Big Export Business

First 2 Months of 1913 Shows Increase of \$1,875,180 Over 1912

PARIS, March 29—French motor business has been very satisfactory during the first 2 months of the present year, according to the returns just issued by the financial authorities. The total value of the motor exports is \$7,242,840, compared with \$5,367,660 for the corresponding period of 1912. The increase therefore is \$1,875,180.

There has been increased business with all nations but the four following: England, Switzerland, Austria, and America. The decrease with England is \$72,520 for the 2 months, and although Great Britain still figures as the most important customer of France, she is followed by Belgium with only \$80,000 less, which is a fine showing.

While exports have increased, imports have also been on the rise. In 1912 the figures for the first 2 months were

\$282,060; for the 2 initial months of the present year they are \$431,580. The greatest increase has come from England, with \$60,000 value of cars. Germany follows, with Italy third. The United States stands low with only \$14,000 as its contribution to the French coffers.

The export figures for the countries figuring on the official list are announced

Country.	1913.	1912.
England	\$1,746,780	\$1,821,300
Belgium		1,104,840
Argentine Republic.	618,840	253,320
Germany	399,780	302,280
Algeria	575,400	477,000
Brazil	367,680	211,260
Italy	183,300	95,520
Russia		17,100
Spain	163,440	120,580
Switzerland	95,040	158,400
U. S. A	90,120	110,640
Turkey	26,460	21,780
Austria		51,660
Other Countries	1,152,600	619,980
	\$7,242,840	\$5,367,660

Railroads Recovering from the Flood

Tracks Being Restored and Bridges Rebuilt—Transportation Facilities Rapidly Being Restored to Normal-Indiana and Ohio Concerns Write Motor Age as to Existing Conditions Following the Inundation

CHICAGO, April 7-With large gangs of workmen laboring day and night rebuilding washed out tracks and bridges and restoring lines of telegraphic communication, losses from delayed shipments anticipated by the manufacturers of motor cars and motor accessories in the flooded districts of Indiana and Ohio will be reduced to the minimum, according to local railroad officials who are confident that traffic conditions will be normal by the end of the week.

"We are prepared to take care of all shipments," was an almost universal statement made today by the general freight agents' of the lines operating in the inundated territory. The majority of railroads which suffered from the floods have about completed their repair work and in the few instances where rehabilitation is not yet possible, arrangements have been made to detour over the tracks of competing systems.

If any cities can be said to be isolated, they are Cincinnati and Dayton. The Baltimore and Ohio is not receiving shipments to either of these points and the Panhandle cannot run trains to Cincinnati or beyond at the present time. The Erie officials, however, have succeeded in opening their line from Dayton to Chicago and announced that they had started a continuous movement of freight this morning.

The Pennsylvania system which suffered the most damage at Piqua, Dayton, Columbus, Indianapolis and Logansport and on lines approaching these cities, opened up a through line to Pittsburg this morning and lifted the embargo on all shipments from and to points en route.

The Big Four has two divisions reopened, the Chicago division from Chicago to Lawrenceburg Junction tapping Lafayette and Indianapolis, and the Michigan division from Benton Harbor to Louisville by way of Elkhart, Wabash, Anderson and Shirley. This road also is giving freight service to Muncie by way of Indianapolis.

The Baltimore and Ohio is accepting freight from Cleveland and Columbus shippers and hopes to give Dayton and Cincinnati the same service before the end of the week.

Neither the Lake Shore nor Michigan Central was affected by the rampaging waters except in regard to small connecting lines. The majority of these have now been repaired and freight embargoes are very few.

Bulletins received at local railroad headquarters announce the constant addi-

tion of more territory every hour and verify the prediction that conditions will be normal by the end of the week.

The motor industry in the flood zone also is rapidly recovering from the ravages of the high waters. In almost every case where a factory was flooded, order has been restored and the manufacture of cars and accessories now is going on as it was before the inundation.

Letters sent to Motor Age by manufacturers in Ohio and Indiana tell of the general resumption of business. These letters give specific details and are interesting. Herewith are excerpts which give an accurate line on the situation as it is now:

INDIANAPOLIS, IND.

INDIANAPOLIS, IND.

American Motors Co.—The plant of the American Motors Co. sustained no damage whatever from the flood further than a slight inconvenience for a day on account of the city water being shut off. Production was handicapped somewhat because some of the employes resided in the flooded district and others were unable to get to the factory because of the discontinuance of street car service but it will not be delayed. There is a possibility that shipments will be held up because of crippled railroad service and the fact that the railroads are accepting freight only on condition that they will not be held responsible for damages, no matter what the cause.

Cole Motor Car Co.—The flood did no damage whatever to the Cole plant owing to its location. Production was tied up for 3 days on account of lack of city water service and shipments were delayed 3 days.

Diamond Chain Mfg. Co.—The flood did no damage to the plant of this company and shipments were held up only for 3 days.

Duckwell Belting & Hose Co.—The factory of this company was not damaged by the flood but lack of adequate railroad facilities delayed shipments.

Henderson Motor Car Co.—The Henderson plant was left high and dry above the flood and no loss was suffered. The only inconvenience was a shut down for 3 days because of a lack of water supply for the factory boilers. Cars were loaded on 2 of the 3 days the factory was closed and the shipping schedule was set back only 2 days on account of the high water.

Henricks Novelty Co.—This plant has been running right along as usual as it is without the flood district but shipments have been delayed because the transportation companies have been more or less crippled by washed out bridges, etc.

R. J. Irvin Mfg. Co.—Ten feet of water in body factory. Production stopped temporarily but plant now is running to full capacity.

Link Belt Co.—Floods did not do any damage to this plant and the factory was run

in body factory. Production stopped temporarily but plant now is running to full capacity.

Link Beit Co.—Floods did not do any damage to this plant and the factory was runduring the high-water period although somewhat short-handed. Production will not be delayed but shipments were.

Lyons Atlas Co.—Our motor plant is located on high ground and not in the flood zone. Production not stopped by crippled city water service as pumping apparatus is installed in the factory.

Mais Motor Truck Co.—Plant did not suffer at all from the rising water. Flood held up production and shipments and delay may last from 2 to 3 weeks depending entirely on how soon the railroads and bridges are repaired and rebuilt. Number of employes suffered loss from water entering their houses and plant was operated with small force for a few days.

Marion Motor Car Co.—The Marion factory is located on the White river but protected from its ravages by a very strong and high levee. The plant, therefore, did not suffer greatly from the flood except in the interruption of factory operations. Some water entered the plant at the rear and on the lower floor but precautions had

been taken to move everything which might have been damaged the day previous to the partial inundation of the city. Some cast-ings and metal work were submerged but not at all injured, and the chief delay was occasioned by the lack of telephone, water and street car service. Shipments will' go forward rapidly as soon as railroads open up.

occasioned by the lack of telephone, water and street car service. Shipments will'go forward rapidly as soon as railroads open up.

National Motor Vehicle Co.—Flood did not damage the National plant in the slightest and plans for the immediate future are just the same as they were before the flood. Conditions are normal and we will be able to make immediate deliveries.

Nordyke & Marmon Co.—The Marmon plant was partially submerged but before the flood came the employes succeeded in removing practically all the finished product, considerable material, records, drawings, patterns, etc., to places of safety. No buildings were damaged. We believe we will be in a position to make shipments and fill all orders promptly by the time the railroads are ready to accept freight.

Oakes Co.—The plant was not damaged and production or shipment was not delayed.

Motor Car Mfg. Co.—The Pathfinder plant suffered little or no loss except in time. Factory started with full force April 1.

Premier Motor Mfg. Co.—The Premier lant was fortunate in being located on high ground and in no way suffered from the flow of waters.

Prest-O-Lite Co.—The greatest damage done to this plant through the flood was through the interruption of all railroad and traction tronsportation service. Manufacturing is now done at new factory near the speedway and while the physical damage to the plant was practically nothing the power was shut off and manufacturing was stopped temporarily.

Rockwood Mfg. Co.—Our motor factory is located on high ground 2 miles from the flood district and was not affected in any way. No interference with production but shipments from Indianapolis delayed by washouts.

Ideal Motor Car Co.—Located on high ground, the Stutz factory was not affected

shipments from Indianapous delayed by washouts.

Ideal Motor Car Co.—Located on high ground, the Stutz factory was not affected by the floods and the production was not delayed in the slightest. The only difficulty experienced is that railroads are not in position to handle outbound freight but this untoward condition is gradually being over-

waverley Co.—The Waverley plant was not in the zone of the flood and no damage resulted.

Wheeler & Schebler—Floods did not come

wheeler & Schebler—Floods did not come anywhere near factory and no loss was suffered. Plant was shut down 5 days that hospitals and relief stations might get water from the company's wells. Production will not be delayed in the slightest but railroad congestion may delay shipments. This delay will not be serious.

KOKOMO, IND.

Apperson Bros. Automobile Co.—A small creek on a rampage forced us to close down the plant for 24 hours, but excepting that hiatus in production, no untoward effect from the heavy rains have been noticed. Production or shipments will not be delayed. Byrne, Kingston & Co.—Factory not damaged by the flood. Production delayed 2 or 3 days by crippled power and light. Plant now running full force and shipments being made.

Made.

Kokomo Electric Co.—Flood did not damage factory and delay in production caused by failure to railroad companies to deliver supplies. Small financial loss suffered from plant being shut down during time power and water plants were out of commission.

Kokomo Rubber Co.—Officials were not forced to close down factory and only inconvenience experienced was lack of shipping facilities which are now in normal state.

Long Bros.—Factory being situated on

state.

Long Bros.—Factory being situated on high ground above rampaging Wild Cat creek, no loss sustained and production and shipments were delayed only for a short

shipments were delayed only for a short time.

Planhard Mfg. Co.—Factory was not dam-aged by flood but we fear that a large number of patterns, sent to Dayton in order that castings might be made there, have been lost.

Hoosiers Look Into Future

Indianapolis Prepares to Similar Prevent Floods Hereafter

NDIANAPOLIS, Ind., April 7—The city engineering department has begun a survey of White river from Thirty-eighth street to Southern avenue, with a view to widening the channel and building levees for future protection from high waters. The portion of the river to be improved is approximately 5 miles in length and the cost will doubtless reach \$1,000,000. The cost is to be met by an assessment on all property benfitted, with the exception that the city will pay about \$150,000 of the cost itself by a bond

In many places it will be necessary to condemn land, where there has been an encroachment of the banks. There has been a conflict of authority for years, the United States government in 1787 declaring the stream to be a navigable one while the Indiana supreme court in recent years has held it is not navigable. As a result many manufacturing concerns have filled in along the river banks and added to their holdings.

There is to be a driveway on either bank on the levees to be built and these driveways will be turned over to the board of park commissioners for improvement as boulevards.

Concerns identified with the motor car industry that were in the path of the flood are rapidly recovering. It is believed the total loss to motor car interests will not exceed \$100,000.

PERU, IND.

Brown Commercial Car Co.—Water flooded one-story factory but part of the stock was protected. Great Western Automobile Co.—The fac-

Great Western Automobile Co.—The factory escaped serious damage and started up March 31 with a small force which will be increased as rapidly as the employes, who lost all of their personal effects in the flood, can get back. Shipments have been resumed.

Model Gas Engine Works—Aside from a brief shut-down the loss is of but little consequence and will in no way prevent the company taking care of all contracts. The factory was started up March 31 and a full force was employed 2 days later.

Peru Electric Mfg. Co.—The factory was damaged but slightly by the flood and production was resumed the first of last week. Shipments will be delayed for another week or 10 days.

CONNERSYILLE. IND.

CONNERSVILLE, IND.

CONNERSVILLE, IND.

Empire Automobile Co.—Factory was not situated in the flooded district but was compelled to close down for a few days because of a coal shortage. This is now passed and railroad shipments out of Connersville were resumed April 3.

Howard Motor Car Co.—The company's plant was not damaged in any way and the only loss suffered is due to the cutting off of all railroad connection and the fact that the line over which most of the raw material is received will not be in operation for a period of from 10 to 30 days. This delay will unquestionably affect the company's production to some extent.

McFarlan Motor Car Co.—The flood did not damage the McFarlan plant at all and our plans for the immediate future are to get out as many cars as possible and that production will not be held up one moment. Shipments were resumed April 1.

W. W. Wainwright & Son—The factory was not damaged in the least and production was held up only 3 days.

LAFAYETTE, IND.

Ross Gear & Tool Co.—Six feet of water

Ross Gear & Tool Co.—Six feet of water stood between the factory and serious dam-

age, but the plant was uninjured. Plans for the immediate future are not affected in any way by the flood and production and shipment will not be delayed.

MARION, IND.

Rutenber Motor Co.—Although within 2 feet of the building the flood did not damage the Marion factory but the foundary at Logansport, 40 miles west, was flooded to an average depth of 3 feet and operations cannot be resumed there for another week. The Marion factory was shut down for 2 days when there was no power.

FORT WAYNE, IND.

Wayne Auto Axle Co.—The flood did not damage the plant in any way excepting by indirect interference due to the absence of the city water supply. Shipments at the present time will not be hampered but may later owing to the slowness of the raw material getting in later owing to the terial getting in.

MUNCIE, IND.

Inter-State Auto Co.—The flood did not reach the Inter-State factory and production was stopped but 1, day because the water works' pumps were submerged. The railroads are rapidly recovering from the flood and have resumed shipments. Conditions are now normal.

ANDERSON, IND.

Nyberg Automobile Works—Neither the factory nor the stock of the Nyberg company suffered a loss from the flood. After a delay during the time of high water the plant now is running full force and the officials are confident of turning out all the cars scheduled for delivery this season. The railroads running into Anderson, as well as the interurban lines, are now in full operation.

RICHMOND, IND.

Pilot Car Sales Co.—Although within the heart of the flood area the Pilot factory was not damaged by the raging waters of the White river. The company has plenty of material on hand to take care of immediate production and a large amount of supplies in railroad yards nearby. At the most, shipment delays will not extend over a period of 10 days.

DAYTON, O.

Air Friction Carbureter Co.—Although the company's offices were flooded the damage to the factory was not serious and production was resumed April 1.

Apple Electric Co.—Our plant was not seriously damaged, only the machine shop and battery department being under water. Our plans are not materially changed by the in-

Toledo Waits on Railroads Business Will Become Normal With

Transportation Restored

Toledo, O., April 5-Now that the waters in the flooded sections of the state have subsided and the plants have had an opportunity to begin the work of cleaning up and to form some intelligent estimate of the actual loss to plants, garages, etc., it is believed that the greatest losses will be from the delay in shipments on account of the railroads' inability to make deliveries.

All but one or two of the steam and electric roads out of Toledo were out of commission for the handling of freight for a period of several days and this has formed a congestion in manufacturing plants of all kinds which is a serious matter. The property and equipment loss at the factories in the submerged districts it is estimated will reach something above the million mark, but none is severely crippled and all will be able to resume business within a few days.

Shipments south of Toledo cannot be made as yet and it is thought it will take a fortnight yet before the situation will be cleared up.

Ohio Is Becoming Normal

Buckeyes Are Slowly Recovering from Effects of Flood

OLUMBUS, O., April 1-Business in Columbus, o., Apr. flod-ridden sections of the Buckeye state is slowly resuming its normal condition. In Columbus the plant of the Columbus Buggy Co., which suffered some damage from the flood, is being put into condition and the receiver gives assurances that the plant will be ready for operation as soon as litigation is over. The steps for reorganization are said to be progressing satisfactorily. The damage done the plant was less than \$15,000.

The garage and sales room of Jacob Renner on West Broad street was almost entirely destroyed, although Mr. Renner, who was agent for the Richmond, has taken steps for another shipment of cars. Several new cars were destroyed.

The past week has been a bad one in Columbus from the standpoint of sales as the flood overshadowed everything else. Sales agents and distributors however believe that more sales will be made soon and that the flood will not affect them so badly as was at first believed. More interest is being shown in motor cars every day.

In Dayton, as the work of restoration continues, it is seen that the damage done car manufacturing concerns was not as large as first believed. There will be a heavy damage, however, as several of the plants were flooded to a great depth.



undation, as the departments in question have been thoroughly cleaned and we expect to be running by April 7. The shipment of our products will not be seriously delayed except by the transportation companies which are not as yet accepting shipments. We have a considerable stock of lighting dynamos and storage batteries on hand which were not reached by the flood and these can go forward as soon as the railroad companies are in shape to accept them.

them.

Speedwell Motor Car Co.—Operations were resumed at the Speedwell plant Monday morning. The factory was not touched by the rising waters although surrounded on all sides. Lack of electric power for factory operation and trolley service prevented the resumation of production until the first of the week. The plant has no facilities for receiving materials or shipping cars as the Big Four is badly crippled on both sides of the factory. The delay in deliveries is expected to last two weeks and possibly longer, depending upon the ability of the railroads to re-establish shipping.

YOUNGSTOWN, O.

Republic Rubber Co.—The flood did not affect the company's factory operation although nearly all the other plants in Youngstown were under water. We will be able to take care of all orders but shipping facilities are temporarily affected.

COLUMBUS, O.

Jeffrey Mfg. Co.—The company's factory escaped the flood and while it has been operating every day with reduced forces because some of the men were searching for relatives and friends while others were aiding in the relief work, we are pushing orders. Express and freight shipment was resumed April 1.

Kelly-Springfield Motor Truck Co.—Although the factory was not damaged by the rising water the flood will seriously interfere with the company's business and it will be some time before we will be able to receive shipments or material or send away trucks.

SPRINGFIELD, O.

The Story of Motor Spirits, New Fuel

Making Rival of Gasoline from Fuel Oil

By P. C. Crenshaw

General Manager Sales Department Standard Oil Co. of Indiana

THIS is a story of a wonderful discovery, a very interesting story, too—interesting in more ways than one. Primarily interesting because it means a very material saving in dollars and cents for motorists and others who use gasoline or other liquid fuels for internal combustion engines.

The name "Motor Spirits" is merely descriptive of a fluid for use in gasoline engines and conveys but very little information as to what the article really is. Briefly stated, it is a product of an entirely new method of manufacture or distilling, but we will tell you more about this later.

When Motor Age heralded the advent of Motor Spirits with the statement that it would be sold at practically 3 cents per gallon less than gasoline, many were skeptical, feeling that the news was too good to be true, and naturally felt that even if the information were correct as to price that there was something wrong with the quality. To relieve your mind at once on this point we will state at the outset that the information as to price is correct, and with the exception of a slight odor, and the fact that the color is not quite water white, there need be no misgivings as to the quality-but this is getting a little ahead of our story.

How Motor Spirits Is Made Gasoline is made, as everyone knows, by distilling the crude oil and taking off the lighter products. Other products then are made by further distillation, until finally there is a residue left that heretofore has been marketed only for fuel purposes at a price in competition with coal. For a great many years the chemists have known that this residue, or fuel oil, contained a large amount of material similar in composition to gasoline, but of a much higher boiling point. Notwithstanding the vast amount of experimental work that has been done, the problem of converting high boiling-point products into low boilingpoint products by a practical method baffled every effort.

It is true that the necessity for a greater production of gasoline has become imperative only within the past year. Prior to that the refineries were able by the ordinary methods to produce enough gasoline to meet all requirements, but with the constant increase in the number of gasoline engines and the growth of the motor car industry, coupled with the decrease in the production of crude oil, an acute condition has been brought about within the last year. Necessity is ever the mother of invention; with the urgent necessity of an increased yield of a fuel for internal combustion engines came the

solution of the vexing problem, and the discovery of the process by which Motor Spirits is made.

To detail the long series of experiments, the many failures that came when success seemed to be at hand, covering a period of more than 3 years, would be but to repeat the history of every epoch making discovery. The discovery of Motor Spirits will mark an epoch in the gasoline engine industry.

Motor Spirits Dispels Fear of Famine

Before its discovery the fear of a shortage of the fuel supply for internal combustion engines hung as a cloud over the industry, with the further fear that the price would reach a prohibitive figure. With the advent of Motor Spirits both of these fears are dissipated. An abundant supply of fuel seems to be assured for a number of years hence at a comparatively reasonable price.

As stated above, Motor Spirits is made from what was formerly known as fuel oil. It is extracted by the process of pressure distillation. Under this process it is possible to secure about as many gallons of Motor Spirits from a given amount of crude run as now are obtained of gasoline, thus the total production of fuel suitable for gasoline engines practically can be doubled. Of course this takes time. The process requires an extremely expensive plant installation—several times as expensive as is necessary in the ordinary refining process.

The operation likewise is expensive, but as rapidly as the stills can be built they are being erected at the huge refineries at Whiting, Ind., and Alton, Ill., owned by the Standard Oil Co. of Indiana.

It will take several years to reach a point where a maximum amount of production can be secured, but the progress that has been made and is being made in the erection of these stills seems to give assurance that the supply of fuel will keep pace with the demand. The purpose of putting Motor Spirits on the market is to furnish the consumer a product that has the greatest efficiency at the lowest possible price. This is carrying out a fixed policy of the Standard Oil Co. The success of the company has been due largely to the fact that it has always furnished beter goods for less money. Its constant effort has been to save the consumer

Motor Spirits could be refined further, deodorized and a product could be obtained therefrom that would be identical in every way with gasoline, but to do this would bring up the cost of the product to the present price of gasoline. This would accomplish no good purpose. The odor, whilst

pungent, is not necessarily disagreeable; it is simply a distinctive odor peculiar to Motor Spirits. It is noticeable only when handling the liquid. The exhaust from an engine is not as offensive as is the exhaust from gasoline. You can ride in a motor car using Motor Spirits and not detect it. The color is of but little moment. We have learned to expect gasoline to be water white. The fact that Motor Spirits is slightly yellow has no bearing on its efficiency for power purposes, any more than if it were green or blue. There are other disadvantages in further refining this product.

There are certain inherent properties in Motor Spirits that are desirable for power purposes that would be taken out in refining, principally the low boiling points which make the starting of the car easy, for it is a fact that in cold weather a car can be started easier with Motor Spirits than with gasoline. There is also more power in Motor Spirits than there is in gasoline, and further refining would destroy this advantage, so that there is everything to be lost and nothing gained in seeking a product from Motor Spirits that would look a little prettier and smell a little sweeter. As is the case with gasoline, it is desirable to use a chamois filter for filling to avoid the presence of mois-

New Fuel Will Be Popular

No one who has ever used Motor Spirits will care to go back to the use of gasoline, unless he is somewhat finicky as to the smell. It, of course, should be thoroughly understood that Motor Spirits is not intended for use in lamps or stoves—it is not suited for these purposes.

There is no type of internal combustion engine in which Motor Spirits will not perform as well or better than gasoline. It is a conservative statement that it will produce 10 per cent more power. This, coupled with the lower cost, means a saving to the user of at least 25 per cent. It is not necessary to use a different carbureter, but it will be found best to make a slight adjustment of the carbureter, either by reducing the amount of Motor Spirits, or increasing the amount of air admitted to the carbureter.

Provision for storing Motor Spirits is being made through the entire section in which the Standard Oil Co. of Indiana operates. This in itself is a huge problem, but every effort is being made to supply the trade as rapidly as possible so that the consumer may have the benefit of this saving. The trade can now be supplied, even in the most remote sections by making shipments in iron barrels from distributing points. Of course this will make some little reduction in the saving where local freight has to be paid, but there is still sufficient saving to warrant the consumer in using Motor Spirits for motor cars or trucks in preference to the older and more familiar petroleum product, gasoline.

N EW YORK, April 7-Action that possibly will mean more to the motorists of the country than any other one step taken by the industry is the agreement entered into last week between the National Association of Automobile Manufacturers and the Society of Automobile Engineers to cooperate in the immediate investigation of the fuel and carbureter

After quietly studying the gasoline situation for the past 3 months the N. A. A. M. has found sufficient grounds to warrant a thorough investigation of automobile fuels, including the immediate applicability of kerosene and other low-grade petroleum products and the possibilities of developing substitutes for gasoline itself. Special arrangements have been made with the S. A. E. whereby the latter organization will undetake the more technical features of the investigation, including possibly a not inconsiderable amount of research work. The movement is significant in that it is the first definite response of the industry to the repeated and insistent complaints of motorists throughout the country during the past 9 or 10 months. That it will bring ultimate relief seems assured from the fact that the fuel problem is recognized by the manufacturers themselves as a question involving in some measure the future welfare of the industry:

Europe Already Investigating

This action is similar to that undertaken in England about 1 year ago by the Royal Automobile Club of Great Britain, but it is hoped that the results of the investigation on this side will be more immediate and decisive than those of the English organization. The latter has issued several reports on the use of various fuels, notably benzole, a coal tar product, but does not seem to really have accomplished anything toward relieving the condition of the fuel market over there.

At a conference with the council of the S. A. E. held early last week in New York, at which President William E. Metzger and General Manager Samuel A. Miles, of the national association, were present, a plan of action was sketched out by which the S. A. E. is given full authority to arrange for whatever scientific research the needs of the investigation may disclose. Such matters as may be of a purely commercial nature naturally would fall more properly within the scope of the normal activities of the association itself.

While definite announcement of the details of the plan have not been made public, it is stated officially that it will embrace both fuels and carbureting devices. To whatever extent may be deemed necessary, the ground already covered by the special fuel committee of the national association will be gone over again in an effort to determine exactly the status of the petroleum industry, particularly with reference to reserve supplies of petroleum at present held underground and the pos-

Fuel Question Arouses National Bodies

N. A. A. M. and S. A. E. Join in Seeking Relief

sibilities in the way of exploiting undeveloped oil fields.

Special opportunity will be given inventors and others who are interested in the development of new fuels as substitutes for gasoline to demonstrate not only their applicability to propulsion, but also the extent to which they can be produced and the probable relative cost. In this connection the investigators will study fuels such as the new Motor Spirits, recently placed on the market by the Standard Oil Co., of Indiana, and which is manufactured from a residue formerly marketed at a low price as fuel oil.

New Fuels Suggested

Coal tar, peat, and even vegetable refuse are possible sources of hydrocarbon compounds that may be used as fuel and are at present under investigation by various authorities, while several companies recently have undertaken the exploitation of fuels declared to be suitable as gasoline . substitutes which are not directly dependent on the petroleum market, or which are entirely independent of it, as the case may be. Those interested in substitute products, as well as in new processes for increasing the yield of gasoline and similar products from petroleum itself, will be invited to place them before the investiga-

In a similar way, inventors of carbureters and other devices calculated to adapt the ordinary engine to the use of kerosene, distillate and similar low-grade fuels, will be given opportunity to demonstrate their merits to the satisfaction of the investigators. An important aspect of the work will be a study of carburetion methods at present employed with a view to determining what modifications are necessary in order to cope with the low-grade gasoline that is available at present, and pending possible relief, from whatever source it may be derived. President Metzger, of the national association, inspeaking of the investigation, said:

of the investigation, said:

I consider this an import public work. It is for the benefit of the public quite as much as the motor car industry itself. They tell us that we are now getting 58 gravity gasoline, where a few years ago we were getting 64 and 68: and that it will continue to go down until within the next 5 years we will be getting es low as 50. Now that is something for which we must be prepared. It is not sufficient to develop our present product in such a way as to take care of these low-grade fuels, but we must look after the user. There are many thousand care running today that will be still in use next year, and the year after, and we must see to it that they are provided with some sort of fuel to which they are adapted.

The oil people, with whom we already have been in conference, have explained their position very carefully to us, and have expressed their willingness to co-operate with us in carrying out this work. The national association itself, is fully competent to undertake the investigation, since the subject is one of so broad a nature and one so vital to the interests of all its members, and what is more, it is prepared to stand behind any conclusion that may be finally approved, in addition to lending its assistance to the work. And most important of all is the question of locating the fuel supply of the future. It will not be

long before we shall have to reckon on supplying 1,000,000 cars with fuel in the United States alone. So that it will not be enough merely to adopt kerosene carbureters, unless we can be sure that the supply of kerosene will increase as fast as the demand for it increases.

President Howard Marmon, of the S. A. E., who was detained in Indianapolis while getting his factory back into running order after a brief partial interruption by the flood, communicates his views of the undertaking briefly, as follows:

of the undertaking briefly, as follows:

The development of improved methods of carburetion, particularly of methods applicable to heavier grades of fuel, is directly in line with the standardization work in which the society is so actively engaged at the present time, though somewhat in advance of any that is at present under way. Under our constitution, the society is not permitted to engage in any remunerative enterprise, nor is it permitted to approve or adopt any standards or formulas, nor to approve any commercial or engineering enterprise. It is, however, empowered to appoint committees to investigate any subjects coming directly within its field, and to approve or reject the findings of such committees.

committees.

For this reason it would be impossible for committees.

For this reason it would be impossible for the soclety, or any committee delegated by it to undertake a study of the fuel question, to approve or recommend the design of any single form of carbureter, for example, or to approve or recommend any proprietory fuel compound, or any definite method or process of manufacturing a fuel. At the same time it is within the province of the society to undertake an investigation of the laws governing carburetion with a view to determining what physical or chemical properties are most desirable in a fuel and how best it may be applied, and to thus establish definite relations between the requisite velocities, volumes and temperatures.

Similarly, it is empowered to frame rules for standard methods of test whereby inventions or proprietary products may be investigated, and to publish the results of tests made according to such rules in its transactions. To do so, in fact, is one of its most important functions, since it arrays before its members the scientific facts concerning important matters in an orderly and authentic manner.

In undertaking the technical side of this

In undertaking the technical side of this investigation of fuels I feel that we are entering upon one of the most important tasks that has yet come within the province of the society. In conducting a purely scientific study of fuels and their application in the engine, we are not only performing a natural service to the society, whose membership is representative of the industry as a whole, but we are seeking to perform a public service which cannot fall to be of lasting benefit to a very great number.


TO MAKE MOTOR SPIRITS IN WEST

Chicago, April 5-A third refinery for the production of Motor Spirits, the new motor fuel, will be in operation by the first of next year. This refinery will be an addition to the present oil refining plant of the Standard Oil Co., at Neodesha, Kan. The addition, including the stills for the production of the new fuel, will represent an outlay of about \$200,000. Motor Spirits will be distilled by the Burton process of pressure distillation under royalties from the Standard Oil Co. of Indiana.

Two other refineries are producing the new fuel, one at Whiting, Ind., and the other at Alton, Ill. At the Whiting plant about \$2,000,000 worth of apparatus has been installed to produce and handle the Motor Spirits. The production of this plant is about 50,000 gallons of Motor Spirits daily and that of the Alton plant is about 10,000 gallons daily. The production of both plants is being increased as rapidly as new stills can be operated.

How the Law Double-Crosses the Motorist

Tax Paid on Horsepower That Cannot Be Used Legally



T HROUGH the ignorance of the state legislatures in motor matters owners are paying annually more than \$1,670,000, in excess of what they should because of laws which place a tax on horsepower and at the same time prohibit a speed high enough to allow the motor to develop the power upon which that tax is based. In order for the average motorist to get the benefit of the power for which he is paying the state, he has to exceed the legal speed limit.

Thus the legislatures are setting a premium upon lawbreaking by motorists.

Law Subsidizes Lawbreaking

Motor Age has gone deeply into the question of the license fees and speed limits and finds that there is not a state in the union in which a definite speed is set as the legal limit for the open country, that permits a rate of speed at which the average car will develop 25 horsepower on level country roads.

This all comes about from the fact that a gasoline engine has to run at a certain speed to give a certain power, that is, the faster the crankshaft revolves the more power the engine is giving. When on the road, the speed of the car depends upon how rapidly the engine is turning over and to keep down the speed of the car we have to slow down the engine.

What the relation between the speed of the car and the revolutions per minute of the engine crankshaft is, depends upon the size of the wheels and the number of times the engine crankshaft turns over to each revolution of the rear wheels. The latter is what is called the gear ratio.

But I have to go 30 miles per hour to use the 30 horsepower for which I was taxed

By Darwin S. Hatch

With a certain gear ratio, the speed of the engine is proportional to the speed of the car. For instance, an engine whose crankshaft turns over three and one-half times each time the rear wheels revolve, has a motor speed of about 1,025 revolutions per minute when the car is traveling 30 miles per hour. The motor speed is only 850 revolutions per minute at 25 miles per hour. This is as fast as any car is allowed to go in most states and few cars develop anywhere near their rated power at a crankshaft speed of 850 revolutions per minute on high gear.

A fair average of all the 1,000,000 cars upon which taxes are now being

paid would be one with a fourcylinder motor of about 4
inches bore and 5 inches stroke,
with a gear ratio of 3½ to 1
and tires 35 inches in diameter.
According to the laws of most
states the owner would be paying for 25.6 horsepower. Such
a motor must turn over at a
little better than 1,300 revolutions per minute to develop the
25.6 horsepower on which he is
paying a state tax. If he pays
a tax of \$8, which is about the
average vehicle license on a 25horsepower car, he must keep

motor running at 1,300 revolutions per minute to realize the power on which he is paying the tax. But to have his motor running at this speed on direct drive he would have to travel at a speed of 40 miles per hour.

By the laws of most states, however, he is not permitted to exceed a speed of 20 miles per hour anywhere in the state, so that he is paying a tax on twice as much power as he is allowed to use by the speed laws of the state. In other words he is paying approximately \$4 per year too much. While this does not mean very much to the motorist as an individual, it amounts to a vast sum when it is remembered that there are more than 1,000,000 cars in the country upon which taxes are being paid.

Some Individual Cases

To take individual cases for instance, a motorist who owns an Abbott-Detroit of 4.5 by 5.5 inches bore and stroke would be paying taxes on a 32-horsepower car; but if he lived in South Carolina, could use only 15 horsepower without disobeying the speed laws. If he lived in Texas

he would be allowed to get only 18 out of his 32-horsepower motor and if he lived in Ohio or any other of the fourteen states limiting the speed to 20 miles an hour on the road he could develop only 20 horsepower.

Power Not Figured Correctly

License fees of most states are supposed to be based upon the horsepower of the motor as determined by the formula adopted as official by the Society of Automobile Engineers. By this formula, the power of a motor when the piston is moving up and down in the cylinder at the rate of 1,000 feet per minute, is found by squaring the bore of the cylinder in inches, multiplying by the number of cylinders and dividing the product by 2.5. As the formula is stated usually and as it is employed by the secretaries of state, the formula is taken without regard to the piston speed.

If the formula were used as it really is intended to be used, both the stroke and the crankshaft speed would affect the result. It has been found that the S. A. E. formula is very nearly correct for most motors if the power is taken proportional to the piston speed as originally intended. Taking the formula as applying only to motors at 1,000 feet piston speed and the power at other speeds as proportional to. the piston speed, the latter can be divided into its factors of crankshaft speed and stroke and the power of any motor with any bore and stroke and at any speed figured by multiplying together the square of the bore, the stroke, the number of cylinders and the revolutions per minute an ddividing the product by 15,000.

It is on this formula that the power of the different motors at the various road speeds have been figured.

The owner of a Winton six pays taxes on 48-horsepower car, but with the stock gear ratio and tire size on his car could develop only 22 horsepower in the 20-mile-an-hour states and 27 horsepower in the 25-mile-an-hour state. The highest speed limits set in any states are those in New York, North Dakota and Alabama. This limit is 30 miles an hour, and the

Winton owner could by running at the limit develop 32 horsepower, or two-thirds of the power for which he is taxed.

Owners of Ford cars do not fare so badly in the matter of abortive combination of license fees and speed limit as do some other owners. Ford owners are taxed for a 22.5-horsepower car. In the 30-mile-an-hour states he is using, at the speed limit 19 horsepower. In the 25-mile-an-hour states he can get about three-quarter of his money's worth. But in the 20-mile-an-hour states, which comprise a greater part of them he must break the speed limit in order to get more than half the power on which he is paying taxes if he is traveling on good level roads.

The man with a Hupmobile 32 is one of the few who is able to beat the game in any states which set limits to the speed. In the states where 30 miles an hour is the maximum permitted he is allowed to travel fast enough to be developing 18 horsepower, whereas on account of his small bore he is officially rated at only 16.9 horsepower.

Illinoisans Pay 30 Per Cent Excess

Suppose we return to the man with the average car with a 4 by 5 motor, which is rated by the official S. A. E. horsepower formula upon which the tax is based at 25.6 horsepower. If he lives in Illinois, it will cost him \$4 a year license fee or \$0.16 per horsepower. But he is allowed to travel at only 25 miles an hour and is developing to make this speed only 18 horsepower. That is, eighteen times \$0.16 or \$2.88 is the tax he pays for the horsepower required to run him up to the speed limit. The difference between this \$2.88 and \$4 or \$1.12 is the amount of tax the state collects in excess of what it allows him to use.

In all fairness, however, be it said that in Illinois, he would be quite likely to need all the power of which his motor is capable, on account of the chronic condition of the roads and on most of the highways of the state there would be little chance of his exceeding the legal limit. On the assumption however, that his motor is used on good level roads, he would be losing \$1.12 every year.

Inasmuch as there are 48,000 motorists in the state who are averaging somewhere near this same difference between what they pay and what the state allows them to use in horsepower, the total excess amount collected from the motorists of the state each year is \$53,000.

Connecticut motorists fare worse in this respect than do those of any of the other states in the Union. The authorities of that commonwealth charge the individual owners an average of \$4.20 annually and the 17,000 owners of the state patriotically pay into its coffers the sum of \$73,000 for horsepower they never need unless they break the speed law or navigate roads or hills that require an extra pull from the engine. Motorists of Ohio, Virginia, West Virginia, Kentucky and Massachusetts are each paying an average of \$4 from which they get no return in speed if they keep within the law.

It is not suggested that the owner trim his sails in the matter of power in the attempt to make his tax conform more nearly with the double-barreled laws of the various states. Such a course would be likely to result in his having too little reserve power for emergencies, such as muddy or sandy roads or hills. The \$3 or \$4 extra that he pays the state each year is for the privilege of possessing that reserve of power which some day may pull him out of a hole which the state or local authorities have failed to fix up.

Would Build 280 Miles of Road

The grand total of this extra taxation from the motorists of the thirty-four states in which license fees are charged and speed limits set, amounts to the sum of \$1,670,000 annually. It is doubtful that motorists would object to the extra expenditure if it were all applied to such a use as the construction of roads. This amount would serve to build a highway of good macadam 280 miles in length, a distance equal that from Chicago to St. Louis, or Columbus, O., or from New York to Richmond, Va.

Present Tax Rates on Average Car and Speed Limits in Various States

×		30-MIL	E LIM	IT.			New Jersey 7.50		5.40	2.10	51,022	108,000
	D .	T .:	XO:		99-00	9 1 5	Pennsylvania 10.00	.40	7.20	2.80	58,705	163,000
	Levied 25 epower.	vied wer.	A to A	Col	20	- C C C C C C C C C C C C C C C C C C C	Rhode Island 10.00		7.20	2.80	9,332	26,000
	≥10 €		F 4	O	05	ě0	Washington 2.00	.08	1.44	.56	12,824	7,200
	9000	250	= 0 1	71	4	N Total	Wisconsin 2.00	.08	1.44	.56	24,175	13,500
State.		Per	- 000	9 0	200	m 0 0						
State.	5 9		Prop	xcess	0	otal Ey Tax lected State.		20-MILE	LIMI	Γ.		
	XO	Tax	0000	20	citt.	Se-To						
	rax on Horse	E I	0	m -	No. of Cars Registered.	F	Arkansas\$ 5.00	\$.20	\$ 3.00	\$ 2.00	3,616	\$ 7,232
				_			California 2.00	.08	1.44	.56	83,728	47,000
	\$ 4.00	\$.12		\$.36	8,941	\$ 3,200	Dist. of Col 2,00		1.44	.56	10,824	6,100
New York	10.00	.40	8.80	1.20	102,870	123,000	Delaware 5.00	.20	3.00	2.00	2,035	6,100 4,070
		25-MILE	LIMI	Т.			Kansas	-			-,	.,
Connecticut	15.00		\$10,80	\$ 4.20	17,429	\$ 72,000	Kentucky 10.00	.40	6.00	4.00	3,718	4,800
Illinois	4.00	.16	2.88	1.12	48,000	53,000	Mass 10.00		6.00	4.00	48,651	195,000
Indiana		.50	9.00	3.50	52,048	182,000	Ohio 10.00	.40	6.00	4.00	63,550	254,200
lowa	10.00	.40	7.20	2.80	44 692	125,000	New Hamp, 10.00	.40	7.20	2.80	5,826	201,200
Maryland	12.00	49	8.65	3.35	44,692 10,687	36,000	So. Dakota 1.00	.94	.06	2.00	3,616	7,232
Maine	10.00	40	7.20	2.80	24,858	70,000	Tennessee 1.00		100	2.00	0,010	7 1202
Michigan	3.00	10	2.13	2.00	39,235	34,000	Utah 2.00		1.44	.56	2,690	1,500
	3.00	10	2.13	.87	28,000	24,500	Virginia 10.00		6.00	4.00	5,632	27,000
Minnesota	5.00	12	3.60	1.40	24,151	33,800		.40	6.00	4.00	5,197	20,788
Missouri		.48 .40 .12 .12 .20		.56	20,101	49,000	W. Virginia 10.00	.40	0.00	4.00	5,197	20,700
Nebraska	2.00	.08	1.44		32,372	18,000	W-A-I					\$1,670,280
No. Carolina	5.00	.20	3.60	1,40	6.090	8.500	Total					31,010,280

outes and our

Answers to Route Inquiries from Motor Age Readers

Britt, Ia.-Chicago

Britt, Ia.-Chicago

BRITT, IA.—Editor Motor Age—I would appreciate a ruoting with distance from Britt to Chicago. I expect to take the trip some time in May or June. Will I have to buy a route guide or is the road marked sufficiently?—R. H. Miller.

You, of course, know the routing to Mason City through Duncan, Garner and Clear Lake. To reach the Hawkeye highway at Ackley will necessitate routing south 49 miles through Rockwell, Sheffield, Hampton, thence going to Waterloo 42 miles east through Arlington, Parkersburg, New Hartford and Cedar Falls, and you should not experience any difficulty in routing without a guide book, particularly on the Hawkeye highway.

To reach Cedar Rapids you should travel 59 miles over a good road through Washburn La Borte Metables.

a guide book, particularly on the Hawkeye highway.

To reach Cedar Rapids you should travel 59 miles over a good road through Washburn, La Porte, Mt. Auburn, Vinton, Shellsburg and Palo. From Cedar Rapids into Chicago you will follow a sign-boarded road first 90 miles to Clinton through Marion, Mt. Vernon, Mechanicsville, Clarence, Lowden, Wheatland, Calumus, Grand Mound, De Witt and Elvira, and through Illinois 148 miles by way of Fulton, Morrison, Sterling, Dixon, Franklin Grove, Ashton, Rochelle, Creston, De Kalb, Geneva, Lombard, Elmhurst, Maywood and Garfield park.

About California Roads

Jacksonville, Fla.—Editor Motor Age—Please give some information on the best route to California.—M. C. DeBevoise.

If you were given the southern routing from Jacksonville, and started out over it, most likely you would become discouraged before you finished the first half of the trip. One alternative would be to send your car by freight to Texarkana, Ark., which really is about the best thing you could do, that is if you want the southern route, which should be taken for an immediate trip.

On the other hand if you are planning on a summer trip to the coast, that is, July or August, you should come north to St. Louis and go west through Missouri and Kansas and through Colorado to the central transcontinental route at Cheyenne and on to the coast.

Jacksonville to Brunswick, Ga., is 100 miles over mostly fair dirt roads through pine barrens with an occasional stretch of deep sand. After leaving Calahan the King's ferry will take the car across the St. Mary's river into Georgia, charging \$1. Sixteen miles more and the Owen's ferry is needed, also with a charge of \$1. Tarboro, Brookman and Old Sterling land you in Brunswick.

About 14 miles can be saved by taking a short-cut to Sterling and Dent's Landian

man and Old Sterling land you in Brunswick.

About 14 miles can be saved by taking a
short-cut to Sterling and Dent's Landing
ferry, which will take you to Darien. This
is an hour's trip and will cost \$5 for a
single car. Shortly after leaving Eulonia
you strike a bad stretch of corduroy road
and cross several bridges to Riceboro, continuing to Midway cemetery, Freedman's
Grove and Savannah. There is a fine gravel
road leaving Savannah and from Blitchton
to Stilson, Statesboro, Rockyford, Scarboro
to Millen, then gravel again to Perkin,
Waynesboro, McBean and Augusta. Return
to Waynesboro and route to Atlanta through
Louisville, Davidsboro, Saundersville, Milledgeville, Eatonton and Madison.

Atlanta to Nashville is a run through
Marletta, Kennesaw, Cartersville, Rome,
Summerville, Lafayette, Chattanooga,
Rankins ferry, Jasper, Scottsboro, Larkinsville, Woodville, Gurley, Huntsville, Merfedianville, Fayetteville, Shelbyville, Murfreesboro.

A new road through Kentucky will be

A new road through Kentucky will be found in the 1913 Blue Book routing through Clarksville to Paducah, crossing the Ohio by ferry into Illinois to Anna, Murphysboro and St. Louis. The first few miles out of Nashville are macadam, and the rest of the way natural dirt, but better than the Nashville-Louisville pike. There are two or three small fords which will give no serious difficulty except in very high water. The trip should not be attempted in wet weather due to the slippery clay soil which in some cases would make it impossible to get up the steep climb from one or two ferries. Unimproved dirt roads are encountered all the way to St. Louis, some parts are fairly good, but most of it rough.

In crossing Missouri your itinerary is Wellston, St. Charles, Dardenne, Foristell, Warrenton, Jonesburg, Danville, Mineola, Calwood, Fulton, Millersburg, Columbia, Rocheport, New Franklin, Arrow Rock, Marshall, Waverly, Dover, Lexington, Wellington, Levasy, and Independence.

The Golden Belt route through Kansas is the shortest road, and is over good natural dirt with some gravel and macadam. To Topeka the itinerary is—Muncie, Bonner Springs, Lenape, De Soto, Endora, Lawrence, Midland, Buck Creek, Perry, Grantville, Parramore, Topeka; Topeka to Salina—Morse, Silver lake, Kingsville, Rossville, St. Mary, Belvue, Wamego, St. George, Manhattan, Ogden, Fort Riley, Junction City, Chapman, Detroit, Abllene, Solomon, Elm, Salina; Salina to Colby—Bavaria, Brookville, Carneiro, Kanapolis, Ellsworth, Wilson, Dorrance, Bunkerhill, Russell, Gorham, Walker, Victoria, Hays, Ellis, Waukeney, Collyer, Quinter, Grainfield, Campus, Grinnell, Oakley, Mingo, Colby; to Limon, Colo—Levant, Brewster, Goodland, Ruelton, Kanorado, Burlington, Muskoka, Stratton, Siebert, Flagler, Arriba, Bovine, Genoa, Limon; Limon to Denver—River Bend, Agate, Deer Trail, Peorla, Byers, Bennett, Watkins, and Denver.

A great many tourists would prefer the Santa Fe trail even though it is considerably longer. There are excellent hotel and garage accommodations along the trail the entire distance, and you pass through Emporia, Newton, Hutchinson, Ellinwood, Great Bend, Dodge City, Garden City, Syracuse, La Junta, Pueblo, and Colorado Springs to Denver.

ver. Denver to

ver.

Denver to Cheyenne, Wyo., where the transcontinental route is met is a distance of 117 miles and routes through Henderson, Brighton, Plattesville, Greeley, Ault, Pierce, and Doyer.

For the balance of the routing you are referred to the Omaha-Los Angeles inquiry in the issue of March 27. The Blue Books cover the entire trip from Jacksonville to San Francisco and Los Angeles in their 1913 editions.

Atlanta, Ga.-Indianapolis, Ind.

Atlanta, Ga.-Indianapolis, Ind.

Baltimore, Md.—Editor Motor Age—I will be glad to have you publish the best route from Atlanta to Indianapolis and the distance between the principal points. If better roads could be given by going not exceeding 100 miles out of the direct route, I would rather route that way.—Reader.

The flooded condition of southern Illinois, Indiana and Ohio will render touring either difficult or almost impossible for some time to come. Probably the least difficulty will be experienced by a route to Chattanooga, Nashville, shipping the car to Mammoth Cave, then touring to Louisville and Indianapolis. Many small fords have to be crossed.

Atlanta to Chattanooga will be found 143 miles, extending through Marietta, Kennesaw, Cartersville, Rome, so named because of its seven hills, Summerville and Lafayette.

of its seven hills, Summerville and Lalayette.
Chattanooga to Nashville, 247 miles, takes you through Jasper, Fackler, Scottsboro, Larkinsville, Woodville, Gurley, Huntsville, Meridianville, Fayetteville, Shelbyville, Murfreesboro and Nashville.
After shipping the car to Mammoth Cave you have 116 miles to reach Louisville, passing through Cave City, Bear Wallow, Canmer, Buffalo, New Haven, Bardstown and Mount Washington.
The direct Indianapolis road is a run of 125 miles, routing through New Albany, Henryville, Scottsburg, Caruthersville, Seymour, Waynesville, Columbus, Amity, Franklin, Greenwood and Southport.

Memphis, Tenn.-Roanoke, Va.

Memphis, Tenn.-Roanoke, Va.

Pine Bluff, Ark.—Editor Motor Age—
Kindly give me a route including distances
and road conditions from here by way of
Memphis and Bristol, Tenn., to Roanoke,
Va. Is this route given in the Blue Book?

—B. Harvey.

You can route to Roe through Stuttgart,
from which point you will find running
directions the balance of the way to Roanoke in the Blue Books. Volume 5 will take
you to Memphis, and Volume 3 to Roanoke.

The first part of your trip to Memphis
will not be found a pleasant one, and it

would even be advisable to send your car to Tuscombia, Ala, by freight. We do not mean to say that the roads are impassable between Pine Bluff and Tuscumbia, for people have succeeded in making such a trip, but it certainly is not much of a pleasure jaunt to go over them.

Routing to Atlanta the itinerary is Lehighton, Town Creek, Courtland, Wheeler, Hillsboro, Trinity, Decatur, Huntsville, New Hope, Guntersville, Brooksville, Oneonta, Village Springs, Birmingham, Gate City, Trussville, St. Claire Springs, Asheville, Anniston, Oxford, Iron City, Heffin, Tallapoosa, Waco, Bremen, Temple, Winston, Douglasville, and Mapleton.

Atlanta to Greenville, S. C., 189 miles, routes over the main highway through Decatur, Ingleside, Scottdale, Clarkson, Stone Mountain, Snellville, Auburn, Winder, Jefferson, Commerce, Pocataligo, Franklin Springs, Royston, Canon, Bowersville, Lavonia, Anderson, Piedmont, and Oak Grove. Greenville to Charlotte, N. C., 116 miles, through Greer, Duncan, Spartanburg, Converse, Gaffey, Blacksburg, Grover, Kings Mountain, Bessemer City, Gastonia, Lowell, Belmont, and to Winston-Salem, 135 miles, through Newell, Concord, Kanapolis, Landis, China Grove, Salisbury, Lexington, Thomasville, High Point, Jamestown, Greensboro, Summerfield, Kernersville, and Centerville, and terminating with a 124-mile stretch to Roanoke through Centerville, Kernersville, Stokesboro, Ellisboro, Madison, Stoneville, Ridgeway, Martinsville, Oak Level, Syndorville, and Rocky Mount.

Hattiesburg, Miss.-Chicago

Hattiesburg, Miss.-Chicago

Hattiesburg, Miss.-Editor Motor Age—I want to make a trip from Hattiesburg to Chicago and would like to know the best route.—H. S. Lilius.

Your route lies to Meridian 90 miles, then through Alabama by way of Livingston, Eutaw, Tuscaloosa, Bessemer, Birmingham, Village Springs, Oneonta, Brooksville, Guntersville, cross river by Deposit ferry and travel 15 miles to New Hope, Huntersville, Meridianville, Fayetteville, Shelbyville, Murfreesboro and Nashville.

A new road through Kentucky will be found in the 1913 Blue Book routing through Clarksville to Paducah, crossing the Ohio by ferry into Illinois to Anna, Murphysboro and St. Louis. The first few miles out of Nashville are macadam, and the rest of the way natural dirt, but better than the Nashville-Louisville pike. There are two or three small fords which will give no senious difficulty except in very high water. The trip should not be attempted in wet weather due to the slippery clay soil which in some cases would make it impossible to get up the steep climb from one or two ferries. Unimproved dirt roads are encountered all the way to St. Louis, some parts are fairly good, but most of it rough.

It is 177 miles from St. Louis to Peoria

Louis, some parts are fairly good, but most of it rough.
It is 177 miles from St. Louis to Peoria routing through Collinsville, Marysville, Edwardsville, Staunton, Litchfield, Springfield. Middletown, Delavan, Dillon and Groveland. Between Peoria and Chicago, pass through Chillicothe, Henry, Hollowayville, Peru. Utica, Starved Rock, Ottawa, Newark, Yorkville, Aurora, Naperville, Hinsdale, Chicago. This last stretch is 179 miles.
Due to the present flooded condition of the central states, you should not try to make an early trip.

El Paso, Tex.-Davenport, Ia.

El Paso, Tex.-Barenport, Ia.

El Paso, Tex.-Editor Motor Age—I expect to tour to Davenport, Ia., about May 1 and would appreciate the best route and distances. I expect to travel in slow stages. Are the roads difficult to follow without a detail guide? My wife and daughter will be with me and I would like to know if the trip will be at all hazardous. Would Motor Age recommend carrying a camping outfit? Will I need to comply with any state laws other than my own?—J. T. Gilroy.

state laws other than my out.

You want to be stated as a suit of good time is lost. Again and again you will come to a fork in the road, and about nine times out of ten you will take the wrong one. For the small sum of \$2.50 this anxiety will be relieved. The 1913 Blue Book, Volume 5, will suffice for the entire trip.

Leaving El Paso over the Borderland route

you will route through Fort Bliss to Alamogordo, a 6-hours' drive; to Roswell through Tularosa, Mescalero, Ruidoso, Hondo and Placho is an 8-hour run; Roswell to Bronco, Tex. Plains and over a toll road through Gomez and Brownfield to Lubbock will take you 8 hours, as will also the run to Amarillo through Abernathy, Hale Center, Plainview, Tulia, Happy and Canyon. A short distance outside of Amarillo the Canadian river is crossed and the routing continued through Dumas, Ruby and Stratford to Texhoma, Okla., in about 6 hours' travel, and the last leg of the Borderland covered in 8 hours, routing through Guymon, Tyrone, Liberal, Kan., Springfield, Plains, Fowler and Reinert to Dodge City, on the Santa Fe trail. The December 5 Motor Age contains an interesting and instructive article on the trip, together with a map,

APPLETON OSHKOSH MICHIGAN 0 FOND DU LAC 0. MITT. WAUKE LAKE EVANSTON GHICAG PEORL PLAVAN V 一層 PRINGFIFLD ARLINVILLE ZLEVILLE CANTEN AND VINE C CLARKSVILLE N FAYETTEVILL FORSYT MA

BEST ROADS BETWEEN APPLETON, WIS., AND WAYCROSS, GA.

Going east to Kansas City on this trail, Dodge City to Hutchinson is 155 miles, and routes through Kinsley, Garfield, Dundee, Great Bend, Ellinwood, Chase, Lyons, Sterling and Nickerson; then to Emporia 122 miles through Halstead, Newton, Peabody, Fforence, Clements, Elmdale, Cottonwood Falls and Plymouth. The last stretch is into Kansas City, 134 miles, and passes through Waverly, Williamsburg, Ottawa, Edgerton, Olathe and Martin City.

The Mt. Ayr line is 277 miles long, extending from Kansas City to Des Moines, Ia., through Leavenworth, Lowemont, Atchison, Russville, St. Joseph, Stanberry, Grant City, Mt. Ayr, Tingley, Afton, Macksburg, Winterset and Booneville.

This Deas Moines-Davenport leg of 187 miles is the eastern half of the River-to-River road and is an excellent run through Mitchellville, Colfax, Newton, Kellogg, Grinnell, Brooklyn, Victor, Ladora, Marengo, Homestead, Tiffin, Iowa City, West Liberty, Moscow, Wilton, Durant and Wolcott.

You will be able to secure satisfactory hotel accommodations on your entire trip, and it is a matter of choice as to the camping outfit. However, Motor Age is not alone in the opinion that the camping idea presents a more care-free manner of seeing the country. It allows of following your own inclination, makes the necessity of following a time schedule in order to satisfy the inner man a joke, and gives you about two weeks of the most healthy and invigorating vacation a business man could desire. The issue of April 4 illustrated some camping accessories which might be of interest.

Your own home state license will be sufficient for your tour.

Cleveland, O.-Elmira, N. Y.

Lewiston. Idaho.—Editor Motor Age—Please advise me the best route from Cleveland, O., to Elmira, N. Y. What are the best places to stop over night, and the distances between these points? Is September a good time to make this trip?—S. Y. Johnson.

a good time to make this trip?—S. Y. Johnson.
You can make the trip from Cleveland to Warren, Pa., the first day. This is a distance of 163 miles and the routing is through Willoughby, Painesville, Unionville, Geneva, Ashtabula, Conneaut, Girard, Erie, Waterford, Union City, Corry, Columbus, Wrightsville, Pittsfield, Irvington, Warren.
The second day is a distance of 171 miles and through Kinzua, Custer City, Bradford, Smethport, Port Allegheny, Coudersport, Brookland, Ansonia, Wellsboro, Hammond, Tioga, Seely Creek, and Elmira. The Carver and New Struthers are the best hotels in Warren.
Volume 1, Blue Book, will give you running

ver and New Strainers are the best action.
Volume 1, Blue Book, will give you running directions for this as well as any little side trips you may wish to take in that territory. September is an excellent time to

Chicago-New York

Chicago—Editor Motor Age—Myself and family are going to make a trip to New York in July and shall use the routing published in the issue of January 30. Will Motor Age suggest a routing for our homeward trip? We thought of visiting Wash-

ARTERSVILLE ATLANTA

GRIFFIN

ASHBUR

VAL DOST

R VIENNA

WAYCROSS

NA

2

ington, and come back by way of Philadelphia and Altoona, or some other good scenic route. There will be five of us and we shall use a six-passenger Cadillac. I have had no experience over mountainous roads, and would like to know if there is any special equipment necessary for this kind of driving. We do not expect to do any kind of speeding, as we have 6 or 7 weeks to make the trip.—Subscriber.

A short run of 103 miles will take you to Philadelphia. Take the Weehawken ferry at West Forty-second street and route through Newark, Elizabeth, Rahway, Metuchen, New Brunswick, Kingston, Princeton, Trenton, White Horse, Bordentown, Columbus, Burlington, Bridgeboro, Camden, and the ferry to Philadelphia.

The third day Washington can be made traveling 150 miles through Darby, Village Green, Chelsea, Wilmington, Del., Newark, Elkton, Perryville, Havre de Grace, Churchville, Belair, Towson, Baltimore, Relay, Laurel, and Bladensburg.

Washington to Bedford, Pa., is a journey of 158 miles, made through Bethesda, Rockville, Frederick, Thurmont, Emmitsburg, Gettysburg, McKnightstown, Cashtown, Chambersburg, Ft. Loudon, McConnellsburg, Breezewood, Everett and Mt. Dallas.

Pittsburgh will be found a trip of 100 miles, passing through Schellburg, Buckstown, Greensburg, Adamsburg, McKeesport, Wilmerding, and Wilkinsburg.

The volume I Blue Book can be used from Washington to Pittsburgh, Pa., for running directions, and for the balance of the trip the number 4 is utilized. The mileage as given in this book from Pittsburgh to Columbus is 190 miles, and the itinerary Carnegle. Canonsburg, Washington, W. Alexander, Wheeling, Bridgeport, Morristown, Elizabethtown, Cambridge, Zanesville, Brownsville, Kirksville, Reynoldsville, and Columbus.

It is 153 miles between Columbus and Ft. Wayne, and the towns are Dublin,

abethtown, Cambridge, Zanesville, Brownsville, Kirksville, Reynoldsville, and Columbus.

It is 153 miles between Columbus and Ft. Wayne, and the towns are Dublin, Marysville, Zanesville, Bellefontaine, Roundhead, Lima, Delphos, and Van Wert; and Ft. Wayne to Chicago, 163 miles, through Columbia City, Pierceton, Warsaw, Atwood, Bourbon, Plymouth, Donaldson, Hamlet, Hanna, Valparaiso, Merrillville, Schererville, Highlands, Hessville, Grasselli, Whiting and South Chicago.

Outside of your chains which you mighthave to use you will not need anything to assist you in safe travel over the mountains. Every morning and noon look over the car and be sure your brakes and clutch are in perfect working order.

Appleton, Wis.-Way Cross, Ga.

Perfect working order.

Appleton, Wis.-Way Cross, Ga.

Black Creek, Wis.-Editor Motor Age—Kindly publish route and illustration of the best road from Appleton, Wis., to Way Cross, Ga., with distance between the larger towns. Also note any points of special interest that lie on this route. What is the total mileage?—H. J. Brinkman.

You can make Chicago the end of the first day by routing as follows. It is a distance of 198 miles with noon stop at Milwaukee, 103 miles, the itinerary being Appleton, Neenah, Oshkosh, Van Dyne, Fond du Lac, Theresa, St. Lawrence, Schleisingerville, Meeker, Menominee Fälls, and Milwaukee. Through no towns of importance, but over a fast road it is 95 miles to Chicago through Kilbournville, Deerfield, Grosse Point, Evanston, and Sheridan road to Chicago.

A run of 179 miles will take you to Peoria with a noon stop at Ottawa, going through Forest Park, Hinsdale, Naperville, Aurora, Yorkville, and Newark, then on through Utica, La Salle, Peru, Seatonville, Henry, Chillicothe, and Mossville. Starved Rock and Deer Park should be visited on the way from Ottawa to La Salle.

A 185-mile trip the third day lies to St. Louis, over dirt roads by way of Delavan, Middletown, Springfield, Chatham, Virden, Carlinville, Chesterfield, Medora, Brighton, Alton, Granite City.

Between St. Louis and Nashville, with natural roads still prevailing the towns are Belleville, Coultersville, Pinckneyville, Murphysboro, Jonesboro, Belknap, Metropolis, Paducah, Ky., and Clarksville, Tenn. Because of the terrible condition of the pike road in Kentucky this road is advisable. There are several fords to be crossed, but they are generally low.

The Nashville-Atlantic, Ga., stretch is not so very bad by way of Murfreesboro. Shelbyville, Fayetteville, Meridianville, Huntsville, Gurley, Woodville, Larkinsville, Scottsbory, Fackler, Jasper, Chattanooga, Lafayette, Summerville, Rome, Cartersville, Accounted, Manney Lafayette, Summerville, Rome, Cartersville, Accounted, Manney Lafayette, Summerville, Rome, Cartersville, A

Way Cross is by way of Homerville from Valdosta.



The Readers' Clearing House






FIG. 1-CYCLECAR DESIGN SHOWING BELT DRIVE

WANTS DESIGN FOR A CYCLECAR Reader Interested in Small Belt-Driven Power Wagon

BETHPAGE, TENN.—Editor Motor Age—I have noticed from time to time discussion on small cars using motorcycle wheels and driven by belt, or cyclecars, as you call them. I also notice in your last issue of Motor Age you say these can be built almost entirely of standard parts. I have had this in mind for about 2 years and would like to try out a design that I know would be a success.

The wheels and axles are the parts that are worrying me. Where can these parts be obtained and if motorcycle wheels are used how

The wheels and axies are the parts that are worrying me. Where can these parts be obtained and if motorcycle wheels are used how can one get a spindle through the hub large enough to stand the strain? Is there a coaster brake hub made that will work in opposite direction from standard or from right to left? If so, this would make a fine differential.—R. F. H.

A cyclecar can be built of practically standard parts as was stated, and there are many ways of going about it. For American roads the tread of cyclecars probably will not exceed 36 inches on account of the ruts encountered with wider tread unless the full 56-inch standard tread is used. This, of course, would take up too much power for the average motorcycle motor against a head wind. This point was discussed in Motor Age for Feb. 13. With this narrow tread the seating would be tandem fashion probably, and the weight carried very low.

Rather than motorcycle wheels, sidecar wheels would be used, these having a 1/8inch spindle, though the new cyclecar hubs being brought out by the Eclipse Machine Co., of Elmira; N. Y., are better. Standard motorcycle "V" belts can be used for transmission to rear wheels, with standard pulleys from the Standard Welding Co., Chicago. The motor might be either a Spacke, made in Indianapolis, Ind., or a Mack, made in Milwaukee, Wis., these being the two most prominent which can be bought separate from the motorcycle. Friction drive disks-and this drive is almost ideal with the belt final drive and the small power used-can be obtained from the Rockwood Mfg. Co., Indianapolis,

For axles the spindles of the sidecar or cyclecar hubs can be brazed into the ends

of a length of steel tube, the front one being fitted to turn at the center or made with steering yokes for regular steering if desired.

With narrow tread, however, it is desirable that the wheels be independent of each other, so that flat cross springs might be used for axles. These have been used abroad with success.

There is no doubt but that the cyclecar is coming and coming fast, the interest aroused in the new vehicle within the last 6 months being astonishing, but the main idea must be to aim for the cheapest design that will do the work and do it all the time, frills being left off.

The idea of using coaster brakes for differential effect might work out but one could make a differential good enough for a cyclecar at much less cost than that of a single coaster brake. Why not use belt drive, which is ideal on a cyclecarthough not on a motorcycle-and be rid of the necessity for a differential, as foreign experience has proved. In Fig. 1 is shown one design of a cycle car. It will be noticed that the radiator is well behind the front axle. The placing of the side lamps midway between radiator and dash adds to the car's odd appearance.




FIG. 2-FORD LIGHTING SYSTEM DE-SIGNED BY READER

AN EARLY MOTOR CAR CONTEST Provisions of Trials in Boston 15 Years Age Were Novel

Boston, Mass.-Editor Motor Age: Your recent historical story on motors in New England suggests a report of the judges on motor carriages which were exhibited at the triennial exhibition of the Massachusetts Charitable Mechanic Association in this city in 1898. At this exhibit were six makes of vehicles, namely, Pope, Riker, Eaton, Whitney, DeDion, and Haynes-Apperson. At this exhibition the judges were to report on ten features connected with the motor vehicle, namely; 1, speed: 2, manageability: 3, simplicity of construction; 4, durability; 5, appearance; 6, brake efficiency; 7, range of speed; 8, comfort; 9, cost of operation; and 10, grade climbing.

The instructions issued to the judges contained some of the following interesting excerpts which are a good guide to the conception of many people at that time regarding motor vehicles. The following are some extracts.

1—Speed. A greater speed than 15 miles per hour is not needed; for in the case of country roads the condition of the roads usually would prevent a greater speed without injury to the vehicle and the rider; and in the case of city roads faster riding would be against the law on account of the danger to foot passengers.

case or city roads faster riding would be against the law on account of the danger to foot passengers.

2—Manageability. The carriage should be easily turned, quickly started, and quickly stopped, and easily guided where the road is small as in a crowd of vehicles, or in a very narrow street.

9—Cost of operation. This is in the case of all the carriages exhibited so very small an item that it would hardly have any influence upon the user of a motor carriage in deciding which to purchase; it is not in any way to be compared to the cost of keeping a horse. The cost is in practically all the cases, less than 2 cents on ordinary roads.

10—Grade Climbing. The carriage should be able to overcome as steep, or even somewhat steeper hills, than horses can climb, and at higher speeds.

On the afternoon of November 9 1808

On the afternoon of November 9, 1898, there was held under the auspices of the association a series of contests at Charles River park. There were four of these. First, a 2-mile pursuit race from a standing start; second, a brake contest in which two carriages were caused to travel side by side at a speed of 6 miles per hour, and at a given signal from the judges their brakes were applied to determine which could stop in the shortest distance; third, a manageability test in which a number of small vertical stands were arranged in curves, the contesting vehicles passing between the posts, a clearance of 10 inches being allowed between the posts over and above the greatest width of the vehicle, and fifth, a hill climb on an incline 80 feet in length, starting from a level and ending at 36 per cent grade.

The report is too voluminous to go into the various results of the different contests, but the nature of these contests shows that fifteen years ago many of the people had a relatively clear conception of certain requisites of motor cars, and at the same time had a very inadequate conception of possible speeds, cost of operation, etc.-Henry D. Dupee.

TIMING OF KNIGHT SLEEVE VALVES Position of Reciprocating Sleeves at Various Piston Stages

Harvey, Ill.—Editor Motor Age—I would like the following information relative to the Knight motor as built by Stearns, Stoddard-Dayton, and Columbia:

1.—Number of cylinders and horsepower.

2.—Bore and stroke.

3.—Timing in degrees of crank rotation as follows: Suction opens, suction full open, suction full open dwell, suction closed, exhaust opens, exhaust full open, exhaust full open dwell, exhaust closed.

4.—In measuring the effective port areas, is it measured around the circumference of the circle or straight across from side to side to obtain the length—Lee C. Cass.

1 and 2-Motor sizes and S. A. E. ratings of the cars are as follows:

CAR.	No. Cyl.	Bore and Stroke.	S.A.E. H. P.
Stearns	4	4.25x5.50 4.25x5.75	28.9 43.8
Stoddard-Day Columbia	6	4.50x5.50 4.88x5.13	48.6 38.0

3-The timing in degrees of crank rotation on a representative Knight engine is shown in Fig. 3. Confusion may arise over the fact that the last illustration shows the crankshaft in the same position as it is in the second illustration. This must be true. For when the exhaust valve is open fully the intake valve must be closed; otherwise the exhaust gas may go through the intake valve.

4-The port area is measured around the circumference of the sleeve.

Has Poor Coast in Rear Axle

Aurora, Ill.—Editor Motor Age—I have a Studebaker-Flanders 20, 1912 model, and would like to overhaul the engine this spring, doing the work myself. Will Motor Age tell me briefly how to go about it?

2—Is there any way of draining the oil

servoir of this engine without removing the

reservoir of this engine without removing the drip pan?

3—Why is it that the gears in the rear axle make such noise, especially when slowing down? Is there any way of remedying this condition?—Subscriber.

1-This cannot be told in the clearing house as it should be told, on account of lack of space, but within a short time an article on car overhauling will appear in Motor Age.

2-There are two holes in the drip pan, through which one may insert his hand. In this way the pet cocks in the two halves of the crankcase may be opened and the oil allowed to flow out.

3-The condition is called a bad coast. That is, when the car is coasting the gears grind. Usually the trouble is with the differential gears not being in mesh properly. They may be worn badly and require readjustment. However, the noise may be coming from the gearset and you imagine it to come from the differential. Adjusting the differential gears on a Flanders 20 is not an easy matter and the job should be given to the factory.

Questions Answered—Communications

R. F. HBethpage, Tenn.
Henry D. Dupee, Boston, Mass.
SubscriberAurora, Ill.
Lee C. Cass
C. R. Welsh
George G. Joyce
Roy E. Steele Kansas City, Mo.
A ReaderDenison, Ia.
A Reader Guthrie Center, Ia.
A Friend Detroit, Mich.
James Michaelian Fresno, Cal.
J. E. Clark Fort Worth, Texas
R. C. JohnsonChicago
F. W. Finlayson Belvedere, Cal.
Ted CampbellVirden, Ill.
David Dean Avalon, Wis.
Municipal Marshalltown, La.
Charles W. Bowman Tours, France

PREVENTS FORD LIGHTING TROUBLE Kansan Suggests Ingenious Remedy for Lamp Bulbs Burning Out

Clay Center, Kan.-Editor Motor Age-It is a common complaint for Ford electric headlights to be burning out too soon on some cars, while others are not bothered that way. I have tried inserting resistance in the circuit on a number of the cars that burned out their lights and have never heard any more from them.

The main feature of this system is the spool of wire shown to the right of the lighting switch, Fig. 2. Frequent burning out of lamp bulbs can be stopped by inserting in the circuit a spool of rather fine wire to increase the resistance of the circuit. The amount of wire depends altogether on the strength of the magneto.

The spool can be an embroidery-silk spool shellacked and wound with about 25 feet of insulated No. 26 copper wire. This spool then can be screwed to the dash in some out-of-the-way place and one end of the wire fastened to the lighting switch. The other end then should be twisted to a strong wire running to the magneto binding post and the engine started and the lights turned on. If the lights burn too dim take out a few feet of the wire and try again until they do not burn too bright when the engine is running at about the speed the driver ordinarily runs at night .-C. R. Welsh.

Piston Displacement Calculation

Chicago—Editor Motor Age—What is the formula for determining piston displacement on foreign cars?—George G. Joyce.

It is the same as the American formula, as it is a mathematically exact quantity.

D2SN .7854 = piston displacement, where

D = bore in inches.

S = stroke in inches.

N = number of cylinders;




FIG. 3-VALVE TIMING OF KNIGHT ENGINE; STARTING WITH THE ILLUSTRATION AT EXTREME LEFT

Here the exhaust valve begins to open when the crankshaft has reached a point 60 degrees before bottom dead center. The next illustration shows the exhaust valve fully open at 40 degrees past bottom dead center. The exhaust valve closes at a point 2 degrees before top dead center. as shown in the next illustration. The inlet valve opens when the crankshaft has reached a point 4 degrees past top dead center. illustration shows the inlet valve fully open at 100 degrees past top dead center and the last illustration, the inlet valve, is closed at 220 degrees past top dead center, or 40 degrees past bottom dead center

WANTS GEAR RATIOS MADE LOWER

Racing Car Information-Pope Mfg. Co. Still in Business

Kansas City, Mo.—Editor Motor Age—What is the name and address of the St. Louis concern which makes a gas engine piston ring known as the Non-Leak?

2—Four-cylinder, 50-horsepower touring cars are commonly geared 3 to 1 in high. I notice that six-cylinder cars of the same power are geared 3 to 1, or 3½ to 1. Now, a six is supposed to be more like a steam engine in its steady application of impulses; accordingly, why do not manufacturers gear a six 2½ to 1, or at least gear it higher than fours of the same power?

3—Has the Chadwick in the past participated in any races of importance and if so in what issues of Motor Age may I find some of its records?

4—What has become of the White Flyer and Whistling Billy?

5—How did the 6-70 Thomas Flyer score in the 1910 Gildden tour?

6—Did the Pope Mfg. Co., makers of the Pope-Toledo, fail or simply quit the business?

7—Answer the same in regard to the makers of the Royal Tourist.—Roy E. Steele.

1-Leak-Proof rings are manufactured by the McQuay-Norris Mfg. Co., 1312 Chestnut St., St. Louis, Mo.

2-Continuity of power torque has little to do with the gear ratio. The gear ratio is determined by the power of the engine, the weight of the car, the type of roads over which it is expected to travel, and speed at which the car is supposed to travel. If a four-cylinder car of 50 horsepower, installed in a 3,500pound car has a 3 to 1 gear-ratio, a sixcylinder car, of the same power, and same weight, if it is to be used under the same conditions, should have the same gear ratio.

This rule applies likewise to steam motor cars, with this difference. It would be possible to install a steam engine in a motor car with a 1 to 1 gear, but this would require that the steam be carried approximately at three times the pressure necessary under similar conditions where the gear reduced to a ratio of 3 to 1. This pressure, while it would involve no more consumption of fuel than a lower pressure, at a higher engine speed, would require a boiler and engine of three times the strength, and therefore weight and cost is trebled.

This would not be possible with an internal combustion motor, as it can generate its full power only at certain speeds. The six-cylinder differs from the four in that it will produce power at lower speeds than the four, although the speed at which its greatest efficiency is reached, must be approximately the same, assuming other features of design and operation as

3-Willie Haupt in a Chadwick won the Giant's Despair hill climb at Wilkes-Barre, Pa., on May 30, 1908. The Chadwick also won the City of Philadelphia cup and the 601-750 class, October 8, 1910. It came in second in the Ferris cup race at Los Angeles on July 10, 1909. The account of the Giant's Despair climb was published in Motor Age of May 30th, 1908. The account of the Fairmount Park races will be found in Motor Age of October 13, 1910.

4-Motor Age knows nothing of the




FIG. 4-BREAKER-BOX OF REMY MODEL L MAGNETO

White Flyer. Whistling Billy was Webb Jay's old car, and is now in California.

5-The Thomas was not entered in the Glidden tour of 1910.

6-The Pope Motor Car Co. failed. The Pope Mfg. Co., maker of the Pope-Hartford, never made Pope-Toledos, and is still in business.

7-The Royal Motor Car Co. failed.

DIMENSIONS OF NEW MAXWELL SIX

Bore, Stroke and Cylinder Shape of the 1913 Product

Denison, Ia.—Editor Motor Age—What advantage is gained by using a ram's horn intake manifold, like that used on the 1913 Case 40?

2—What is the horsepower rating of the 1913 Maxwell 6-50 on brake test?
3—What is the bore and stroke?
4—Does this car use a T-head motor?—A

Reader.

1-It is designed to give a better mixture. The vapor and air in threading the circuitous passage, strikes the sides of the manifold and is broken up so that the particles mix thoroughly.

2-38.9 at 1,000 revolutions per minute.

3-4 by 4% inches. 4-No, L-head.

MAXIMUM SPEEDS OF KISSELKARS

Iowan Wants Gear Ratios-Buda Motor On Michigan Car

Guthrie Center, Ia.—Editor Motor Age—What is the maximum speed of the 1912 model Kisselkar 40; and also of the 1913 model Kisselkar 6-60?

2—What is the gear ratio of the 1913 Kisselkar 30 on high, and of the 40, 50 and 60 on high speed?

3—Does the Michigan car use the Buda motor?—A Reader.

1-The maximum speed of the 1912 Kisselkar 40 is 55 and the 1913 6-60 is 72 miles per hour, according to factory.

2-The gear ratio on all Kisselkars is 3.75 to 1.

LEFT CONTROL WITH LEFT STEER Packard Not Center Control As Stated in Answer to Inquirer

Detroit, Mich.—Editor Motor Age—In the issue of March 6, in reply to Geo. B. Slocum, Motor Age states that the Packard uses center control and left steer. As an employe in the Packard factory, I wish to say that you are mistaken. The model Packard 1338 uses left control and left steer. The new 1448 will be built with the same arrangement.—A Friend.

You are correct in your statements. Motor Age made a mistake in saying that the 1913 Packard had left steer and center control. The control is left.

TAKING DRIVE PINION FROM AXLE French Motor Papers-Meaning of Anti-Friction Bearing

Fresno, Cal.—Editor Motor Age—Does Motor Age know of any French motor car magazine published on lines similar to Motor Age?

2—Do the burnt gases of the Franklin motor come out of the auxiliary exhaust on the downward stroke of the explosion or when the piston comes up after the explosion.

3—Which is the easiest way to take the pinion gear out of a Timken axle, the axle used on a Reo, Maxwell, Overland and American?

4—What is meant by anti-friction boostone.

-What is meant by anti-friction bearings, mes Michaelian.

1-Some French motor car magazines are: Omnia, at 20 rue Duret, Paris; L'-Automobile, at 19 rue des Saint-Peres, Paris; and La Revue de L'Automobile, 29 bis rue Demours, Paris.

2-The auxiliary exhaust valve that formerly was fitted to the Franklin motor was placed at the bottom of the piston stroke. It consisted of a valve pocket that was uncovered by the piston on its downstroke. As it was only open when the piston was at the bottom of the stroke, it had no action at other times. Its function was to take off most of the gas above atmospheric pressure, so that the amount forced out of the valve in the head by the piston practically was only that at atmospheric pressure. A poppet valve was placed in the valve pocket at the bottom of the stroke, to keep the cylinder closed during the suction stroke.

3-You mention four makes of cars supposedly using Timken axles. However, you are mistaken when you say that the American does or ever did use Timken axles. The Reo, Overland and Maxwell used Timken axles in 1911 and since have discontinued. The easiest way to remove the pinion from a Timken is to follow these instructions:

In Fig. 5 is shown a popular type of Timken axle. The cover of the differential case is removed first. The next step is to remove the bolts A and B. There are two other bolts similar to A and B underneath these. They are not shown in the illustration, but should be removed also. When all four bolts are removed the clamps which hold in place slip out easily.

With the two clamps out, the differential M is taken out. This falls out almost when the two clamps are removed. All that remains now is to remove the pinion on its shaft. The nuts 1 and 2 are taken off and then the pinion and shaft may be pulled out. A nut and key hold the pinion to the shaft and a few minutes' inspection will show that the removal of the nut at the end of the pinion shaft permits of the pinion being removed.

4-Anti-friction bearings are those which operate on the rolling principle instead of the sliding principle. Friction is engendered by the rubbing of two surfaces one upon the other. A ball or a roller theoretically is free from friction, as there is no rubbing in a perfect rolling movement of surfaces one on the other. Therefore the term anti-friction has been applied to ball and roller bearings.

MAGNETO TROUBLE ON A JACKSON

Poor Adjustment of Breaker Points Makes the Motor Stop

Fort Worth, Tex.—Editor Motor Age—I have a Jackson model 32 equipped with a Remy magneto and a Schebler model D carbureter. I have ground the valves, changed the coil and carbureter, dissembled and examined the magneto thoroughly, replaced the braker points and adjusted them in every way, put on new spark plugs, and have remagnetized the magnets on the magneto; also put on new wire and examined all terminals to see that there were no shorts around the breaker box or elsewhere. Now, why can I not retard or advance the spark? In one position the motor will run nicely, but to change it up or down the motor will stop as if the switch had been turned off. It will run all right on the batteries, advanced or retarded, and hits regularly.—J. E. Clarke.

Your trouble is a common one, and the fault lies in the breaker, particularly in the adjustment of the platinum points. Fig. 4 shows a diagram of the Remy breaker mechanism, as applied to model L. With the cam in the position shown, there should be 1-32-inch clearance at A, between the short breaker arm and the flat spring. To adjust the gap, press in the phosphor-bronze spring and turn the hard rubber adjusting screw R to the right or clockwise.

The reason for the lack of spark in advanced position is that owing to the platinum point P being worn, the breaker arm B breaks its contact with the spring S too soon, so that no current is generated. If, after adjusting the platinum points properly, it is found that the action is no better, the cam must be worn, or its bearing on the arm at M has been worn to the shape shown by the dotted lines. Either of the latter conditions require replacement of the part affected. The fact that the car runs properly on the battery proves that the fault is not with the distributor.

ORIGIN AND POWERS OF THREE A'S Association Sanctions Race Meets-Gear Ratios of Racers

Chicago, Ill.—Editor Motor Age—Will Motor Age please inform me as to the origin of the A. A. A., by what authority it can, and by what means it does, enforce the suspension of racing drivers?

2—What high gear ratios are used on the following cars: De Palma's Mercedes, Mulford's Knox and Hugh's Mercer?—R. C. Johnson.

1-The American Automobile Association is a national organization and is the recognized authority in racing matters. A suspension of a driver by the A. A. A. means that he cannot compete in meets sanctioned by it. It, however, has no control over drivers who take part in unsanctioned meets; it simply says they cannot race in events the promoters of which recognize the authority of the A. A. A.

2-Mercer, 2.5 to 1; Mercedes, 1.88 to 1; Knox, 1-95 to 1.

SPEED OF FOUR MOTOR CARS HIGH Californian Wants Data Concerning Some Racing Cars

Belvedere, Cal.—Editor Motor Age—About 5 years ago a Garford car was entered in the Santa Monica race; what showing did it make and against what cars did it race?

2—What is the fastest getaway of an American stock car? What is the getaway of the 300-horsepower Christic car?

3—What are the speeds of the Oldsmobile

Limited, the Garford Six, the Peerless 60 and the Pierce-Arrow 66? 4—Has the Garford company announced its 1913 cars? Are there any changes in its six-cylinder car?—F. W. Finlayson.

1-The Santa Monica race was not run as much as 5 years ago, and no Garford has run in this race.

2-There are no official records on this. 3-These speeds are as follows:

4-Yes. There are two six-cylinder Garfords for 1913, one the large six, continued from last year, and the other, the small six, a new model. The fours have been dropped. Model 14, the large six, is identical with last year's offering in all respects except the substitution of dual ignition for the double system formerly used. The new model, called G-15, was described in Motor Age in the issue of March 6, 1913.

SPEED OF TWO HUPMOBILE MODELS Edwards-Knight Most Inexpensive Sliding Sleeve-Valve Car

Virden, Ill.—Editor Motor Age—What is the gear ratio of the 20 horsepower Hupmobile runabout, the 32 roadster and touring car?

2—What speed should the 20 Hupmobile make, also the 32?

3—What are the advantages of a T-head motor over other types of motors?

4—What is the lowest price car using the sleeve-valve type of motor?—Ted Campbell.

1-The gear ratio of the Hupmobile 20 is 4.5 to 1 on high speed, and that of the Hupmobile 32 is 3.86 to 1 on high speed.

2-40 miles per hour for the 20, 50 miles for the 32.

3-The T-head motor possesses the advantages over other types of motors of larger valves than are possible otherwise. 4-The Edwards-Knight.

HORSEPOWER FOR MOTOR BOB GIVEN Wants Model With Description of Little Homemade Cyclecar

Avalon, Wis.—Editor Motor Age—1—What is the best horsepower for a motor bob? 2—Please show a good model and give de-scription.—David Dean.

1-It may be said with safety that 7 horsepower is well suited for a motor bob.

2-This was given in the Readers' Clearing House in Motor Age issue of October 24, 1912.




FIG. 5-TIMKEN-DETROIT REAR AXLE

FIRE APPARATUS DRIVEN - I MOTOR

Differences Between Motorized Fire Equipment and Other Vehicles

Marshalltown, Ia.—Editor Motor Age—Does the American La France Engine Co., of El-myra, N. Y., and The Seagrave Co., of Colum-bus, O., build the chassis used in their fire

trucks?

2—Do these concerns use a chassis formerly built by some one else. If so, who were the former builders?

3—Is there any material difference between the ordinary fire truck chassis and the chassis of a commercial truck other than the gear ratio?

4—How long has the motor-driven fire truck been in use in the United States and about how many are in use at the present time?—Municipal.

Municipal.

1-Yes.

2-Certain parts of the Seagrave truck were originally former Frayer-Miller products.

3-As a rule fire truck chassis are specially designed to carry heavy loads at great speed. They partake of pleasure car characteristics, in general balance and speed ability, but of commercial design in their weight, carrying capacity and general ruggedness of structure.

4-As near as is known, the first motor fire truck was used in Springfield, Mass., in the nineties. On January 1st, 1912, there were 594 fire cars in use. Although no accurate figures of later date are available, there are probably about 650 now in

DOES CASING CARRY ANY WEIGHT? Reader in France Told That Type of Axle Is Considered

Tours, France—Editor Motor Age—What, if any, strain comes on the casting which carries the large gear wheel and the three or four small pinions of the differential?

2—Would a Pierce-Arrow cone clutch have a tendency to strain and possibly break the rear axle; or would the most severe strain in starting fall first on the change-speed-gears?—Charles W. Bowman.

1-If the rear axle is of the floating type then practically all the weight over the rear wheels is carried by the casting. If the axle is of the semi-floating type then some of the weight over the rear wheels is carried by the axle and some by the housing. If of the three-quarters floating type, side stress is borne by the rear axle to some extent but nearly all the dead weight is carried by the housing.

2-The stress being first applied to the change-speed gears they will first be strained and the shock transmitted to the rear axle. However, one cannot tell which part would break unless the condition of the gears were known.

SIXTH CITY CITES THE CENSUS Cleveland Boosters Call Attention to Hasty Statement

In the Clearing House columns the statement recently was made in a comparison of Indianapolis and Detroit, as motoring centers, with other cities of the country, that Cleveland had never been noted as a manufacturing city. This somewhat unfortunate expression has been pointed out as an error, as Cleveland is admitted the sixth city in the United States. However, in the manufacture of motor cars, it must take third with Detroit and Indianapolis.




FIG. 1—VIEW OF VULCAN ELECTRIC GEARSHIFT FROM ABOVE
A, neutical camshaft lever; B, pedal and switch shaft; C, knife-blade switch;
D, gearshifter arm

FIG. 3—INTERIOR OF ELECTRIC GEARSHIFT
Showing the solenoid magnets which operate the gears
and the slotted clutch link L

Vulcan Electric Gearshift on S. G. V.

Device Makes Gear Changes by Buttons

LECTRIFICATION of the gasoline car has proceeded another step forward in the adoption of the Vulcan electric gearshift by the maker of the S. G. V. car. When the scope of electricity on cars was confined to the ignition, electric lighting was hailed as a luxury; but with the coming of electric cranking, the next logical step seemed to be some means of operating the gear changes electrically.

This is realized in the Vulcan electric gearshift which has been adopted as stock equipment on all S. G. V. cars. In these cars it is operated in connection with the U. S. L. electric lighting and cranking system and reduces the operation of gearshifting to pushing, a button and releasing the clutch.

Gears Shifted Quickly

It requires half the usual time to shift gears with the Vulcan control. A system of buttons on the steering wheel and a slightly added length of clutch pedal throw compose the system as far as the driver of the car is concerned. It is merely necessary to touch a button corresponding to the speed at which it is desired to travel, press down the clutch pedal and let it back and the shift is made.

An idea of the appearance of the steering wheel with the device attached is given in Fig. 2. The buttons are numbered corresponding to the speeds which they control. Also there is one marked N and another R, for neutral and reverse.

If No. 4 button is pushed down, the clutch thrown out and then re-engaged, the car will be in fourth speed. If the driver is traveling through traffic on third speed he can set the second speed button and be ready at any moment by a simple motion of the clutch pedal to be in second speed. Or conversely, when traveling through traffic on second, and having

No. 3 button pressed down, a shift to third may be made instantaneously and without lifting the hands from the steering wheel.

It is impossible to strip the gears with this system because the clutch must be fully disengaged before the gears begin to move. The gears are always in neutral before the shift is made. This is accomplished by a positive mechanical action which is a part of the pedal motion in disengaging the clutch.

No two speeds can be engaged at once because each speed is governed independently of any other and an interlocking device provides that no two buttons can be down at the same time. If No. 2 button is set and the driver changes his mind and decides that his next shift will be into fourth, he merely presses No. 4 button and the second speed button returns to its normal position.

The secret of this control is a system of solenoid coils. There are five of these coils, one for each forward speed and one for reverse. Two switches are placed in the line between the battery and the solenoids, first, a knife switch which is controlled by the clutch pedal and second, the push button switch operated from the steering wheel. The knife switch controls all the changes, while the push button switch only controls the particular solenoid belonging to the speed to be engaged.

Clutch Pedal Arrangements

A study of the clutch pedal arrangement shown in Fig. 3 will disclose the fact that the pedal moves through a link L for the first part of its motion and during the rest of its movement picks up the link and pulls it along with it. The first part of the pedal throw has only to do with the clutch. The clutch may be slipped in ordinary driving in the




FIG. 2—GEARSET CONTROL BUTTONS

Pressure on the button corresponding to the
speed desired makes the change when clutch is
released

usual manner. The movement after the clutch has picked up the link operates the knife switch sending the current through the solenoid coil and pulling a plunger against a magnet with a force of 150 pounds.

How It Works


In the sectional elevation given in Fig. 3, the solenoid coils are seen. These are labeled first, second, third, fourth and reverse speeds in the drawing. The plungers are shown in neutral position. When the button is pressed and the knife switch thrown in a 12-volt current is passed through the coils surrounding the plungers and they are drawn against the magnets. The pull of 150 pounds is enough to shift the gears instantaneously and without any sign of clash. Since the gears cannot be shifted until the pedal has traversed sufficient distance to fully disengage the clutch, there is no danger of stripping the gears through meshing while the clutch is still engaged.

The box containing the switches and solenoid coils is mounted on the side of the gearbox. An idea of the method of arrangement may be seen in Fig. 1. The

left view in this illustration is a diagram looking down on the shifter mechanism. The pedal and switch shaft B may be seen along with the knife blade switch C and the neutral camshaft lever A. The function of the camshaft which extends across the control box between the solenoids, Fig. 3, is to pull the gears back to neutral between shifts.

Little Current Required

The current required to make the shift is 17 amperes, and the S. G. V. company figures that 300 shifts can be made with less current than it takes to start the car once and that the added weight to the car is but 46 pounds when ehe entire electric control system is considered. This includes lighting and starting. The buttons on the steering wheel are arranged on the demonstrator model on a circular box in the steering wheel instead of in the steering wheel spider as shown in Fig. 2. The device is the design of S. S. Eveland of Philadelphia, Pa.



FRONT OF CONTINENTAL SIX Silent chain from sprockets G1 to G2 for electric cranker

New Continental Little Six Motor

Small Engine Has Provision for Starting

THAT makers of motors are in touch with the trend of demand among owners of cars is evidenced in the latest product of the Continental Motor Mfg. Co. This is a six-cylinder engine of small size. The production of a little six is in itself a deference to the growing popularity of that type of power plant.

In the details of design the motor shows a commendable regard for the recent developments in car equipment For instance, the crankcase is designed to accommodate any form of engine cranker, or electric lighting dynamo and a silent-chain drive for cranking parposes is incorporated in the timing gearease. Timing gears are cut helically for the sake of silence, which is further obtained by the inclosure of the valves.

The motor is marketed either independently or as a part of a unit power plant, with a three or four-speed gearset, which in turn is adapted to be controlled from either side or the center.

Details of Motor


The new motor has a bore of 3% inches and a stroke of 5% inches, rated at 33.75 horsepower at 1,150 revolutions per minute, according to the S. A. E. formula. Cylinders are of the L-head type, cast in blocks of three. This economizes length in the motor, with the result that the engine will go under a 40-inch hood without crowding. The total weight of the motor with flywheel and the regular equipment is 600 pounds.

To avoid twisting strains on the crankcase the motor is suspended upon three points. The two rear points of support S3 and S4 are cast integral with the flywheel housing, while the forward support is a pivot X hung on a transverse bar supported on the frame at S1 and S2. The pivot support on the front of the motor is supplied with a bronze bushing and equipped with an oiler to prevent noise and wear. A gas passage cored inside each cylinder block allows the use of a simple Y-shaped intake manifold.


Valve Inclosure Provided

Valve inclosure is provided by two metal covers each held in place by a wing nut. Valve tappets and stems practically operate in oil. Lubrication of the motor is a combination pressure feed and splash system with a constant level. The oil is circulated by means of a gear pump, which forces it directly to the three main bearings, whence it is returned to the reservoir in the lower part of the crankcase. The overflow from the front main bearings falls into a pocket in the timing gearcase in which the large sprocket G2 on the crankshaft and the silent chain are partly submerged. This carries oil up to the timing gears and lubricates all the bearings on the front end of the Continental motor.

The silent chain runs in a bath of oil and drives the water pump and commutator shaft and possibly an electric generator when not doing duty in the cranking system. Water circulation is cared for by a centrifugal pump which forces cool water directly under the valves to the hottest points. Attention has been given to the question of accessibility. The cams, for instance, are integral with the camshaft and when the timing gearcase cover is removed the camshaft may be withdrawn. An unusual detail is to be noticed in the location of the priming cups PC on the side of the motor away from the valves. The fan is driven by flat belt from the fan pulley FP and the fan belt adjustment consists of an eccentric bushing surrounding the fan bearing and located in the fan bracket FB.



Tronch lry Motor Tractors



Power Vehicles Prove Worth to Army

HORSES have been marked for abolition from the artillery service of the French army. The French, who claim to have the finest artillery in the world, have come to the conclusion that better service can be obtained on the field with motor tractors than with teams of horses. Higher speed and greater mobility is assured with the use of motor vehicles, the degree of reliability is higher, the number of men per gun is less, and all possibility of a battery being rendered useless by a stampede of horses is avoided.

Experiments have been carried out for a considerable length of time and such satisfactory results have been obtained that it has been decided to make use of motors in place of horses for all the regiments stationed in Africa. For the time being mechanical traction is being used for the heavy 220-millimeter guns, the lighter arms still being served by horses.

Orders have been placed with manufacturers for special types of four-wheel drive motor tractors and some of these were put through their paces last month in the military grounds at Vincennes, to the east of Paris. The vehicles were supplied by Panhard & Levassor and Balachowsky & Caire. The program called for an ability to haul a load of 12 tons over any kind of ground on which horses could operate. The tractors took in tow a line of gun carriages and ammunition wagons, the first carriage bearing the 220-millimeter gun, and was called upon to haul it over every kind of ground on which horses had successfully ventured.

The most severe tests consisted in taking the load of 12 tons up very steep banks of soft earth forming the background to the artillery firing ranges. The earth was either so soft or so muddy that there was very little traction for the wheels, yet all these tests were successfully accomplished. In the mud-plugging competition the machines had to go through mud reaching to the hub caps. Another test was the ability to get over the trunk of a big tree which had been laid across the track and pinned in position to prevent it being pushed out of the way by the wheels. This also was done successfully. Finally there was an immersion test, the Panhard tractor being taken down the muddy river bank under its own power and run into the stream until its wheels were entirely under water, the frame members just being submerged. After remaining. in this position for a little while, the ma-

chine was brought out under its

The Panhard & Levassor tractor is a six-cylinder machine with its motor under a bonnet and a platform body carried behind the driver's seat. The cylinders are cast separately but are bolted together so as to form a common waterjacket. There is shaft drive to all four wheels, and in addition the tractor has a winding drum placed beneath and across the front of the frame. The tractor is equipped with twin rubber tires both front and rear.

TRUCKS AID IN RELIEF WORK

It is impossible to estimate the value of motor trucks in the relief and rescue work at Dayton. It is estimated that nearly 500 horses were drowned in the flood and, of course, it was necessary to replace these horses immediately in order to proceed with the rescue and relief work.

John H. Patterson, of the National Cash Register Co., sent out a call for motor trucks and, as Springfield is the nearest city of any size to Dayton, Kelly trucks were the first to respond to this call. They carried capacity loads of food and clothing from Springfield. After arriving at Dayton they did all sorts of work, and were especially valuable in distributing food and supplies from the central station at the National Cash Register Co. to the relief stations in the outlying portions of Dayton. They were also of considerable value in carrying away the debris left by the flood and also carrying rescued persons to places of safety.

in Artillery Service



100,000,000 a year, this local movement of goods rivaling the business of a transcontinental railway and representing a business of more than \$60,000,000 and an investment of over \$85,000,000. Such are the total figures furnished in the report of the Chicago Association of Commerce on the teaming and express business of Chicago, just issued.

Chicago, just issued.

More than 10,000,000 tons of coal are trucked through Chicago's streets annually, continues the report, while structural steel, brick, sand, ice, general merchandise, produce, packing house products and milk are mentioned as the chief items of hauling following. Twenty-thousand vehicles of every description have been counted in a single day between 4 a. m. and 6 p. m. on South Water street—the commission row of Chicago.

Two million passengers daily enter and leave the loop district of Chicago.

In 1912 80,000 vehicles were registered in Chicago, an increase of 11 per cent over the previous year. The actual increase has been greater on account of increased capacity of vehicles. Of these vehicles, over 50,000 are horse-drawn, 2,790 being motor trucks.

Teaming interests in Chicago represent an investment of \$49,500,000 in street equipment and \$85,000,000 including barns, warehouses, etc.

The annual cost of Chicago's teaming totals \$60.000,000, or about \$25 for every person within the city limits. This is not high compared with other cities with parallel traffic

pared with other cities with parallel traffic conditions.

The average wagon or truck in Chicago spends one-third of its time on the road and two-thirds of its time in waiting.

Railroad express companies in Chicago employ 6,130 people supporting an estimated population of 18,390 souls. Of this number 1,459 are employed in the wagon service, with 934 vehicles and 1,703 horses.

The largest express company employing 184

1.459 are employed in the wagon service, with 934 vehicles and 1,703 horses. The largest express company employing 184 wagons, 420 horses, six motor cars and 349 men in its pick-up and delivery service started 25 years ago with six wagons and eight horses. The express companies bring six fast express rains into Chicago from the east every 24 hours, carrying fifty-one cars in all. Five trains of thirty cars go east every day for exclusive express work, and two of eight cars to the northwest.

Chicago Boasts of Its Freight Tonnage

The principal express companies operating in Chicago maintain some eighty branch offices throughout the city for redistribution and col-lection of goods.

Such are the main figures of the report, and they show the enormous volume of business which in a few years will be taken over by the motor truck.

By adopting the motor vehicle the twothird idle time of operating vehicles at present will be cut to one-third or less and the tonnage of vehicles will be doubled in average, so that approximately 20,000 motor vehicles will do the work of the 50,000 wagons now employed, this alone saving 163 miles of street space. Travelling at higher speed than horse vehicles traffic congestion probably will be lowered 50 per cent by the change. That the change is coming no business man who is posted doubts.

Based on average truck figures at the present time, the change will save Chicago from \$10,000,000 to \$30,000,000 a year on its hauling, reducing the per capita cost of the year to \$15 or less, instead of the present \$25. At the same time the city will be healthier, cleaner, quieter, and will employ a better, more efficient type of man on the average than at present.

One thought left out of the report as

regards the two-thirds idle time of horse teams is that this is not the result of indolent systems or traffic conditions primarily, but is caused by the horse's limitation of 15 miles per day, requiring that it rest for two-thirds its time. With motor trucks there will be no such need and speed of delivery and idle time will be subject only to the hustle and business system of the firms involved in the hauling. As trucks increase and loading and unloading systems improve the idle time necessary in a motor truck, a day's work will be continually shortened.

Chicago hopes to better control the traffic in the near future. An ordinance is pending which proposes to give the police power to arrest pedestrians who do not heed the whistle in the loop district which controls traffic at the street corners. When this is done vehicles will be able to move faster because the drivers will not be obliged to dodge pedestrians who at present pay no attention to signals.

The report as furnished is full of statistical information and wise conclusions. Reports of future years will be awaited with interest as showing the real changes which motor delivery will make in the hauling of Chicago's industries.

Why Motor Truck Is Superior to Horse

By William B. Stout

A DRY goods merchant in the west has voiced a new and to him important advantage of the motor truck and delivery vehicle over the old horse systems. This man is located in a territory where the conditions of the roads allow the use of trucks only on certain routes, but nevertheless he is enthusiastic over the motor vehicle, and boosting for good roads in his section so that he may do away with horses and wagons entirely and use motor trucks exclusively for all his delivery.

"It is true that motor trucks break down sometimes," he said, "but this is not often, and when they do you can plan ahead just when they will be fixed and ready for use again. When a horse gets sick or is injured in any way, as is the case more frequently as greater demands are being made on the horse to make good, one never knows how long it will take to get well, nor can one plan on when he will be in service again if ever.

"You rarely can totally destroy a motor truck; there always is something left to fix no matter how bad the smash, and it is a wonder how much punishment a good motor truck will take and get off with only a smashed radiator or a bent fender. You never know when your horse is going to quit entirely, and leave you with nothing to fix, and nothing to do but buy another horse or, better, a motor wagon to take his place. With the horse, too, you never know the expense that will accrue from any trivial happening, while with the motor truck you can look in the cost book and see.

"For instance, Tom, the big dray horse, may have a loose shoe, get a stone under it, go lame and through a series of complications be laid up for a month, if he doesn't die from blood poisoning. The mechanical work of fixing the shoe probably will cost a dollar, yet when that is done that is not all, there is something to get well.

"With the motor truck a nut may get loose, or a spring break, or a valve stem snap. Here is a repair costing say twice or even five times what the horse repair cost, so far as the mechanical work goes, and yet when the money is paid out and the work done the investment is ready to work again. There is no waiting for anything to get well.

"Then, too, one can worry along and finish a day's work with a leaky radiator, or a broken spring leaf or the like and have the repair done at night when the invest ment is idle. This cannot be done with a horse without breaking into his rest hours.

"One knows, too, just about what the minimum life of his motor truck will be, he can plan on it as an investment for a certain depreciation, for a certain number of years of service, and on its having an increasing earning power as motor trucks

increase in number so that loading and unloading and traffic operations will be less complex and quicker.

"With the horse one never knows how long it will live, but can only average. One is not sure of depreciation, and knows too that as motors increase they will be given more and more preference at crowded stations, so that the possible work of the horse is decreasing instead of increasing while the upkeep cost is increasing as well. The time will come when it will be almost impossible to use horses for delivery except in house-to-house work where there are no platform waits, for at other points the waits will be too long through preference to the more expensive trucks."

These are new viewpoints for the most part, analytical, and the result of experience, an expression of a growing feeling on the part of those progressive merchants who are keeping in touch with the advance of the motor truck as the future delivery vehicle.

CONTRACTORS LIKE TRUCKS

Among the number of inquiries concerning motor trucks received by manufacturers during the past year by far the largest amount has been from engineering and contracting firms, according to a recent report of the National Association of Automobile Manufacturers, many of these inquiries asking concerning rental of motor vehicles for certain periods of work.

Rollin W. Hutchinson, Jr., for the International Motor Co., in discussing this work quotes some results obtained by the Crescent Delivery Co., of New York, a firm using three 7½-ton Mack trucks in addition to horse equipment for the hauling of sand, gravel and broken stone in the borough of Manhattan.

Most of the company's hauling is from the dock, located at the foot of East Thirty-fifth street, the average Laul from this point being 2.9 miles. With this short haul it is important that the loading and unloading time be kept as short as possible and that the trucks may be kept moving so that the materials are handled by a hopper system, loading into the trucks. These hoppers are filled by a derrick and clam shell bucket and operate easily.


In loading, the truck drivers do not move from their seats, a helper operating the doors which let the material into the motor truck bodies, thus leaving the drivers to their business of running the car. Loaded, these run out from under the hopper at once to make room for the next vehicle, and in loading motor vehicles are given preference over horses where it is possible.

Power dump bodies are fitted, the only delay in unloading being when drivers have to hunt up the contractor's foreman to see where the load is to be dumped. These delays are rare.

Three trucks, as stated, are used, these having 5 yards capacity. Tires are 42 by 6-inch triples. The machines are geared to 10 miles an hour, maximum speed. They operate 9 hours a day, making 6.7 trips average. The average loading time is 5 minutes, unloading 8 minutes. Loads vary from 15,000 to 16,200 pounds.

On 2 consecutive days during 2 weeks of the trial the machines averaged 60 miles per day, though 39.4 miles is the average time as the machines are not now working overtime. This showing is held up as proof of the truck's utility.

If there were not the hindrance had at present through working in conjunction with slow horse equipment the machines could do much better. That Mr. Hutchinson, in telling of the work, emphasizes the service conditions and mentions the truck as the instrument in connection, only proves that he knows what is important in making any truck pay whether the machines in which he is interested or any other motor delivery vehicle. It is the business sagacity connected with truck operation that counts for successful truck operation, and that is producing experts who know how to get the most out of



MODEL A DETROIT TRAILER WHICH HAS A CAPACITY OF 1,200 POUNDS

commercial motor vehicles. The report savs:

CONDITIONS:

Average	daily	mileas	ze			 	39.5 miles
Average	trips.					 * *	6.7 "
Average	length						2.00
Average	load .					 	8 tons
		ASSU	MPT	10	N:		
300	working	days	per	y	ear		

11,850 miles per year, each truck. 100,000 miles, life of truck. INVESTMENT:

Three 7-ton trucks......\$17,400 FIXED CHARGES:

Inter. on \$8,700 at 6%.\$ 522.00 Inter. on \$8,700 at 6%.\$
Insurance:
Fire 2% on 80%
of value...
Fixed deprectation, exclusive of tires, on \$15,450, at 10%...
Wages at \$22.50 per week 278.40 1,545.00

week 3,510.00 Garage at \$20 per month 720.00

Total fixed charges...... \$ 6,575.40 OPERATING CHARGES:

Total operating charges...\$
Total cost per annum....

Average cost per day....

Average cost per ton-mile...

INSTANCES OF TRUCK ECONOMY

On long distance hauls movers are saving 2 days out of 3 by delivering with motor trucks. A conspicuous example is that of the Liberty Storage and Warehouse Co., of New York. Recently this company delivered by Alco truck a load of household furniture to Huntington, Long Island, and return to the warehouse inside of 10 hours, covering a distance of 87 miles. The truck pulled up to the loading place at 3 p. m., was loaded, delivered its cargo and returned before 1 o'clock next morning, ready for another load.

When horses were used on such work the arrival at Huntington was made during the evening of the first day and another day was required for the return trip to New York. After such a strenuous ordeal as this the horses were not used on the third day. Aside from this saving in time by the use of a motor truck the expense of stabling the horses over night and the hotel bill of the driver and two helpers now are saved by this

An instance of a motor truck saving 3 days out of 4 is that of Coutu Bros., of Central Falls, R. I. A load was moved from Central Falls to Ipswich, Mass., a distance of 75 miles, in 1 day by an Alco truck in the service of this concern. Formerly, on such trips, four horses took 4 days to make this trip. Thus the number of horses replaced by the motor truck is practically sixteen.

The saving in this particular instance is extremely large, as a 3 days' hotel bill of a driver and two helpers and the expense of stabling of four horses for 3 days are saved by the motor truck. These are only a few instances of economy.




FIG. 1-DETROIT TRAILER ATTACHED TO SMALL RUNABOUT

Trailer Proves Utility in lts

NEW type of freight-carrying vehicle has made its appearance, in the form of a specially constructed two or four-wheeled wagon, to be drawn by a passenger car or a motor truck. It is known as a trailer. This utilization of motor cars has been made by several of the car manufacturers, in Detroit at least, who have put some of their factory cars to freight use by constructing two-wheeled contrivances from surplus parts, such as frames, extra axles and wheels and towing these trailers, putting them to the same service as they would light delivery

Recognizing the demand for such vehicles, the Detroit Trailer Co. has brought out a trailer of this type, constructed entirely of standard motor car parts, as a solution of the light delivery problem. The method of use and the general appearance of the Detroit trailer is shown in Fig. 1, which illustrates the attachment to a small runabout.

In enumerating the many uses to which such a contrivance may be put, the concern states that it is of special interest to contractors, grocerymen, hardware men, dry goods houses, farmers, summer residents and tourists. The last two types of users may appear rather doubtful to many, but the concern points out that summer residents will find it very convenient in transferring different articles and baggage to and from the city, while tourists are assured that the trailer may be attached to the machine to carry the always great amount of extra baggage needed on a tour, thus leaving the motor car unhampered and not loaded up with baggage. Another suggested possibility is for camping trips, for transporting the camping outfit.

These trailers are made in two types, models A and B, the former being a two-wheeler and having a capacity of 1,200 pounds. It has a standard I-beam axle and the wheels are of the artillery type of second growth hickory, provided with standard solid rubber tires, size 32 inches by 2 inches. These wheels are mounted on Bower truck type roller bearings, while the frame is suspended from the axle by regular full elliptic automobile springs. The dimensions of the stake body for model A are 96 inches length and 42 inches width. The sides are 18 inches high. This smaller type is also furnished with a canopy top, either with a square or round bow, for camping or fishing parties.

The makers convey the further information that the vehicle also can be furnished with special springs for sleeping in the trailer, while an ice box attachment fastens directly under the rear end, at extra cost.

The model B trailer is a four-wheeler. It is also constructed of standard truck parts and the body is suspended by semielliptic springs from standard I-beam axles, the wheels of artillery type being carried on Bower roller bearings. This heavier model has a wheelbase of 130 inches and a capacity of 3 tons. It is suitable for use in connection with any standard truck or 1-ton capacity or over and is intended for the delivery of coal, lumber and so on. It is claimed to be really a 3-ton truck, minus the engine and transmission. The overall body dimensions are 16 feet length by 54 inch

PRAISE FOR PHILIPPINE TRUCKS

The annual report of the director of public works of the government of the Philippine Islands for the fiscal year ending June 30, 1912, Warwick Greene, director, speaks highly of the de Dion-Bouton trucks purchased in New York 3 years ago. The report is as follows:

pears ago. The report is as follows:

During the year this line carried over 19,000 passengers without accident or injury to any of them. Considering the conditions under which this motor service is maintained, this result is considered remarkable and may be attributed to the strict discipline maintained and to following railroad practice in running the motor trucks in trains and regulating the traffic with regular block system, with gates, gate keepers, and telephones. The main reliance of the line is placed on eighteen trucks of which seventeen were especially built by the de Dion-Bouton company for service on the Benguet road and one by the same firm for use in Baguio as a bus. These cars have given splendid service and leave nothing to be desired. During the year 5,161 tons of 2,000 pounds each were carried under the direction of the motor line, for the greater part by de Dion-Bouton trucks.






Fig 1-Bosch adjustable coupling which per mits magneto to run out of line and off center without injuring the magneto

Hitenograph Magneto Tester

E have machines for telling if the oil in the motor is circulating properly, if the gas line is in working order and other such devices, but now comes an apparatus for telling whether or not the ignition system is in proper order and if not, why not. The Hitenograph is the name of the instrument and it was given its name by the inventor, Francis R. Hoyt, Cleveland, O., from the fact that it is a high-tension graphic recorder.

The magneto to be tested is coupled to the Hitenograph as shown in Fig. 3. Upon the drum D of the machine is a chemically prepared chart. The handle C is revolved and the current from the magneto traveling from A to B is recorded upon the chart. A section of a chart is shown in Fig. 2. The lines across the chart represent degrees of crankshaft rotation. The chart is divided into 180 degrees and travels twice as fast as the magneto being tested.

Taking a four-cylinder magneto, which sparks twice for every revolution, two indications will be made on the chart for every revolution it makes. Now each graphic representation of a spark must fall on the same line of the chart as the spark preceding it. The size of the mark on the chart shows the relative size of the spark. In A, Fig. 2, the magneto is out of time 5 degrees. That is, there are 5 lines between the registrations. The upper row of marks, the small ones, represent the magneto running on a retarded spark; the lower set on advanced spark.

At B in the same illustration is a record of the sparks after the magneto had been synchronized. By the use of the Hitenograph it is possible to tell at a glance whether the magneto is living up to its rated efficiency and also whether the adjustments are correct. The apparatus is about three times as large as an ordinary magneto, as may be seen from Fig. 3.

Bosch Adjustable Coupling

Manufactured by the Bosch Magneto Co., New York, the coupling shown in Fig. 1 consists of a cone-shaped piece of steel which is attached to the armature shaft, terminating in a ring having diametrical fiber-lined slots. To the driving shaft is attached a flange which carries a flat crossbar. The cross-bar, which is made of steel leaves, fits into the slots of the coneshaped part. Because of the fact that the cross-bar is laminated its action is similar to that of a spring, thus permitting the two members of the coupling to have rela-




Fig. 2-Chart of Hitenograph, The registrations at A shows the magneto to be out of time 5 degrees; at B the machine registered correctly

tively slight twisting movement. This permits the two shafts to be a little out of line. A flange with three holes through

which taper bolts pass, is fitted to the armature shaft. When the nuts on these bolts are drawn tight there is no relative motion between the two parts. Loosening of the nuts permits the magneto armature and a part of the coupling to rotate.

Thermite Anti-Freeze

With the claim that it will not freeze except at 70 degrees below zero, the Northwestern Chemical Co., Marietta, O., is offering Thermite of a different nature than that previously marketed. Since the lowest temperature reached usually is 15 degrees below zero, the Thirmite is diluted with water according to conditions. The maker claims that the solution will not affect the metal of the water-jackets or the radiator and also that the rate of evaporation is so small as not to be taken into consideration. It is said to be non-explosive and noninflammable.

Dim-A-Light for Headlights

In many cities the use of powerful headlights is prohibited, due to the fact that the rays are blinding to the driver coming in the opposite direction. A device is being manufactured by Pellet's Magneto Exchange, Chicago, which permits of the headlights being dimmed when another car is approaching. A button on the dash is pressed and a resistance is inserted into the lamp circuit which cuts down the current flowing to the headlights and hence they give less candlepower. The apparatus is made to be fitted to various circuits employing standard candlepower lamps. The maker claims that little time is required to put the Dim-A-Light in position, as all that is necessary for installation is a pair of pliers, a knife and a screwdriver.




Fig. 3-Magneto testing apparatus known as the Hitenograph. Upon the chart D is registered the time of spark occurrence and the intensity of the spark



GARAGE OF W. F. BURROUGHS, CHICAGO, AN EXAMPLE OF A WELL-EQUIPPED AND ROOMY BUILDING

Tousing the Motor ar The Garage Monied Class

M ANY owners of motor cars equip their private garages with facilities which enable the chauffeur to repair and overhaul the car. In the garage owned by W. F. Burroughs, Chicago, nothing has been neglected to bring it to the peak of up-to-dateness.

The brick building is 35 by 30 feet, with the garage on the lower floor and the chauffeur's quarters on the upper. There are four large rooms on the second story which are lighted during the day partly by skylight and partly by windows.

Plan of Garage

A plan of the garage floor is illustrated on this page. There are two rooms, one the garage proper and the other the repair shop, there being no door between the two rooms. The striking feature of the garage is the fact that it is well lighted. There are seven windows, three of which face the rear of the owner's home. Besides the light that enters the windows auxilliary facilities are at hand in a number of cluster lights and wall lights. The single entrance for cars is 8 feet wide and about 11 feet high. A drain is provided and is so positioned that should the car be washed in the daytime, the light from the windows enters, and if at night, the cluster lights provide illumination. With the car out of the garage a decidedly clean floor appears, the greater part of the garage apparatus being placed in the anteroom.

This is about 30 by 15 feet and contains the boiler room for the hot-water heating system. Next to the boiler room is a small work bench. A feature of the repair shop is the pit, in front of which is the gasoline pump, which is used to bring gasoline from the underground tank to the repair shop. The pit is about 6 by 2½ feet, which is ample for the car housed.

Covered Repair Pit

When not in use the pit is covered with planks of wood to prevent anyone falling into it. Drop lights are provided, so that when working underneath the car

STORE WARDROBE.
PIT SINK.

SINK.

BOILER ROOM

355

FLOOR PLAN OF W. F. BURROUGHS' GARAGE, SHOWING SIMPLICITY OF ARRANGEMENT

repairing is facilitated to some extent.

The walls are whitewashed and the floor is cement.

A very convenient location for the sink is provided in the garage of Mr. Burroughs. This may be noted from the floor plan illustrated below. When water is needed for cleaning the car a hose connection is made with the faucet, thus eliminating the necessity of having a separate water pipe near the drain. The sink is handy also to the work bench.

Two doors are provided for entrance to the garage by persons. One opens to a stairway which leads to the upper story and the other faces the lawn at the rear of the building.

Adjacent to the store-room is a wardrobe for the storing of the motoring robes
of the car owner. This room is about 9
feet long and 4 feet wide. Behind it is
a stairway leading to the four-room apartment on the second story. Besides, the tools
are kept in the store-room, together with
cans of oil. Undoubtedly the spaciousness
of the building adds much to its appearance.
The fact that it is made of the same material as the home of the owner makes it
blend cheerfully with its surroundings.

Two Drives to Garage

There are two drives leading to the door of the garage, one on either side of the owner's dwelling. These are about 7 feet wide and terminate in a bank at the garage door. Grass plots about the building add also to its bright appearance.




FIG. 1—DEAN CHASSIS TESTING APPARATUS BY WHICH ROAD TESTS CAN BE DUPLICATED IN PART IN THE FACTORY

Testing Motor Car Chassis and Engines

Details of New Apparatus for Finding Brake Horsepower sicipalities have been By P. P. Dean through a grid res

S INCE various municipalities have been considering bills by which manufacturers' test cars may be kept off the public highways, especially the Indianapolis instance, motor car manufacturers have been seriously considering a means of substituting the usual road test by some good and reliable stationary method.

It is granted, of course, that a running road test is necessary in order to try the various members of the chassis, such as the springs and brakes, but only for a short time over a severe course. Three alternative methods are presented; firstly, to build a private track; secondly, to test on a public speedway for which a fee is charged, and lastly, to install a series of stationary chassis testing stands.

Eupplements Road Tests

An ideal way would be to use the stationary test supplemented by a 50-mile run over a rough field adjoining the works.

The best machine on which to absorb the load on the rear wheels has yet to be ascertained, but the method herein set forth and described seems to answer the purpose in every way.

Fig. 1 shows a complete layout, with chassis, driving chains and dynamometer in place. The load absorbing dynamometer is of the Diehl electric cradle type, dissipating electrical energy

through a grid resistance, or feeding it back to the line. The particular size shown is capable of taking care of any normal standard chassis, and provides continuous breaking power equal to 50 horsepower at the wheels, at a speed equal to 60 miles per hour, the limiting factor, however, being the speed of the driving chairs.

The method of supporting and attaching the chassis shown in Fig. 1 has been superseded by the testing stand which is not shown. This is designed especially for cars using the floating type of axle, but, of course, can be adapted to those using either the three-quarter floating or semifloating axle. Before the complete chassis leaves the shop two dummy test axles are inserted through the housing and into the differential, each having the male end of a jaw clutch extending outward, which engages the female half of the clutch attached to the stand. This half slides on a feather key. Attached solidly to the floor underneath the spring pads is a pair of hydraulic jacks, with special head to suit the axle housing. These jacks are adjustable in a lengthwise direction, so that the jaw clutches may be lined up with a minimum loss of time.

Each stand contains a pair of oil-ring bearings, supporting between them a shaft



FIG. 2—CONTROL AND CHARTING TABLE SHOWING STEERING-WHEEL CONTROL OF ELECTRIC CURRENT




FIG. 3—HORSEPOWER CURVE OBTAINED BY TEST

Notice how closely curve follows straight line, which is horsepower
calculated for engine by modified S. A. E. formula

carrying the ninety-tooth chain wheel. The base of each has four lugs, through which holding-down bolts pass to girders let into concrete. The two large chain sprockets, when once accurately lined up with the dynamometer pinions, need not be altered, so always insuring the proper working of the differential gear. It is noticed that the axles merely exert turning effort, the same as when in actual operation, and take no driving strain of the chains.

Belted from the dynamometer shaft is a centrifugal volume blower, supplying air for cooling the radiator, which air is led through a duct, terminating in a flared outlet covering the front of the radiator. The speed of the blower is so arranged as to deliver air at a velocity equaling that produced by the car traveling at different speeds.

The Control Board

Now that the chassis is ready for operation, attention is first directed to the engine, which is started by its own starter or cranked over. The clutch is released and the operation under no load is noted, but not recorded, on the log sheet, unless it is desired to call attention to some particular points.

To control the loading of the chassis, a master-control board is used, consisting of a slate switchboard mounted in a castiron pedestal box. This box has a hinged cover and support, which serves the manifold purpose of protecting the expensive measuring instruments, and also

a support for the horsepower conversion chart and log sheet. The face of the board is shown in Fig. 2, and contains a Hopkins speedometer, reading miles per hour, calibrated to suit different wheel diameters, a similar 'instrument showing revolutions per minute on the dynamometer, a Keystone horsepower meter, a load-varying rheostat, and a load switch.

To provide a minimum load, the small load switch is turned, which closes the automatic solenoid switch mounted on the sorbing resistance across the dynamometer terminals. A turn of the large handwheel on the panel varies the brake power on the rear wheels from zero to the maximum capacity of the car, so that it may be loaded

and tested at will at either gear position and through any length of time desired.

After the chassis has been adjusted to any given load, the testing operator may examine every part under working conditions, and make the following observations: Best possible carbureter and spark setting for different speeds, action of transmission gearing, lubrication of gearset, ease and quietness of running of gears

and differential, effect of muffler and cutout, temperature of cooling water, temperature of exhaust, consumption of fuel, and many other points. The horsepower meter does not show the actual power delivered by the rear wheels, but shows at a glance whether the power is increased by various adjustments, which is a very important factor.

For actual horsepower measurements the weight shown on the scales at various speeds must be recorded and afterwards converted by the aid of the chart to horsepower. For fuel consumption tests the gasoline is supplied from a 50-gallon tank, mounted on a portable stand, forming part of a fuel weighing recorder which is so arranged that it shows the exact time in which 1 pound of fuel is consumed, together with the exact number of revolutions or miles per hour, made by the chassis in that time.

Mounted on a slate panel is a telegraph relay and transmitter connected mechanically to a split-second return stop watch, while geared to the dynamometer shaft is a Veeder revolution counter magnetically thrown in and out of gear.

Operation of Test

When the chassis is operating under any given load, the sliding poise on the scale beam is set so that it almost floats, but remains in the upper position. As soon as the engine has consumed enough fuel to decrease the weight, the beam falls and the poise is set at 1 pound less, when the beam rises again. As the beam drops, it strikes the transmitter contact of the relay, which action automatically starts the stop watch and also throws in gear the Veeder counter. As soon as 1 pound of fuel has been consumed, the scale beam again falls and, through the relay, disengages the gears on the Veeder counter and stops the watch, thus recording accurately the exact time consumed and number of revolutions of the rear wheels in which 1 pound of gasoline is used.

On a road test no measurements of value may be taken, and it is very seldom that a car may be operated at its maximum capacity and speed for more than a few minutes, without disobeying the laws and risking an excess speed fine, all of which may be eliminated by testing at home.

The whole of the equipment above described has been designed by the writer, and is manufactured by the Diehl Mfg. Co., Elizabeth, N. J.




FIG. 4—ARRANGEMENT FOR MEASURING FUEL USED

A stop watch, telegraph relay and scales measure time and number
of revolutions required to use 1 pound of gasoline



From the Four Winds



Governors Who Motor-Eberhart of Minnesota

GOVERNOR A. O. EBER-HART of Minnesota is a motorist. He disdains the service of the chauffeur. He drives himself. Frequently he makes public use of his car, as on one occasion when the German Americans had a celebration in the Twin Cities he drove at the head of the parade with leading lights in his car. Frequent speaking engagements in Minneapolis he fills by motoring over from his residence, and he

drives out to the summer capital at St. Albans, Lake Minnetonka, when called to the cities.

"Since I began driving my own car 3 years ago I have become a devoted motorist," says the governor. "While I always enjoy a ride in a swiftly-moving car the real thrill doesn't come unless I am at the wheel myself. Even when riding with a friend I invariably keep my eyes on the road on the lookout for other



GRANT to Drive Isotta—Harry Grant, of Boston, twice winner of the Vanderbilt cup, has decided to join the racing field again, and he has just signed a contract to drive the Isotta-Fraschini car owned by young Ziegler, who inherited

millions from the late baking powder millionaire.

Cash Prizes for Indianapolis—The Bosch Magneto Co. has added \$1,000 to the 500-mile Indianapolis race purse, offering \$500 for first, \$300 for second and \$200 for third in case Bosch magnetos are used. The Hartford Suspension Co. gives \$250 to first, \$150 to second and \$100 to third where Truffault-Hartford shock absorbers are used.

Eastern Interclub Planned—Plans are under consideration for holding an interclub run from Philadelphia to some point in Pennsylvania during the early part of June, Gettysburg probably to be the objective point of the tourists. The event will be conducted under the joint auspices of the Quaker City Motor Club, the Automobile Club of Philadelphia, the Automobile Club of Germantown and the Delaware County Automobile Club. Details of the run have been placed in the hands of a committee consisting of a member from each of the four organizations. It will be a 1-day affair.

Traffic Rules Irksome—New Orleans traffic regulations, which are considered unfair to owners and drivers of motor cars, probably will be changed owing to the determined onslaught that is being made by the Louisiana Motor League. A speed limit of 8 miles an hour in the business district and 12 miles an hour in other sections of the city is a hardship, it is claimed, and maximum speeds of 12 and 25 miles an hour are recommended. The regulation making it necessary for a motor car to be 30 feet behind a street car when the car

vehicles or obstructions, and become much more excited than when driving myself. I do not feel safe in a car unless at the wheel. My only regret is that I did not realize the great pleasure to be derived from motoring earlier, as I now learn that I have missed many years of enjoyment.

in the cities and Minneapolis, and their environs. In

Paul and Minneapolis, and their environs. In the cities and the immediate vicinity the roads are very good, the park boards having laid out 200 miles of park drives, most of them through picturesque country, such as the gorge of the Mississippi river, valleys of the Minnehaha creek and the lake districts. The country roads while not exactly models are most delightful for motoring, and I enjoy it thoroughly."

Good Roads Brevities

W ORK has been begun on the motorway to connect Dallas and Del Rio, Texas. The latter town is on the Mexican border. The road thus will span nearly the entire state from north to south. The road will be a privately-owned toll road, which will be used exclusively for motor vehicles.

The Ohio state highway commission has sent out inquiries to every county in the state visited by high water, requesting reports on damage done and probable cost of reconstruction. These are now beginning to come in. As a result of the general flood conditions, a movement is on foot to secure such legislation as will permit the highway department to pay a part of the cost of bridge construction. At present the department is authorized to draw plans and prepare estimates for bridge construction, but may not pay any part of the cost of their building.

Business men of Sterling, Ill., extended a hospitable greeting to 125 good roads boosters from Rock Island, Moline, Hillsdale, Erie, Lyndon and other places between Rock Island and Sterling. It is desired to route the proposed ocean-to-ocean highway through the cities mentioned.

Thirty-two miles of concrete roads and approximately 100 culverts and small bridges will be constructed by the county of Milwaukee under direction of the county highway commissioner and the state highway commission this year. Last year 14 miles of concrete road were built and some of the 1913 work will be extension of these improved highways. The roads to receive the greatest benefit of the highway plan this year are: Leading south from Milwaukee, Howell, Loomis, Janesville, Kilbourn, Chicago, Mukwonago roads; leading west, Blue Mound, Hawley roads; leading morth, Cedarburg, Port Washington, Green Bay and Fond du Lac roads. The work is done under contract, the county furnishing all materials and machinery. The contractor furnishes the labor and is bound to execute the work as planned.

A contract has been let by the municipal government of Buenos Aires providing for the construction of an asphalted motor driveway along the Rio de la Plata, in front of the city. This will mean an outlay of \$1,255,000.

Recent Club News

A T THE annual meeting and banquet of the Davenport Automobile Club, of Davenport, Ia., new officers were elected for the ensuing year as follows: President, J. Reed Lane; vice-president, M. R. Carlson; secretary, Gus Burmeister; treasurer, A. F. Dawson; directors, G. Decker French, Lee Dougherty and Bert Halligan. Reports showed an increase in membership of 50 per cent.

Plans for the erection of a new club house for the Peoria Automobile Club, of Peoria, Ill., were perfected at a meeting of the board of directors. More than half the money necessary has already been subscribed and no difficulty is anticipated in securing the remainder. The structure will be erected at a picturesque point on the Illinois river convenient to the city. It will be equipped with a dancing floor.

The Tacoma Automobile Club is preparing for a busy summer. On May 4 the club members will make the run to the Nisqually power plant; 2 weeks later a membership dinner will be held; then on May 25 a run will be made to Olympia; a run to Seattle and trip over the famous boulevard system, June 15; a run to Centralia and Chehalis, June 29; a run to Aberdeen and the coast, July 13; a run to Mt. Tacoma, August 3, and a run to Lake Cushman, September 1. Attractive club rooms at 1512 National Realty building have recently been opened and placed in charge of Secretary A. L. Sommers.

The Superior Automobile Club, consisting of motorists of Douglas county, Wisconsin, at the head of the lakes, is planning to build a country club this year. No location has been definitely selected, but it is likely that one of the many river or lake sites in the county will be chosen. The club will invest from \$12,000 to \$17,000 in building and grounds.

The new home of the Automobile Club of Canada was officially opened last week in the new Birks building, Phillips square, Montreal. The growth of the club has been phenomenal. Started in the year 1904 with only a few members it has gradually forged ahead until at the present time more than 500 owners have attached their signatures to the membership rolls. An aggressive campaign for more new members has been started.

stops and the rule forbidding a motor car to pass any other than a moving street car are declared to be unnecessarily burdensome. A request also is made to permit the use of strong lights on cars. The condition of many of the side streets are such as to make them necessary, it is stated.

Another Chance for Motor Car-A bill has been introduced in the present session of the Illinois legislature and is now on its second reading, providing for the free transportation of school children of the rural districts from their homes to the township or district school. Inasmuch as this bill is practically sure of its passage, it may mean a new field for the motor car.

Active Month in Ohio-The monthly report of the Ohio state registrar of motor cars shows the month of March to have been an active one. The receipts of the office since the first of the year have totaled \$222,794, which, after paying the running expenses, will be turned over to the state for the improvement of highways and bridges.

Badgers Prepare for Contest-A meeting of the executive committee of the Wisconsin State Automobile Association will be held during the week of April 13 to make preliminary arrangements for the fourth annual Wisconsin state reliability tour for the Milwaukee Sentinel trophy for trade classes and the Emil Schandein trophy for amateurs. The run will be conducted some time in July and will probably again last

Car with Mileage Record-A total distance of 130,000 miles in 5 years, the only time off each year being 2 weeks in March for general overhauling, is the record of a 1908 Locomobile landaulet owned by Frederick H. Johnson, of Syracuse, N. Y. For 250 running weeks the car has averaged better than 500 miles a week or has maintained a daily average of 74 miles. During this hard service the only work done on the car has been to install new piston rings when the motor was overhauled. Twenty times the car has been

driven the 360 miles from Syracuse to Boston, returning to Boston by way of New York. During the 5 years of constant



SHOWS

April 5-12.....Pittsburgh, Pa. April 13-19.Pittsburgh, Pa., Commercial show October.....Paris salon

CONTESTS

*April 16-17—Track Meet, Taylor, Tex.
*April 17—Track Meen, San Antonio, Tex.
April 27—Hill-climb, Limonest, France.
April 28-30 — Truck run, Chicago Motor
Club, Chicago.

April 28-30 — Truck run, Chicago Motor Club, Chicago.
April 29-May 2—Reliability, Columbus Automobile Club, Columbus, O. *May 5-8—Truck reliability of Washington Post, Washington, D. C. May 11-12—Targa Florio road race, Sicily. May 14-15—West Hudson and Catskill tour.

tour.
May 30—Interclub reliability, Chicago Motor
Club-Illinois A. C.
*May 30—Indianapolis speedway meet.
June 19—Algonquin hili climb, Algonquin,

ill. *June 25-29—Chicago Automobile Club re-liability to Boston, Mass. June—Tour Iowa State Automobile Asso-

June—Tour lowa characteristics of the coast of the coast

July 1-16—Motor plow competition, Winnipeg, Can.
July 4—Track meet, Taylor, Tex.
July 4-6—Road race, Tacoma, Wash.
July 12—French grand prix.
*July 7-14—A. A. A. endurance run, Minneapolis to Giacier Park, Mont.
*July 27-28—Tacoma, Wash., road race.
August 29-30—Elgin road races.
August 30-September 6—Reliability run,
Chicago Motor Club.
September 1—200-mile track race, Columbus, O.

September 21-French light-car road race,

September 21—French light-car load Boulogne.
September 25—Tourist trophy stock-car road race, isle of Man, Great Britain.
October 4—Start of Chicago Motor Club's around Lake Michigan reliability.
*November 24—Vanderbilt road race at Savannah, Ga.
†November 27—Savannah grand prix.

MEETINGS

April 24-25-National Good Roads Federa-April 24-25—National Good Roads Federation, Birmingham, Ala.
June 5-7—Mid-summer meeting S. A. E.;
Detroit.
June 23-28—International road congress,
London, Eng.

*Sanctioned by A. A. A. †Sanctioned by A. C. A.

running the average distance covered on each set of tires has been 4,000 miles.

Wisconsin's Registrations - Approximately 15,000 Wisconsin motor cars had been licensed for 1913 up to April 1, according to the report of the secretary of state, indicating that the 1912 figures of 26,000 registered cars will be greatly exceeded this year. On April 1, 1912, only 9,750 cars had been registered. This year's registration has been surprisingly large, because as late as April 5 Milwaukee motorists were driving with 1912 license plates, meaning that a large number have not yet taken out new licenses. In addition to the 15,000 private owners registered, there are 925 dealers on the books thus far this year.

Milwaukee Fixing Streets-After June 15 tourists will be more welcome than ever to the city of Milwaukee, for on that date Grand avenue, the principal thoroughfare of the city, and at the same time one of the worst streets, so far as paving is concerned, will have been thoroughly repaved and motorists will no longer have to bump the bumps in passing through the business district. Contracts amounting to \$175,000 for asphalt paving on Grand avenue were awarded April 4 and under the specification the work must be completed by the middle of June.

New Taxation Scheme-Another bill has been introduced at Lansing, Mich., this time by Representative Hinckley, providing for an ad valorem tax, motorcycles and traction engines to be levied in the same manner as the present property taxes are imposed. Hinckley's bill would make it necessary for each section's assessor to place the value on all motor cars, traction engines and motorcycles within his district, at their actual cash value and keep a complete list of all cars, with descriptions of each. Counties having road systems would receive the proceeds of this tax for their road funds, while other counties would have that collected apportioned among the townships.



PREMIER TEST CARS USED TO HAUL ROAD DRAGS IN VICINITY OF INDIANAPOLIS AFTER FLOODS





C HANGE of Name—The Rapp Mfg. Co., of Toledo, O., has filed papers with the secretary of state changing its name to the Toledo Spark Plug Mfg. Co.

Hendrie Prepares to Build—W. C. Hendrie, president of the Hendrie Rubber Co., has let the construction contracts for the first unit of what is to be a \$100,000 tire factory at Torrance, Cal.

South Dakota Dealers Organize—Fifty retail dealers have formed the South Dakota Automobile Dealers' Association to promote trade welfare. The officers: President, T. P. Blain, Redfield; vice-president, A. W. Tyner, Webster; secretary, H. B. Watkins, Redfield.

Moves to South Framingham — The Standard Woven Fabric Co., maker of Multibestos brake lining, is to move from Worcester to South Framingham, Mass., where larger quarters have been secured, a three-story concrete building having been erected there for the company that will be finished in a couple of months.

Case Opens New Foundry—The new \$1,500,000 foundry of the J. I. Case Threshing Machine Co., adjoining the motor car works of the concern at Racine, Wis., will begins operations about April 15. The foundry will take care of casting and other foundry work now parceled out to eighteen outside foundries, besides much new work planned by the Case company. A feature of the mammoth foundry is a freight elevator of 16 tons capacity, one of the largest ever constructed.

Coronet Making Recorder—The Service Recorder Co., Cleveland, O., announces that the Coronet Mfg. Co., Wade building, Cleveland, has taken over the Coronet hubmile recorder, but that the Service travel recorder which the Service Recorder Co. has been marketing for more than 2 years is still controlled by the Service Recorder Co. The two concerns are entirely distinct, and neither has any interest in the other company or in the other company's product.

Klinekar Changes-Several changes have been made in the sales department of the Kline Motor Car Corp., manufacturer of the Klinecar, in Richmond, Va., recently, which have resulted in the appointment of William P. Sieg as manager of the company's branch in York, Pa., with Pennsylvania and part of Maryland as his territory. Charles E. Sweeney, heretofore assistant sales manager, and Sam W. Meek, treasurer of the company, will be in charge of the sales and advertising departments at the factory. Charle E. Wilson, formerly assistant sales manager for the Mercer Automobile Co., Trenton, N. J., has been appointed district manager for the Klinekar in New Jersey, with head-



One of the features of the Waverley Georgian brougham is the battery box. Realizing that it is impossible to conceal it, the designer has endeavored to beautify it and has produced dn idea that makes the battery box representative of the Waverley

quarters in Trenton, and A. E. Steele has accepted a similar position for the company in New York state, with Buffalo as his headquarters.

Moving to Canada—The Toledo Motor Truck Co., located on Spencer street, is to be removed to Moose Jaw, Saskatchewan, in western Canada, according to the announcement of the owner, Edwin Tait. The machinery is now being packed for removal to the new quarters.

Menominee Expanding—The Menominee Motor Truck Co., of Menominee, Mich., formerly D. F. Poyer & Co., builders of Menominee commercial cars, has purchased a tract of 12½ acres adjoining its present works and will begin a series of extensions and additions on May 1.

Decision for Studebaker—The United States district court, sitting at Omaha, has handed down a verdict for \$62.50 in the civil suit of N. P. Berger against the Studebaker Corp., Detroit. The sum allowed was to cover the trip Berger made from Omaha to Detroit, which ended in the sundering of relations between the parties. Berger, who had been manager of the Studebakers' Omaha branch, sued for salary and commissions aggregating \$7,576.76. The Studebaker attorneys placed in evidence an agreement of settlement in full, signed by Berger, nearly 2 years ago.

Garford in Metal Deal-Walter F. Brown, a Toledo attorney, has returned from London, bringing with him the American rights for the manufacture and control of light metals of which an alloy of alumi-num is the most important. The new metal is called aeromin and is said to have twice the tensile strength of aluminum. The metal has been in use in England for several months and the American rights were secured for the Garford Engineering Co., in which Arthur L. Garford, of Elyria, has the largest interest. Mr. Garford is now in California. Immediately upon his return a meeting of the company's directors will be held and a location determined upon for the manufacture of the new product. Mr. Brown is

president of the company, which is capitalized at \$100,000, and it is believed that Toledo will be selected for the site of the new plant.

Jeffery Celebrating Anniversary—The Thomas B. Jeffery Co., Kenosha, Wis., will this year celebrate the fortieth anniversary of its entrance into the manufacturing field.

Not Moving, Establishing Branch—The Perfection Spring Co. states that it is not planning to move its factory to Toledo. Instead, it says, it is erecting a branch in Toledo in which to make springs for Overland cars.

Makes Traveling Record—On his return from a trip through the south, Fred J. Titus has just rounded out what is probably the greatest distance covered by and motor tradesman during the past 12 months. Mr. Titus estimated that his travels in the interest of establishing selling agencies for Alco cars and trucks totaled 80,000 miles, an average of 219 miles every day in the year. His journeys carried him from Alberta, Canada, to Florida, and from Maine to Texas. This in keeping with Titus' record in the bicycle days, when he held the 1-hour American bicycle record.

Delivery Decision Favors Dealers-The Leominster Garage and Auto Co., of Fitchburg, Mass., won the suit brought against it by Charles M. Boutwell and Charles A. Adams, in which it was alleged that the motor company failed to live up to its contract in delivering the motor car at the time specified in the contract and also that the car was not as represented. The case was heard by a jury, and motor dealers in the Bay state were interested in the outcome because of the question of not delivering the car on time. The motor company put in evidence to show that the plaintiffs ordered the machine painted a different color and to this fact was due the delay of delivery. The jury took this view of the case and returned a verdict for the motor company on both specifications.

Invading Canada-Leading to the concentration of the motor industries of the dominion of Canada in Windsor, Ont., it develops that four large manufacturing concerns have located branches in the border town across from Detroit. The Detroit Steel Products Co. has taken steps for the incorporaton of a \$400,000 branch. The plans are said to be prepared for the first building at an estimated cost of \$50,000. The steel products concern manufactures steel parts for motor cars, such as springs, steel window frames and other steel parts. The Kelsey Wheel Co. has purchased 4 acres of Canadian property at Windsor for the making of motor car wheels for its Canadian trade. The Vincent Steel Process Co. and the Swedish Crucible Steel Co. have also recently established Canadian branches at Windsor.

Two Coast Shows Dropped-San Francisco and Los Angeles will have no motor car shows this year. There has been some talk of a truck show in San Francisco, which, it is stated, will be put on within a short time.

Flood Delays Deal-The Weller-Thomas Co., recently incorporated by Zanesville, O., capitalists, is planning to erect a plant for the manufacture of motor-driven fire apparatus. The high waters of the latter part of March may make it necessary to postpone the arrangements. The concern was incorporated at \$1,000,000.

Brown Buys Perfex Control - Paul Brown, Jr., president of the Perfex Co., of Los Angeles, builder of the roadsters of that name, has bought control of the corporation and added more capital. One of the first moves of the company was the increasing of factory space for an added output of cars.

New Building for Esterline-The Esterline Co., manufacturer and engineer, Lafayette, Ind., has outgrown its present quarters and is now occupying a new three-story factory on South street in Indianapolis, and by May 1 will have increased its working space over double. The company will use the new plant for the manufacture of Golden Glow electric lamps, as well as the Esterline electric starting and lighting system and the Esterline Graphic motor. The factory in Lafayette is operating to capacity and will be continued until fall, when it will · be merged with the Indianapolis factory.

Agent Liable for Contract-In the case of W. A. Alden, as the Peterson Motor Co., against William Kaiser, the Minnesota supreme court has held that a contract for a retail motor car sales agency and for the future purchase of cars by the agent, whereby a deposit of \$200 was provided for, and its receipt acknowledged, the first \$100 to be applied on the contract for five cars and to be retained by the seller until

the last car was shipped under the contract, and the other \$100 to be applied on the first car ordered, and whereby it was agreed that the agent was "to purchase five cars, optional," construed and held not to give the agent the right to forfeit the deposit and terminate the contract, but merely to authorize him to select, at his option, the cars purchased from a list of cars and prices set out in the contract, his obligation to purchase five ears being contractually absolute. The allegations of the complaint and the finding of the court concerning damages held suffiRecent Incorporations

Akron, O.—Summitt Automobile Co., capital stock, \$10,000; incorporators, E. J. Eblen, J. M. Sauder, F. L. Mots, R. Sauder, A. Elbon. Altoona, Ps.—Mountain City Motor Co.; incorporators, H. L. Murray, C. Olmes, E. S. Forney, J. Gleg, G. A. Klesius.

Augusta, Me.—Russell Eureka Carburetor Co., capital stock, \$200,000; incorporators, R. S. Buzzell, L. J. Coleman, C. L. Andrews.

Ayer, Mass.—Robert Murphy's Sons Co., capital stock, \$30,000; incorporators, J. R. Murphy. W. E. Murphy, R. E. Murphy.

Boston, Mass.—Curtis Motor Repair Co., capital stock, \$2,000; incorporators, G. E. Crampton, A. W. Crampton, R. W. Curtis.

Boston, Mass.—F. J. Terrill Motor Co., capital stock \$5,000; incorporators, F. J. Terrill, L. T. Smith.

tal stock \$5,000; incorporators, F. J. Terrill, L. Boston, Mass.—M. B. Motor Co., capital stock \$30,000; incorporators, G. W. Bollinger, E. H. Marsters, C. A. Malley.

Boston, Mass.—Lowell Buick Co., capital stock \$15,000; incorporators, F. B. Emerson, M. W. Hale, Jr., D. D. O'Dea.

Boston, Mass.—Autocraft Co., capital stock \$75,000; to manufacture and repair motor vehicles; incorporators, C. M. Jones, G. G. Hinsdale, W. E. Duncanson.

Buffalo, N. Y.—Ivey Truck Co., capital stock \$10,000; general motor car business; incorporators, C. A. Ivey, A. L. Russling, F. G. Heller.

Cambridge, Mass.—Gray & Davis Factory Corp., capital stock \$50,000; to manufacture accessories; incorporators, J. H. Maxwell, H. W. Talpin, W. G. Adams.

Chattanooga, Tenn.—Hirsch Motor Car Co., cessories; incorporators, J. H. Maxwell, H. W. Talpin, W. G. Adams.

Chattanooga, Tenn.—Hirsch Motor Car Co., capital stock \$5,000.

capital stock \$5,000.

Chicago—Specialty Sales and Mfg. Co., capital stock \$5,000; to manufacture motor car accessories; incorporator, W. Klein.

Columbiana, O.—Columbia Rubber Co., capital stock \$100,000; to manufacture and deal in rubber for tires; incorporators, E. L. Henderson, A. E. Albright, H. J. Richards, J. H. Richards, T. Price.

Columbias O.—F. Col. W.

ards, T. Price.
Columbus, O.—F and H Wire Wheel Co., capital stock \$25,000; to manufacture motor car wheels: incorporators, L. A. Frayer, C. G. Howard, W. J. Wissinger.
Brooksburg, N. Y.—A. R. Newcombe, capital stock \$5,000; general motor car business; incorporators, A. R. Newcombe, L. P. Newcombe, M. W. Newcombe.
Lawrence, Mass.—Archipeld, Wheel Co., capital Lawrence, Mass.—Archipeld, Wheel Co., capital stocks and the stocks of the

Lawrence, Mass,—Archibald Wheel Co., capital stock \$800,000; to manufacture wheels for motor cars; incorporators, F. M. Andrew, E. H. Archibald, F. H. Eaton.

Madison, Wis.—Washington Street Garage Co., capital stock \$10,000; incorporators, K. E. Fosha, L. R. Larson and others.

Marion, O.—Marion Punctureseal Co., capital stock \$5,000; to manufacture and deal in mending material for rubbing tubing; incorporators, S. J. Martin, F. P. Beck, I. C. Millison, J. B. Gunder, C. C. Miller.

Newark, N. J.—Smith Motor Car Co., capital stock \$25,000; general motor car business; incorporators, J. L. Smith, L. W. Smith, J. W. Mason.

Mason.

New York—Normal Automobile Station, capital stock \$10,009; to conduct garage; incorporators, J. F. Bokelman, A. Bokelman, E. Ganter,

tors, J. F. Bokelman, A. Bokelman, E. Ganter, J. Ganter, J. Ganter. New York—Motor Coach Co., capital stock \$500,000; incorporators, S. Richeuthal, E. R. Benyunce, H. Miller.

New York—Charles E. Hottum, capital stock \$20,000; incorporators, M. J. Hottman, W. H. Caffee.

New York—North End Coach and Auto Co., capital stock \$2,000; incorporators, M. Horowitz,

Steubenville, O.—National Wave Motor Co., capital stock \$1,000,000; incorporator, J. N.

Brennemen.

Stonington. Conn.—Mystic Auto Station, capital stock \$50,000; incorporators, J. F. Noyes, A. E. Noyes, R. A. Noyes.

Suffolk, Va.—Suffolk Garage and Machine Co., capital stock \$15,000; incorporators, B. E. Parker, C. C. Parker, G. L. Bower.

Toledo, O.—Stewart Auto Sales Co., capital stock \$10,000; incorporators, J. A. McMichael, L. E. Flory, E. A. Hudson.

Wilmington, Del.—Church Motor Car Co., capital stock \$1,000,000; to manufacture and deal in engines; incorporators, H. E. Latter, W. J. Maloney, O. J. Reichard.

cient, after judgment, to sustain an award of the profits which the plaintiff would have made if the defendant had fulfilled his obligation to purchase the five cars as provided in the contract.

Truck Name Not Changed-The Kelly-Springfield Motor Truck Co. says: "Since the change of the name of this company to the Kelly-Springfield Motor Truck Co., there appears to be some doubt regarding the name by which the truck itself is to be known. The Kelly truck is manufactured by the Kelly-Springfield Motor Truck Co. There has been no change in the name of the truck, but simply a change in the company's name."

Splitdorf Branch in Europe - O. J. Rohde, treasurer and manager of the Splitdorf Electrical Co., of New York, has returned from a trip abroad, where he went in the interest of the parent company to establish a European branch and service station for the convenience of users of Splitdorf ignition. The location decided

upon was at 6 City road, Finsbury square, London E. C. Mr. Rohde arranged for the installation of devices for testing and repairing ignition outfits and the carrying of a line of spare parts, magnetos, coils, spark plugs and other products of the Splitdorf Electrical Co. The Splitdorf Electrical Co. is to open a similar branch for the southern territory of this country with headquarters in Atlanta, Go., within the next 60 days, and shortly after a branch for the Canadian trade with headquarters in Toronto, Canada, to care for customers in those



The Locomobile coupe mounted on a little six chassis is something now. It is adapted from the Locomobile seven-passenger berline and shows a close adherence to the current foreign style, which for this year presents an all-closed car with roof lines unbroken by dormer effects and with no angular breaks at the sides or back. All windows may be readily lowered, giving the advantages of an open car in warm weather, together with the shade essential to comfort

The Motor Car Repair Shop




FIG. 1—FOR CARRYING EXTRA FUEL AND GAS

Securing Extra Fuel and Gas Tanks

ON reliability runs, tours and expeditions through parts of the country where suitable fuel and acetylene gas is liable not to be readily obtainable, it behooves the motorist to have a means of carrying an extra supply in some convenient place about the car.

In Fig. 1 is shown the means employed by one motorist for carrying an extra can of gasoline, and an extra acetylene tank on the running-board of his car. The gasoline can rested in four suitably arranged iron brackets, whose upper ends were bent over and slotted to form a point of attachment for four heavy leather straps. These straps passed through the handles of the can as indicated, and when drawn tight, held the can securely down on the brackets, which in turn were substantially fastened to the running board.

This means of attachment for the extra fuel can, was so generously strong that however great the swinging and jarring of the car over rough roads and around curves, there was little danger of the fastenings giving way, or even coming loose. The latter is an important point. As soon as a fastening of this nature becomes loose, unless immediately refastened it will be but a short time before the whole outfit will be torn to pieces and perhaps beyond repair.

A pacemaking car for a reliability run, once had two extra tires secured to two very stout iron brackets at the back end of the machines. After making a tire change, one of the already inflated extra tires was replaced by a deflated one, and the driver did not take care to secure the straps more tightly than when the inflated tire was in place. This permitted the extra tires to bounce up and away from the rack to only a slight extent, but sufficient to wear one of the straps until it broke. The tires and rims then bounced about more than ever, and as the delay caused by the tire trouble had already made the pacemaker fall behind his schedule, he did not stop, and it was not long before a severe bump in the road caused one of the unusually stout bracket

Carrying Spare Supplies

arms to give way. This, of course, brings to mind the old adage: "For the want of a nail the shoe was lost, for the want of a shoe the horse was lost, etc."

One always must endeavor to keep down weight on a motor car; therefore one should try to make all accessories as light, but as substantial as possible. If weight is to be sacrificed, however, it is essential that lost motion be eliminated, and that suitable means be provided to conveniently take up any lost motion that might occur owing to wear or stretching of straps.

This applies to all brackets or fastenings of any sort on the car. One must have due regard for the weights of the objects supported and the movements of these weights; so that the stresses and strains to which their fastenings are subject, may be most practicably provided for without damage. There may, therefore, be many better ways of securing an extra gasoline can about a motor car, but this is one good way which has been tried and proven.

Special Tank Holder

In the same illustration, Fig. 1, is shown how an extra acetylene gas tank was secured to a running board. Two parallel strips of wood were secured to the running board of the car, so that when the tank was placed between them, it would not touch the running board, but would remain suspended about 1/2 or 1/4-inch above it. Thus it was jammed securely between the two strips and relative side motion was prevented, even though wear or depression of the wood should occur. To hold the tank down between these strips a very heavy leather strap was employed which passed through slots under the strips of wood, thus it was unnecessary to cut slots in the running board. Of course it would have been better to have passed the straps through slots in the running board, and also to have used a metal strap which would not stretch so readily and is stronger. This, naturally, would be more practical for a permanent attachment. One car in a recent reliability run, had a gas tank, similarly secured, but placed at an angle across the running board. This may have been done either to get a better distribution of the points of attachment, or to bring the connection of the tank closer to the inside of the running board.

Crankshaft Holder for Repairs

During the time that a repairman is fitting the connecting-rod bearings of a motor to the crankshaft, it is necessary to support the crankshaft in a convenient and substantial position. Some repairmen for the want of a more convenient method

or means, prefer to remove the flywheel from the crankshaft, and then stand the shaft on end on the work bench, securing it in a vertical position by means of bolts, passing through holes in the bench and flange.

This method, while possible with small, short shafts, is quite inconvenient when longer shafts are introduced. Thus, the next best makeshift is employed, which consists in securing the crankshaft by the flange in the jaws of a vice, and resting the opposite end in a wooden or iron support or standard. The latter is a common method and far superior to that of standing the shafts upright on the workbench; but there are cases in which, through some accident the standard has been knocked from under the end of the shaft, allowing the shaft to drop and bend, or the flange has been bent through the sheer weight of the unsupported shaft. Anyone who has had experience with a bent crankshaft will appreciate the seriousness of such an accident. A bent crankshaft is most difficult to straighten. Unless straight it cannot be properly fitted into its bearings. Unless properly fitted in its bearings, the bearings will wear rapidly and give rise to knocking noises when the motor is in operation, and unless the bearings continually are tightened the motor will soon go to pieces. Then again, a shaft that has been very nicely straightened, may resume its bent condition when in service and cause rapid wear of the bearings.

The best means of support for a repairshop that the writer has yet seen is shown in Fig. 2. There is a slot T behind the flywheel, just like the slot S. The tail of the shaft rests in this, and when it is desired to turn the shaft freely it is necessary only to slip a block of wood between the bottom of the slot and the tail of the shaft which raises the flywheel out of contact with the cradle C in which it rests when it is desired to support the shaft rigidly without turning.




FIG. 2-HANDY CRANKSHAFT HOLDER



Brief Business Announcements



Recent Agencies Appointed by Motor Car Manufacturers

PASSENGER CARS

MOTOR TRUCKS

Boston, MassR. G. HowardVulcan	Janesville, WisJ. A. Strimple Co
Boston, MassG. F. Kexnew	Janesville, WisA. A. Russel & Co
Boston, MassLansden Motor CoLansden	Boston, Mass F. R. Parker
Boston, MassW. A. Magill	Los Angeles, CalY. R. Del ValleKoehler
Boston, MassJeffery CoJeffery	Southampton, L. I. J. S. Allen
Edgerton, WisF. P. Carrier	
Janesville, WisService	St. Paul, MinnE. F. MorganSternberg
Janesville, WisJanesville Motor CoJeffery	Shelby, N. CJ. Arey
Janesville, WisJ. H. Burns & SonCommerce	Worcester, Mass Acme Motor Car Co

C LEVELAND, O.—The Quiggle Auto Co., of Cleveland, has reduced its capital stock from \$10,000 to \$2,000.

Pontiac, Mich.—W. D. Kelly, who has been with the Oakland Motor Car Co. for the past 4 years is now factory manager.

St. Paul, Minn.—C. J. Byrne, formerly of the Western Display Co., has been made manager for the Cartercar company, 352 Minnesota street.

Seattle, Wash.—Robert Atkinson, for some time past associated with the J. W. Leavitt & Co. in Portland, has resigned and will act as manager of the Pacific Car Co. in Seattle.

Indianapolis, Ind.—Harold D. Bornstein has entered the service of the Premier Motor Car Co. where he has joined the sales department and will asist in the advertising and publicity work.

Milwaukee, Wis.—Directors of the Johnson Service Co., Milwaukee, builder of motor trucks and heating appliances, recently declared the usual 8 per cent dividend and relected the present officers and directors.

Milwaukee, Wis.—Leo Hofmeister, one of the largest dealers in oils, greases, compounds, etc., in Milwaukee, has filed a voluntary petition in bankruptcy. The liabilities are scheduled at \$46,007.29 and the assets at \$36,606.40.

Manitowoc, Wis.—The Wisconsin Aluminum Foundry Co. of Manitowoc, Wis., has started work on the new factory building planned some time ago, when the capital stock was increased from \$55,000 to \$110,000. The Citizens Association of Manitowoc donated the site of 5 acres whereupon the foundry plant will be erected.

Detroit, Mich.—The Traveler Motor Car Co., recently formed in this city, has purchased a two-story brick building at 1146 Grand River avenue and an adjoining lot with a 40-foot frontage. Plans have been prepared for the erection of a brick structure on the vacant lot and for the remodelling of the present building. It will make the Traveler. Several Detroit business men are

interested in the company as follows: J. P. Lavigne, W. K. McIntyre and F. W. Barstow.

Portland, Ore.—H. C. Skinner, from Houston, Tex., is now manager of the Portland branch of the Ford Motor Co.

Ancka, Minn.—Frank Merrill, chief engineer for the Veerac Motor Co. since its incorporation, has been made general manager.

Troy, O.—Papers have been filed with the secretary of state increasing the capital stock of the Star Storm Front Co. from \$35,000 to \$100,000.

Portland, Ore.—Thomas M. Hart has recently been appointed manager of the Portland branch of the Stewart-Warner speedometer. He formerly was manager for the company in Los Angeles.

Milwaukee, Wis.—William Diemann, 725 Greenfield avenue, Milwaukee, has been granted a permit to build a garage and salesroom at that location to cost \$10,000. No agency lines have been decided upon as

Detroit, Mich.—Guy Vaughan has tendered his resignation to the General Motors Co. and severed his connection with the Olds Motor Works at Lansing, Mich. He has accepted an executive position with the F. B. Stearns Co., of Cleveland.

Birmingham, Ala.—Loveman, Joseph & Loeb have let a contract for the erection of a new garage at Avenue C and Twenty-first street. The building will be the largest structure especially designed for motor cars in Birmingham. The company represents the Chalmers and the Pierce-Arrow.

Syracuse, N. Y.—C. Arthur Benjamin, who recently became general sales manager of the Alco, has sold his local business and stock to W. D. Andrews, bleycle and sporting goods dealer, now at 216 East Washington street. Mr. Andrews has formed a new company, capitalized at \$100,000 to continue the business at the same location. Mr. Andrews is president, Ross L. Andrews, tress-

urer and general manager; E. F. Fuller, vice-president, and H. L. Dyer, office manager, will be secretary.

Detroit, Mich.—H. G. Harper has been made inspector general of the motor car division of the Studebaker Corp.

Detroit, Mich.—The Lewis Spring and Axle Co., Jackson, Mich., announces the appointment of W. H. Cameron as preduction manager.

St. Louis, Mo.—The J. I. Case Co. has opened a salesroom and service station at 5072 Delmar avenue. H. B. Daniels will be in charge of the new quarters.

Detroit, Mich.—J. C. Austin, formerly connected with the Regal Motor Car Co. in the capacity of chief engineer, has taken a position as assistant to J. G. Heaslett, chief engineer of the Studebaker Corp.

Beloit, Wis.—The Viscosity Oil Co., of Chicago, which is owned principally by the Travers interests at Beloit, Wis., is planning the establishment of a large warehouse and station at Durand, Wis., to supply the northwestern states.

Detroit, Mich.—George R. Moran, formerly chief engineer for Barthel, Daly & Miller, and later executive engineer in charge of the Detroit office of the New Departure Mfg. Co., has taken a similar position with the Suspension Roller Bearing Co., Sandusky, O.

Pittsburgh, Pa.—The Murwin Gasoline Co. purchased 88 by 100 feet in Grant boulevard, near Finland street, for \$70 a front foot. The motor interests are rapidly acquiring Grant boulevard frontage, this sale being one of the several reported recently in that vicinity.

New York—Louis M. Baker has been appointed sales manager for Clarence N. Peacock & Co. Two years ago he established the Baker Rim Co. as eastern distributor for the Universal Rim Co. Mr. Peacock has engaged him to direct the sales of the Amos shock absorbers. Mr. Baker retains his financial interest in the Baker Rim Co. but will devote all his time to the Peacock company's business.



E DITOR'S NOTE—Motor Age is publishing in this department a series of non-technical explanations of the various parts of motor cars for the benefit of the reader who knows nothing about them. The subjects will be dealt with in the most elementary manner, so that the series when completed will form a simple elucidation of the car. The first article appeared October 10, 1912.

S EVERAL makers have preferred to conduct quantities of oil to the bearings directly. In one such system, Fig. 54, which for years has been used on one of the bestknown motor cars, a large oil-reservoir is placed above the cylinders, sufficiently near the exhaust manifold to keep the oil from congealing in cold weather. From this tank, oil flows by gravity through tubes to the crankshaft main-bearings; then, by centrifugal force, through an oil hole in the crank arm, out to the crank pin. Oil flying off the latter takes care of the piston, cam-shaft, etc., and the surplus is returned to the reservoir by a positively-driven gear pump in the lowest part of the crankcase. A glass gauge on the dash shows at all times the height of oil remaining in the reservoir. This system is very simple and reliable; but as the

Lubricating Systems

Part III

spring tension in a by-pass or pressure regulating valve.

In splash systems the continued churning of any dirt collecting in the crankcase may work havoe with the bearings; in these forced-circulation systems, since the flow is from the inside of the bearing outward, the latter is washed clean of all grit and metallic particles. Nor is there any possibility of these foreign bodies entering the circulation again, for in every case the oil is filtered through a fine gauze before it again is pumped to the bearings. To prevent the leakage of oil out the motor ends, the outside main-bearings are provided with oil-retaining rings. Such a de-

vice, Fig. 57, consists essentially of a small, thin disk on the crankshaft, just outside its journal. Centrifugal force causes all the oil that leaks out through the main bearings to fly off this into a cap that returns it to the crankcase.

To recapitulate: Oiling systems divide themselves into three distinct classes. The first system is the most simple. This is the fuel-injection system, wherein the oil is mixed in the correct proportions with the gasoline, being introduced into the cylinder through the carbureter and inlet. The second system is the simple splash type, in which a supply of oil is carried in the crankcase, from which it is fed to the bearings and to the interior of the cylinder by the splashing and churning of the oil by the connecting rods and cranks as they dip into the oil. The third is the simple pressure system, in which there is no splash, the oil being retained in a reservoir below the crankcase, and separate from it. A force pump impels the oil from this reservoir to each bearing through closed tubes, from whence it is led through a drilled crankshaft to the crank bearings and up through the connecting rod to the wrist pin.

A combination of this system and the splash system is embodied in what is termed the splash-pressure type. In this the oil is retained in a reservoir below the crankcase, and feeds through a pump to the bearings, and sometimes through a drilled crankshaft, under pressure, the overflow draining into the crankcase, where it is conveyed to the cylinders and wrist pins by splash.




FIG. 54—DIRECT GRAVITY FEED TO ALL BEARINGS CIRCULATED BY GEAR PUMP

FIG. 55—GRAVITY FEED TO ALL BEAR-INGS WITH CRANKCASE RESERVOIR

accessibility and general appearance of the motor are not improved by the prominent position of such a large oil reservoir, a modification, Fig. 55, is employed.

In this, the crankcase is deepened to form the main oil reservoir, and by providing a pump connected to, and an overflow from, the small gravity tank, the latter is always kept full. If the gravity tank is omitted, and the pump allowed to force oil directly into a hollow crankshaft, and thence to all bearings, we have an improved form of the De Dion pressure system, Fig. 56.

By running a tube along the connecting rod from the big-end bearing into the wrist-pin bearing, the latter will be flooded by virtue of the oil-pressure in the hollow crankshaft. Oil circulation may be maintained at any desired pressure, usually several pounds per square inch by altering the




FIG. 56 — DIRECT PRESSURE SYSTEM PUMP FORCES OIL INTO CRANKSHAFT

FIG. 57—METHOD OF PREVENTING LEAK-AGE AT MAIN BEARINGS

STROMBERG

Carburetors

There are more Strombergs on high priced cars than any other carburetor on the market

The Stromberg Carburetor is probably the most scientifically developed and most highly perfected economy apparatus of the modern automobile.

The Stromberg gets more out of a gallon of gasoline (of any

The Stromberg is designed to meet, with the utmost economy, present day conditions—in any part of the world. It can be adjusted to any climate.

You, who are about to buy a motor car, or you who own a car, equipped with a carburetor, which may have been right for conditions when that car was new, can have no possible conception of the added efficiency, sweet running qualities, easy control and economic consumption of gasoline made possible by the installation of a Stromberg carburetor.

Study the specifications of the car you are considering. Look under "Carburetor." See if Stromberg is listed. In most cases it is, but if it isn't, insist on a Stromberg, and see that your request is complied with.

It will pay and interest you to read our book "Motor Troubles." It is also instructive and —gratis. Drop us a line and we will mail you a copy.

Stromberg Motor Devices Company 54 East 25th St., Chicago, Illinois

New York


Roston

Branches Detroit


Indiananol

Minneapolis

Pacific Coast Distributors: Chansler & Lyon Co., Los Angeles, Portland, Fresno, Spokane, San Francisco, Seattle Canadian Distributors: Russell Motor Car Company, Toronto, Montreal, Hamilton, Winnipeg, Calgary, Vancouver



SCHEBLER The Aristograt of Carburotors



"The Heart of the Automobile"

WHEELER & SCHEBLER Pioneers in Perfection of Carburetion

MANUFACTURERS INDIANAPOLIS USA

THE SCHEBLER IS THE ACKNOWLEDGED TANDARD CARBURETOR OF THE WORLD

Branches

EW YORK BOSTON

PHILADELPHIA ATLANTA

INNEAPOLIS CANSÁS CITY HICÁGO DETROIT DENVER

SAN FRANCISCO LOS ANGELES

SEATTLE MONTREAL CAN. Service Department

Distributors

Every city and town in the United States and Canada Europe and

Australia

Action

IN the face of any danger it is Already the Klaxon action that saves life and limb. Already is the choice of more than 150,000 motorists

The Klaxon gets action—always.

The bulb horn can not. Often it is not even heard.

Horns of soft and soothing sound can not. They deceive as to the distance away, direction, and intent of an approaching car.

The time is here when the signal that saves life and limb *must* be used—when the law that demands an "adequate" signal, must and *will* be construed for what it means and intends.

Already the Klaxon is the choice of more than 150,000 motorists and the regular equipment of every high-grade car made in America—except only one or two. Check over this list of Klaxonized cars:

A. E. C. Alco American Armleder Autocar H. H. Babcock **Bailey Electric** Benz **Borland Electric Broc Electric Buffalo Electric Road**ster Charon (European) Chicago Electric Church-Field Electric Cole (Special) Columbia Croxton Davis F. I. A. T. Flanders

Hudson (Special)

Knickerbocker

Lancia (European)

Kina

Knox

Lozier Marmon Matheson Metallurgique Multiplex National Nyberg Oakland Oldsmobile Orson Packard (Special) Pope Hartford Pierce-Arrow Pratt Schneider (Europ'n) S. G. V. Simplex Staver Stearns Sternberg Stevens-Duryea Stoddard-Dayton Touraine Guy Vaughn Walker Electric Ward

A Klaxonized Car is a Legalized Car



KLAXONET

Lovell-McConnell Mfg Company Newark, N.J., U.S.A.

KLAXON

"The Public Safety Signal"



KLAXON

Stock Champion

International Champion

For Conservative People

—who want the best, who will pay only a price commensurate with quality—this is the car of reliability, safety and luxury.




The National is a "Button Car" that appeals to a woman

She steps directly from her home into her luxurious National. She touches one button and starts the motor. She touches another button for the electric lights. She has immediate, quick, convenient control of the entire car. She goes at will, in comfort, safety and privacy, shopping, calling, to the theatre, anywhere. She has splendid reserve power and perfect mechanical construction at her command.

Electric Starter, Electric Lights, Left Side Drive, Center Control
WRITE FOR CATALOG

Five Models, \$2750 to \$3400

National Motor Vehicle Co., Indianapolis, Indiana



Don't Delay the Procession

There's nothing much more annoying than to be the one man to delay the whole bunch; the one man whose engine stalls and refuses to start; the one man who gets—and deserves—the ridicule and abuse of all the rest, that takes their dust the balance of the trip. Will you continue being the one man? Or will you have your new car Electrically equipped as all the others are doing?

AN ELECTRIC CRANKER GETS YOU AWAY QUICK

No matter where you are or what the weather, just keep your seat—don't worry—you're off when you want to go, instantly, surely, if your Storage Battery, the heart of every Electric Cranking System, is an



STORAGE BATTERY


Write us for full information

Willard Storage Battery Co.

New York Branch: 136 W. 52d St. Detroit Branch: 1191 Woodward Ave. CLEVELAND, OHIO

Chicago Branch: 2241 Michigan Ave. San Francisco Branch: 243 Monadnock Bldg.

Depots in all Principal Cities in the United States, Canada and Mexico



A FABLE WHEN THE SPEEDOMETERS TALK

The sun beat down on the automobiles and an odor of scorched leather and hot oil made the heavy air unfortable. The speedometers huddled gratefully in the shadows cast by their dash-boards. "Holy Odometer, ain't it hot," gasped one. "Days like this make my head ache so that I ain't fit for nothin' comfortable.

but the scrap heap."

"I feel it, too," complained another of an academic type. "The torridity of summer and frigidity of winter render me unable to carry out my work correctly—the elements greatly interfere with my accuracy."

"Ain't it so, now?" moodily quoth a fat speedometer to the company at large. "Chills in the winter, hay fever in the summer and if they don't stop sticking these new-fangled contraptions in my lap, I'll eat my dial if I don't

in the summer and if they don't stop sticking these new-tangled contraptions in my lap, I'll eat my dial if I don't have apoplexy."

"Me, too," piped a little, unhealthy-looking speedometer. "I can't stand the cold and the heat positively ruins my disposition, but these new electrical devices send such pains and daggers through my sides that I'm not any good at all, I'm not."

"Well, old high brow, what's your complaint?" testily asked a weather-beaten party of his neighbor.

"Me? No complaint at all," the other smiled. "I have nothing to complain about, but I see where you have. It's not your fault, though—blame your manufacturers. They made you on the magnetic principle and now you've just got to suffer for it. My principle is the centrifugal and the nature of my construction is such that external influences, which make you all so unhappy and unable to correctly perform your proper functions, leave me entirely unaffected."

"I told you so!" snapped an irritable member. "Gosh darn it. I knew I was made wrong from the start," and

"I told you so!" snapped an irritable member. "Gosh darn it, I knew I was made wrong from the start," and

all the speedometers groaned.

—: MORAL :--

The simplicity of the centrifugal principle—the principle that has stood the most rigorous tests, the principle used on all engines—is the principle that stands for all that is best and efficient in speedometer construction.

THE AMERICAN HARDWARE CORPORATION

THE CORBIN SCREW DIVISION

209 High Street, New Britain, Conn.

Branches:

New York

Chicago

Philadelphia

MAKERS OF THE FAMOUS CORBIN COASTER BRAKES FOR BICYCLES AND MOTORCYCLES



Narner AUTO-METER

(MAGNETIC PRINCIPLE)

The Survival of the Fittest

The Warner Auto-Meter (Magnetic Principle) is in keeping with all of the improvements of the modern auto-mobile. The electric starter took the place of the old crank; the electric signal took the place of the old bulb horn; the electric dynamo has done away with changing of batteries; electric lights took the place of the old gas lamps and the magnetic speedometer has made obsolete all of the old mechanical speedometers.

Today 216 out of 220 automobile manufacturers use the magnetic speedometer—like the Warner—exclusively.

Practically every high priced automobile is now equipped with a Warner Auto-Meter.

More need hardly be said.

The Warner Auto-Meter Factory, Dept. 1 Beloit, Wisconsin


Service Stations in all principal cities all over the world



When Writing to Advertisers, Please Mention Motor Age.



MCUE WHEEKS



WHEELS---the last and most important wood replacement, making the car what it should be---a creation of metal throughout!

Europe grasped the wire wheel idea and adopted it before it had secured even a foothold in America, and European car builders make mighty few mistakes.

Now the wire wheel has captured this country and its adoption by American car manufacturers is increasing with marvelous rapidity.

The reasons are obvious.

McCue wire wheels acknowledged leaders in the American industry are strong. They are practically indestructible, surviving shocks that would prove instantly fatal to wooden wheels.

Sudden changes of heat, cold and moisture cannot warp, crack or otherwise depreciate them. Steel is steel when wood has outlived its usefulness.

As tire economizers they offer the owner a value too great to be overlooked, and in this, Mr. Dealer, lies the most powerful sales appeal you can make—the appeal to the buyer's sense of economy.

AND AXLES

the gives extreme lightness at the rim—the obtain the hub. This reduces the "pound" or effect on the tire to a minimum.—

wheel with dear name rim that pounds the life out of the tire in short order, decreasing its life as high as fifty per cent.

When you specify McCUL WIRE WHEELS on the cars you sell, then you specify strength, lightness, indestructibility and most important tire economy.

It is clearly up to you to get into the wire wheel class--right now. Your trade wants wire wheels. Put it up to the men who make the cars.

S Standard Conpany Spokes S


Are used exclusively in the construction of McCUE WIRE WHEELS. Made from wire of the same standard set by the Coventry, (England) Swaging Concern. They offer tremendous torsional and tensional strength, combined with extreme bending quality made possible only by the special drawn carbon steel used in their construction.

McCue Axles

Represent the best in axle making, material, design and workmanship. All combine to give maximum service under all conditions of road shock, side thrust and load.

If your customers want wire wheels you write to the manufacturer for inner hubs and wire wheels to go on the particular model to be so equipped. We are situated so that we can meet this demand for the manufacturer.

THE McCUE COMPANY, Buffalo, N.Y.



INTER OCKS

Blow-Outs and Punctures Save Half Your Tire Expense

If you really believed this you would order a set of Interlocks for your car at once. We can prove our statements if you will give us the opportunity. Thousands of car owners are discarding inner shoes, reliners, fillers, extra treads and other makeshifts for Interlock Inner Tires with the most satisfactory results. A set of new tires equipped with Interlocks will carry your car an entire season without tire trouble. That's a big statement, but we can prove it.

What Interlocks Are Interlock Inner Tires are complete endless inner tires (not inner shoes) quickly and easily placed between the outer casing and the inner tube. They strengthen the outer case and protect the inner tube from punctures. The patented Interlock Flaps lock the Interlock securely making it an integral part of the whole tire that flexes perfectly and cannot chafe, creep or heat. Interlock Inner Tires will hold even if the outer casing is broken, and can be used in old or new tires. They double the mileage of new tires and add 1,000 to 5,000 extra miles to old ones. Interlocks have a fine gray rubber finish, are smooth outside and inside and have no troublesome ends, joints or edges to cement. Interlocks do not affect the resilience of your tires—are easy to insert and can easily be removed from one tire and replaced in another.

Proved Best by Road Tests Interlock Inner Tires are the only tire reinforcement that has stood the exacting test of hard road work. Eight tires equipped with Interlocks have made over 7,000 miles each, a total of 56,000 miles, without a blow-out or any tire trouble. Interlocks used in tires that have gone 10,000 miles with the outer casings worn clear through have kept up with fast cars equipped with new tires and carrying extra tires. Interlocks have made a 4,500 mile cross country run—the last 1,000 miles over 20 mountain ranges without a blow-out or even carrying an extra tire. In the Four States Run Interlocks stood the test of hard fast road work under the critical observation of tire experts, without tire trouble. These and other hard public tests have proved the efficiency of Interlock Inner Tires beyond question.

90% Of All Tires Are Scrapped Before The Rubber Tread is Half Worn Out

because the fabric is not strong enough to resist hard road work, resulting in blow-outs, punctures, rim cuts, etc. The liberal excess fabric strength of tires equipped with Interlocks prevents blow-outs, punctures, etc., gives extreme long mileage, safety, and that freedom from tire trouble which every car owner desires.

Are You Open to Conviction?

Send us your address on a post card and let us mail you our booklets, data and testimonials of users which are very convincing. Interlocks are sold by the best dealers everywhere. Ask your dealer about them.

Double Fabric Tire Co.
128 W. 9th Street . Auburn, Ind.

NEHIONE SULLION SILES AND MINISTER

The E

We are s

This is a and dearly

Why

We Our L Our fa

In the pas

Every

hi Motor Hora to S

everage of over 2300 Newtone Cand contracts pending we will

JU, UUU NEWTONE HOL

er injore equa di in the history

the Desi Horn to

75 her cent of the trade with conthe largest—our Linching of the largest—our Linching of the largest way are superior.

of different types and size

kes for EFFICIT


TORPEDO TYPE

Type M

11ce \$20

Price and Quality Ruly

upply Manufacturing Cumpany



"MY NEXT CAR WILL BE ANOTHER ABBOTT-DETROIT

That is the unanimous declaration of the owners of America's favorite car. The majority of these motorists had previously owned cars before purchasing an Abbott-Detroit. They were well versed in automobiles and knew what they were about when they decided that their next car would be an Abbott-Detroit.

No such person has ever had occasion for regret in having made such a change. The Abbott-Detroit is found to be absolutely dependable and in every way a high-class car. It is the car tried and

But there is possibly a still greater and more important truth that will interest you. It is this: That once having joined our ranks, our owners always continue to buy Abbott-Detroits. Hundreds of financially able people who insist on having the latest and best in automobiles, buy new Abbott-Detroit models each succeeding season. They know that the Abbott-Detroit is the up-tothe-minute car. Others drive their cars year after year without repair expense and will ultimately buy another Abbott-Detroit.

Could you ask for better proof and evidence of quality of a car than that? Is it not a strong point of merit in this day of keen competition that we are not only able to hold our trade without effort but find thousands of other critical buyers ordering Abbott-Detroits?

While many motor cars may be made to look beautiful, there is a more vital consideration than appearance alone. A fine looking piano does not always insure good musical qualities. While "good looks" are important, they are by no means the weightier consideration with the careful buyer. The name of the instrument is the point that usually decides. But the wise builder gives both beauty in finish and musical qualities.

So with the automobile. Lasting popularity is only gained by giving and maintaining a high standard of quality. An expert carriage-maker might build a beautiful automobile body. But who would want a handsome body on a worthless chassis? The Abbott-Detroit has combined perfection of mechanical qualities with beauty of design and every other desirable feature more successfully than has any other manufacturer. Nothing is slighted. Our aim has always been to build the most

perfect car. In this we have succeeded. We offer the Abbott-Detroit to those desiring the

A FEW OF THE MANY SUPERIOR FEATURES

Continental Motors, Electric Self-Starter, Underslung Spring Construction, Electric Lights, Oversize No-Rim-Cut Goodyear Tires, Booth Demountable Rims, Heavy Artillery Wheels, High-Grade, hand-buffed Leather Upholstery, 12-inch Turkish Roll Cushions, Rain Vision and Ventilating Windshield, Plano Finish, Inside Control, Dash and Extension Lights, Dual Ignition System, including Magneto, Timken Roller and Schafer Annular Bearings, Spicer Universal Joints, Finest Trimmings, Etc., Etc.

MODELS AND PRICES 44-50 7-Passenger Touring Car, 121-inch wheelbase..... 44-50 Battleship Roadster, 121-inch wheelbase..... 44-50 7-Passenger Limousine, 121-inch wheelbase..... Top, Windshield and Speedometer \$100 Extra

Abbott Motor Company, 606 Waterloo St., Detroit, Mich.



The Steamboat Whistle for the Automobile

No Squawk! No Screech!! No Buzz!!!

But a Full Round Melodious Steamboat Tone

That's the Big Four Exhaust Horn—the signal that meets all the requirements of the most exacting motorist. The Big Four Exhaust Horn is the only adjustable, guaranteed non-cloggable exhaust horn on the market. It gives a uniformly sweet full tone, without chug or screech, no matter what the speed of the motor—

AND IT COSTS YOU NOTHING TO BLOW IT.

Bisa FXHAUST HORN ADJUSTABLE CANNOT CLOG

Constructed of finest materials, nickeled brass and aluminum; nothing to get out of order and is sold on an unqualified guarantee of permanent satisfaction. Attaches back of the muffler—costs nothing to attach. Sells at a reasonable price. Made in three sizes:

Big 4, No. 1, 19 inches, \$12.00 Big 4, No. 2, 16 inches, 11.00 Big 4, No. 3, 13 inches, 10.00

Car Owners. Inquire at your dealers'—if he can't supply you write us, giving make of your car, and name of nearest dealer. We'll see that you're supplied.

DEALERS! Get Our Guaranteed Sales Plan

Live
Salesmen
Wanted
Everywhere
Exclusive
Territory

The greatest proposition ever made to dealers. We guarantee to sell the horns for you — we furnish the prospects, pay for your advertising, help you close the sales. The Big Four Agency means big money for you. Send the coupon now, TODAY, before you forget it.

Big Four Horn Co.

Dept. 124 WATSEKA, ILL.

Big I	Four	Ho	orn	Co.		
174	De	pt.	124	Wats	eka,	III.
Sa	nd ma	6 1	Dort	ionlare	06 6	2000

Send me full particulars of Guaranteed Sales Proposition.

Name

City

State

REMY Electric Company

(With a country-wide system of branches and service stations)

Designers and Builders

of

High Grade Starting and Lighting Equipment For Motor Cars

(Sold to car makers only)

Makers of magnetos for fourteen years

Our country-wide service is available to each user of Remy equipment

Write us to-day about our Magneto exchange offer. We will make a liberal allowance for old equipment (any make)

REMY

Pioneer Manufacturers of Ignition Equipment

Factory and General Offices: Anderson, Indiana

Decrease

Carbonization



Increase Power

How much gas did you waste last year?

Do you realize that oldstyle, leaky piston rings waste gallons and gallons of gasoline in a year? They do! You pay for the gasoline they waste—and get no good from it. All that comes to you is a big loss in power—a big loss in cold dollars and cents.

You would save that power—save that expense—if you could, wouldn't you?

You can do what others are doing. Thousands of motorists are getting from 10% to 20% more power out of their motors than before—are cutting big slices off their fuel bills by using—

Leak-Proof Piston Rings


If the high cost of gasoline has hit you in the pocket-book—
if lost compression has been draining power from your motor—fit
your engine with piston rings that make every drop of fuel give an
account of itself—LEAK-PROOF Piston Rings. It costs more right
along to use ordinary piston rings than it does to purchase LEAKPROOF Rings once. Get yours from your dealer today. LEAK-PROOF
Rings are made in all sizes, for all requirements. They may be obtained from
any supply house, garage or repair shop, or write our nearest branch office.

McQUAY-NORRIS MFG. CO., 1312 Chestnut St., St. Louis, Mo.

BRANCH OFFICES AND MANAGERS

NEW YORK, N. Y. H. P. MARSH, 53 Lincoln Sq. Court, 64th and Broadway CHICAGO, ILL. H. G. PARO, Suite 39, Merchants' Building, 106 North La Saile Street PITTSBURGH, PA J. W. McKEEN, 7620 Tioga Street SAN FRANCISCO, CALIF W. M. B. GODFREY, 268 Market Street KANSAS CITY, MO CHAS. H. ECKHARD, 3123 Michigan Avenue LOS ANGELES, CALIF W. H. STEELE, 822 Central Building, 6th and Main Streets FORT WORTH, TEXAS E. S. MOBERLY, 108 Bryan Street

"What will the year 1913 do to your car?"



That depends mainly on the lubricating oil that has been used.

Motor-wear is not accidental. It results from friction

Excessive friction is bound to follow the use of an oil whose "body" is unsuited to the feed system, or whose lubricating qualities cannot properly withstand the demands of service.

Common results are:

- (1) Undue loss of power.
- (2) Unnecessary repair troubles.
- (3) An excess consumption of fuel.
- (4) An excess consumption of lubricating oil.

To avoid these losses, the motor must be supplied with:

- (1) An oil that will retain efficient lubricating qualities under the heat of service.
- (2) An oil that will wear well in use.
- (3) Oil of a "body" that will properly feed to the various friction points.

Motors differ.

No short-cut method can determine the oil that best meets certain feed requirements.

The construction of the motor must be analyzed and carefully considered. The piston clearance must be known; the fit of the piston-rings into their recesses; the length of the crank shaft and connecting-rod bearings; the feed system; the length of the vacuum period while intake and exhaust valves are both closed.

We have undertaken this serious problem with the thoroughness that has established our standing in the general lubricating field.

To arrive at correct automobile lubrication we have done what must be done. Every year we carefully analyze the motor of each make of automobile.

Based on this motor-analysis, and on practical experience, we specify in a lubricating chart (printed in part on this page) the grade of Gargoyle Mobiloil best suited to each motor.

The superior efficiency of the oils specified has been thoroughly proven by practical tests. In sheer lubricating quality, we can safely say that they stand alone.

So far as correct lubrication can assure it, the grade of Gargoyle Mobiloil specified for each car assures:

(1) The greatest horsepower efficiency.

- (2) The smoothest operation.
- (3) The fewest repair troubles.
- (4) The lowest operating cost per mile.
- (5) The longest life to the motor.
- (6) The greatest second-hand value.

Throughout the world you will find that the authoritative leadership of the Vacuum Oil Company in matters of lubrication is unquestioned.

The lubricating chart on this page represents our professional advice.

If the motorist is supplied with an oil of less-correct "body" or of lower lubricating efficiency than that specified, his motor faces unnecessary friction and ultimate serious damage.

A booklet, containing our complete lubricating chart and points on lubrication, will be mailed you on request.

The various grades of Gargoyle Mobiloil, refined and filtered to remove free carbon, are:

Gargoyle Mobiloli "A"
Gargoyle Mobiloli "B"
Gargoyle Mobiloli "B"
Gargoyle Mobiloli "E"
Gargoyle Mobiloli "Arctic"

All are branded with the red Gargoyle, which is our mark of manufacture.

They are put up in 1 and 5 gallon sealed cans, in half-barrels and barrels.



Explanation: In the achedule, the letter opposite the car inside cates the grade of Gargoyte Mobiloil that should be used. For Example: "A" means "Gargoyte Mobiloil A." "Arc." mean 'Gargoyte Mobiloil Arcic." For all electric vehicles use Gargoyte Mobiloil A. The recommendations cover both pleasurand commercial whicles unless otherwise most.

and commercial vehicles unless otherwise noted.										
MODEL OF		1909		1910		1911		1912		113
CARS Abbott Detroit	Summer	Winter	> Summes	Winter	> Summer	Winter	> Summer	Winter	> Summer	Winter
Alco	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Are
Apperson	Â	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc
Autocar (2 cy .)	AAA	Arc.	A	Arc. B	A	Arc.	A	Arc.	A	Are
Avery	A	A	A	A	A	Arc.	AAA	A	444	A
Benn: Buick (2 cyl.) (4 cyl.) Cadillac (1 cyl.)	AAB	Arc.	Arc	Arc	A	Arc.	A	Arc	A	A A A
Cadillac (1 cyl.) (4 cyl.)	la-	Arc	Are	Arc	Arc	Arc.	Arc	Are.	Am	A
" Com'l	A	A	A	E	A	B Arc.	A	B Arc.	A	Art
Chalmers.	Are	Arc	Are	Arc	A	A Arc.	A A Are.	Arc.	A Arc.	Are
Cole	B	B	B	B Arc.	ABA	B Arc.	B Arc.	B Arc.	B	B
Columbia	A	B	B	B	Ã	A	A	A	A	
Couple Gear	A	A	A	A	A	A E	Â	Arc.	I A	A A A A A A
" "Knight"	0.00	B		E	AAAB	Æ	A	A	A	Â
Derracq	ABBA	A	ABB	E	Î	Ā	Arc. B B	Arc.	Arc.	A
Elmore. B. M. P.	A	A	Arc.	Arc.	Arc.	Are.		Arc.		100
Piat. Planders. (6 cd.)	Arc	A	AB	Arc.	Arc.	Arc. A B	Arc. A	Arc.	B	A
Marie (a ajuli	B		A	Arc		E	Are	Are	Arc.	Are
Pranklin	B	B	B	Arc.	BAB	Arc.	BAA	Arc.	E	Arc
G. M. C.			В	Α.		A	Arc.	Arc.	A	Arc
Gramm-Logan	A	Arc	A	Arc	A.	Arc.	Α.	Arc.	A	Are
Gramm-Logan Herreshoff, Hewitt (2 cyl.)	AAA	AAB	Arc. A	Arc.	I A	Arc.	A	Are.		Arc
Hudson. Hupmobile "30"			Arc	Arc.	A	Arc.	E	E Are.	B	Arc Arc
1. H. C. (air)	AFC.	A.C	Arc	Arc	Arc.	Arc.	Arc.	Arc.	Arc. A B	Arc
" (water) International	В								B	AR
Interstate	A	E	B A	A	B	B Arc.	B	A Are.	A	Are
IsottaItala.	***	AAA	AAAA	Ā	AAA	A	A	Arc.	A	A
Itala. Jacksos (a cyl.) (4 cyl.) Kelly.	A	B	A	Arc.	A	Arc.	A	Are.	A	Are
Kelly Springfield					Arc.	Arc.	Arc.	Arc.	Arc.	Arc
" Come	A	B	A.	B	Arc.	Arc.	Arc.	Arc.	Arc.	Arc
Kline Kar	В	A	Arc. B	Arc.	Arc. B	Arc.	Arc.	Arc.	Arc. B	
Krit	В	A	A	A	AB	Arc.	AB	Arc.	AB	A
Losier	Arc	Arc. A B	Arc.	Arc. Arc. B	Arc.	Arc.	Arc.	Arc.	Arc.	
Marion	A	E	A	B	A	E	Ä	Arc	E	Arc Arc Arc
Marmon	Arc.	Arc.	Arc.	E Arc.	AAB	Arc.	A	Are.	A	Arc
Maxwell (2 cyl.) (4 cyl.) (6 cyl.)	E	B	E	E	Arc.	Arc.	E Arc.	E Arc.	Arc.	Arc
Mercedes	Ä	E	A	B	A	B	Ä	· · · ·	Arc.	Arc
Merour			Ä	Arc	Ā	A Arc.	A	Arc	A	Arc Arc Arc
Attoorva "Appent"			Arc.	Arc.	A	Arc.	A	Arc.	Á	Arc
Mitchell	A A A	E	Arc.	Arc.	Arc.	Arc.	A	Arc.	A Arc.	Arc
Moon National Oakland	A	Arc.	A	A	A	Arc.	A	Arc.	A	Arc
Oldsmobile	A	E	A	E	Arc.	Arc.	A	Arc.	Arc	Are
Packard	Arc	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Are.	Arc.	Are
Packard Paige Detroit Panhard "Knight"	Α	E	Α	E	A	Arc. B	A	Arc.	A	Arc
Panden	Arc.	Arc	Arc.	Arc.	Are.	Arc	Arc		A Arc.	Arc
Pierce Arrow		Arc.	Arc.	Arc.	Arc.	Arc.	Å Arc.	Are. Are. Are. Are. Are. Are. Are.	Arc.	Arc
Pope Hartford	A	Arc.	Arc. A	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc
Pullmanf	A	I A I	A	A	Arc.	Arc.	Arc.	Arc. Arc. Arc.	Arc.	Arc
Rapid	A	A	A		A	Arc.			Α-	-A'
Renault	AAA	Age		Arc.	A A A	Arc.	Arc.	Arc.	Arc.	Arc
Reo S. G. V. Selden		A	A	5	B	Arc. Arc. B	AB	Arc. Arc. Arc. Arc.	Arc. A A B	Arc
	A	B	A	B	A	E	A	Arc		
Simples. Speedwell. "Mead"	Arc.	Arc. Arc.	Arc. Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc
Stanley. "Mead" Stearns. "Knight"	D	'n	D Arc.	D	D	D	D	D	A D	Arc
" "Knight"	A	A	· · · ·	Arc.	A	Arc.	A	A A	A	Ä
Stoddard-Dayton	Arc. E	Arc.	Arc. Arc.	Arc. Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	AFC
Studebaker	A	B	B	E	A	Arc	Arc.	Arc.	A	Arr
Thomas	B	B	B	MM	E	E	A	Arc.	Arc.	Arc
Warren Detroit	A	E	Arc.	App	Arc.	Arc.	Arc.	Arc.	Arc.	Art
Thomas. Walter. Warren Detreit. White (Gas). '* (Steam). Winten.	D	D	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	An An D
Winton	B	B	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	Arc.	An

Mobiloi1

VACUUM OIL CO., Rochester, U. S. A.

BRANCHES:
NEW YORK BOSTON PHILADELPHIA DETROIT INDIANAPOLIS CHICAGO
29 Broadway 49 Federal St. 4th & Chestnut Sts. Ford Bldg.

Distributing warehouses in the principal cities of the world

The above advertisement appears in the Saturday Evening Post, Collier's, Literary Digest, Life, Scientific American, Leslie's Weekly, Cosmopolitan, Munsey's, Review of Reviews, World's Work, Century, Harper's, System, Everybody's, McClure's, Outing.

This Ad. is for Automobile Dealers Only—and Only the Live Ones

- YOU'VE BEEN HOPING and praying for years for the kind of car you thought some big manufacturer ought to build, and that you knew you could sell.
- THAT IS TO SAY, a light touring car of about 25 horse power, made so well the maintenance cost would be as little or less than any other car on the market; one that would look the part, act the part, and yet sell in the neighborhood of \$700.
- THAT WAS ABOUT THE PRICE you set-wasn't it?
- YOU'VE ASKED for that kind of a car, insisting that it be one the owner wouldn't feel he ought to leave in the alley so the neighbors wouldn't see it!
- A CAR FOR THE KIND OF OWNER who wants his money's worth in looks as well as performance, and who doesn't care to be pointed out as one who bought the cheapest car.
- SUCH A BUYER, you've told us, would pay a few dollars more to have a car that was worth more than the difference.
- YOU'VE KNOWN that there were only two, or possibly three, concerns in the world that could make such a car at such a price. Millions of capital, and plants equipped with special automatic machines throughout for making every last part of the car, are necessary.
- AND DOUBTLESS IT HAS occurred to you that the reorganized Maxwell Motor Company is in an ideal position to produce such a car—having the capital, the plants, the organization—and a clean slate. That is to say, plants ready for the work and no old models or material in course of construction.
- AND, YOU'VE HEARD WHISPERINGS that that was the sensation the new Maxwell Motor Company had up its sleeve.
- WELL, WE HAVE—and we've tried to keep the details from getting out because we didn't want to start a stampede of buyers until we were ready to supply the cars. But you can't send test cars all over the country—as we had to do to prove up this product to our own satisfaction—without starting trade gossip. And trade gossip goes fast and far. It isn't always accurate but it goes just the same.

- WE ARE STILL DETERMINED to withhold all detailed specifications and the real price from the public until we are ready to deliver a few thousand cars—or at least until demonstrators are in the hands of our dealers.
- PAST EXPERIENCE with stampedes of the kind that will certainly ensue when the features of this car are generally known, teaches us that our plan is right.
- BUT MEANTIME—and here's why we are publishing this ad to dealers the information is leaking out; dealers are coming to Detroit wanting to contract.
- THAT'S ALL RIGHT—but we want to start right with this proposition. It's going to be the biggest, greatest thing this organization has ever done—and you know the men who comprise the Maxwell organization of designers, production, sales and advertising experts—from Mr. Flanders down—have done the biggest things that have ever been done in this industry.
- WE WANT TO START RIGHT. We want to select the best dealer in each town—the one who has the best standing locally, and the kind of fellow who will take hold of this product, not for a day, but for his whole future—to go along and stay with us while we both make money and at the same time giving the buyer more for his money than he can possibly get elsewhere.
- IT'S A QUANTITY PROPOSITION and when you see the car you'll say it is a permanent proposition.
- THAT'S WHAT YOU'VE BEEN LOOKING FOR—that's what we've been aiming at in producing this car. Coupled with our \$1,085 "35-4" and our \$2,350 "50-6", here's the greatest line in the world—and any maker who tries to compete, either in quality or price, will have to go some.
- NOW HERE'S WHAT INTERESTS YOU at this moment. You can't very well refuse to sign up with the other dealer who comes from your territory. We appreciate his coming—it shows he is on the alert. That's always a good sign.
- BUT HE MAY NOT BE THE BEST man for us to tie to—how are we going to know unless you come and tell us?
- SO WE DECIDED to tell all dealers that we are ready to contract for these "25's" as well as the "35" and the rest of the line.
- WE'VE ARRANGED to have all our District Managers in Detroit next week (April 14 to 19). It will be the first glimpse they've had at this "25" car themselves—and you may imagine they are as eager to see and ride in it as you are.

- THE DISTRICT MANAGER of your territory will be here at the main office—so you can get right down to business with him if you are on the ground.
- EVERY DEALER IN AMERICA KNOWS the heads of this organization. You all know Walter E. Flanders. He has always given his buyers more—and forced his competitors to give theirs more, than they wanted to.
- HE IT WAS WHO FIRST SAID, "Magneto included, of course." He who first put a "foredoor" body on a thousand dollar car—after cutting the price of the most popular and the greatest \$1,250 car to \$1,000. It was Flanders who forced all other makers to equip with demountable rims, by doing it first. He who said, "Same electric starter as the Peerless," on a \$2,350 car, when most \$5,000 cars were still without starters.
- AND FLANDERS HAS DONE MORE for the dealer than any other. He it was who five years ago originated the "sliding scale of discounts" to stop the gouging of the little fellow—the small dealer, who in the aggregate, disposes of 80 per cent of the product. He, who sent a copy of his dealer's contract to every dealer in the United States to show that all were treated alike, while other makers were "dickering" with theirs. Yes, you know Flanders—and you know why other dealers don't approve of his methods. Good reason, isn't there?
- AND YOU KNOW McGUIRE—if you don't happen to know him personally, you certainly know him by reputation. Wm. F. McGuire is known in trade circles as the former production manager of the Ford Motor Company—the man who seemed to create cars by miraculous methods. Mr. McGuire as the "man behind" isn't so well known to dealers, but you've heard it said if there's one man in the industry who can produce quality cars in greater quantities than any other, it is McGuire. Come and meet him—he'll show you the "25" himself.
- E. LE ROY PELLETIER you all know personally. You know his advertising, and its instantaneous results. "Roy's" advertising has sold more automobiles than that written by any other man. He knows you, knows your problems and knows your territory. Besides handling our national campaign, Mr. Pelletier will furnish you with copy to run locally and, when occasion requires, he will be glad to write special copy to meet your local conditions.
- YOU'LL MEET TWO NEW FACES—Walter M. Anthony, Comptroller, and C. A. Forster, Commercial Manager, in charge of sales.
- MR. ANTHONY IS THE MAN you'll deal with at the financial end—and you'll like him. He's a rare combination of keen business acumen and royal good fellowship. In short, he is a business man of breadth and character and poise—and a saving sense of humor. You'll like Anthony—and that makes business dealings a lot more pleasant.

- AND YOU'LL LIKE FORSTER. He comes from the Burroughs Adding Machine Company. We don't know it all yet in the automobile business, you know, and tho' you'll look with suspicion on a new man in this industry, that impression will be dispelled in the first five minutes you are with Forster—and then you'll agree that he, as well as Anthony, "belongs" in this organization of specialists and experts.
- AND YOU'LL FIND in the other officers and in the factory, not scores, but hundreds of men you've known for years—experts, specialists all, and you'll conclude that if the kind of car you've been wanting—the kind you'd design and make yourself if you had the capital and the facilities—can be made, then this organization can make it—to the Queen's taste—and yours.
- THE CAR IS HERE ready to see and to ride in. Deliveries in quantities will begin in June. You've been looking for this car for years—come to Detroit on the first train; see and try it out for yourself—and tell us why you think you can sell more of them in your territory than any other dealer.
- NOW MULL THIS OVER: You must realize—you who have watched the trend of things—that this automobile business will gradually narrow down to a few big ones. It will be a contest between giants.
- TODAY, WHEN MARGINS OF PROFIT to the maker are so small that ninety per cent of all the buyer pays goes into actual automobile value and service; when, in other words, the profit per car is very small, only those makers who have the financial backing, the facilities and the experience necessary to produce cars in quantities, can survive.
- WE'LL TELL YOU FRANKLY that we are going to be very careful in selecting our representatives, but once we've signed up with a dealer it will be our policy to stick to him as long as he is 80 per cent plus—in other words, as long as he does anywhere near right by us and by his trade.

Maxwell Motor Company

Executive and Sales Offices
Detroit, Mich.



Bosch Plugs

As Good As Bosch Magnetos

rassment caused by cheap and poorly designed plugs are not to be accepted as inherent in all spark plugs: equip with Bosch Spark Plugs and even the possibility of unsatisfactory service is eliminated.

The design of Bosch

Plugs is based on scientific principles, the result of the most extensive ignition experience; they rare

constructed with the sole view of providing a perfect plug, one which will not be affected by rough handling, continuous usage, vibration, carbon, or excessive lubrication.

Bosch Plugs are so built as to uphold the name they bear—the firstsame hands and brains that have built the world-wide reputation for Bosch Magnetos, the superior ignition source.

Bosch Plugs are used regularly on such well-known and excelless, Pierce-Arrow, Hudson, Mercer, Garford, Rambler, Fiat, Lancia, Metallurgique. Insisting upon Bosch gives you equal equipment.

"Locating the Spark Plug" tells you all you should know about Spark Plugs; write for it today

\$1.00 Bosch Plugs are sold by all reputable dealers throughout the United States, or if they have not stocked, may be obtained via Parcel Post from Bosch Distributors, or any Bosch Branch.

Bosch Magneto Company, 214 West 46th Street, New York

Chicago :: Detroit :: San Francisco :: Toro

Address Bosch Distributors at Portland, Me.; Boston, Mass.; Buffalo, N. Y.; Rochester, N. Y.; Philadelphia, Pa.; Pittsburgh, Pa.; Baltimore, Md.; Richmond, Va.; Atlanta, Ga.; Toledo, Ohio; Minneapolis, Minn.; Des Moines, Iowa; Omaha, Neb.; Kansas City, Mo.; St. Louis, Mo.; Denver, Col.; Seattle, Wash.; Portland, Ore.; Los Angeles, Cal.

AT LAST!!

A Gasoline Gauge for Automobiles That Is Accurate and Dependable-Up Hill, Down Hill, On Side List and on the Hottest and Coldest Days, Shows at a Glance the Amount of Gasoline in the Tank.



ependo

GASOLINE GAUGE

Some of Its Many Advantages

No more Dry Tanks miles from garage. No more pulling up cushions to run measuring stick into tank.

Detects Leaky Tanks immediately.

Shows instantly amount of gasoline going into tank and amount being consumed per mile.

> As dependable as your watch, and will not get out of order. Full directions for installing sent with each gauge.

SUPPLIED AT PRESENT FOR THE 1912-1913

Ford, Overland, Buick, E. M. F. and the 1913 Studebaker

When Writing State Model

If for other cars, send us name, model and year and we will notify you if we can supply you. Not made at present for cars having pressure tanks.

If your dealer cannot supply you, we will direct, on receipt of price.

Catalog No. 8 giving full particulars sent

A WORD TO DEALERS

The Dependo Gasoline Gauge is the first and only dependable one ever invented. Yet you know the demand for a gauge of the character of Dependo and show how Dependo will surely fill that demand to the letter.

You will have many calls for The Dependo. Why not stock Dependo at once and thus be able to fill orders promptly. Our proposition to dealers means dollars to you. Write us today for full particulars and catalog.

F. ROPER & CO., Hopedale, Mass.

Oakland THE CAR WITH A CONSCIENCE

¶ We call the Oakland "The Car with a Conscience."

¶ You have probably thought that this is a far-fetched statement because a piece of machinery cannot have a "Conscience."

¶ What we want to convey by this slogan is that those who are responsible for the manufacture of the car are building it conscientiously.

¶ Let us show you what we mean:

¶ "The Car with a Conscience," first of all, means a car that is, from an engineering standpoint, correct—not in theory—not on paper—but actually—in every hour—every day service.

¶ "The Car with a Conscience" means the use of proper materials—no skimping—no substituting. "The Car with a Conscience" does not mean the use of basic metals or other substitutes, for alloy and nickel steel.

¶ "The Car with a Conscience" means an honestly built car—honest in design, honest in construction, honest in its value-offering to you.

¶ "The Car with a Conscience" stands for simplicity—just enough machinery to deliver the rated horse power to the rear wheels. The simple car is an accessible car, which means a better cared for car.

¶ "The Car with a Conscience" stands for individuality and beauty in body design—beauty and luxury as found in but few cars regardless of price. Each Oakland embodies extreme refinement and symmetry. In the interior of the body, the comfort of

the passenger has been minutely looked after—even to the particular angle at which the cushions and backs are upholstered. The cushions—10 inches deep—soft and rich and give you a feeling of complete rest and relaxation.

¶ "The Car with a Conscience" means a motor so extremely quiet at all times that Oakland power plants have been signaled for special mention in this respect. Owners have marveled at the smooth way in which the motor runs. Extreme care in the making of parts, superior bearings, perfect lubrication, gears that are cut correctly and proper carburetion have made Oakland motors famous—inquire of the first Oakland owner you meet.

¶ "The Car with a Conscience" is meant for the man who insists on the fullest value for his money—for the man who buys a motor car with his eyes wide open—who buys only after he has made a comparison of all cars on the market—regardless of price.

¶ "The Car with a Conscience" is such a car that its manufacturers court the widest comparisons.

¶ "The Car with a Conscience" is our highest achievement and challenge to the minutest examination and widest comparison. We know "The Car with a Conscience." We want you to know.

¶ "The Car with a Conscience" is made in a wide range of body designs and horse power ratings. Four and six cylinder models, \$1000 to \$3000. Delco electric starting, lighting and ignition system on two of the models.

Oakland Motor Car Co. 100 Oakland Pontiac, Mich.

Letters From Stearns-Knight Owners

[No. 18]

"Better than any 'Light Six' and still a 'Four' on the expense account"

" * * * It is this simplicity and thorough accessibility, making for the greatest economy of operation and the highest efficiency that most highly recommended the Stearns-Knight to me. I have a 'four' that can do all and more than any of the 'Light Sixes' and is still a 'four' on the expense account. I selected the Stearns-Knight practically from the field after a year of investigation, and experience has fully approved my judgment."

(Name Furnished Upon Request)



The F. B. Stearns Company

Cleveland, Ohio

Branches and Dealers in 125 Cities



\$985

Completely Equipped

Self-Starter 30 Horsepower 5-Pass. Touring Car 110 Inch Wheel Base Timken Bearings Center Control



\$985

Completely Equipped

Remy Magneto Warner Speedometer Mohair Top and Boot Clear Vision, Rain Vision Wind Shield Prest-O-Lite Tank


HE 28,000 Overlands built in 1912 were such startling good cars—that 24 hours after our 1913 announcement we had contracts for our entire 1913 output of 40,000 cars.

Here is our policy: The more cars we make the less each car costs us—and you. And the better we make Overlands the more we sell. It is just broad-gauged business.

Study the value above.

Catalogue on request. Please address Dept. 46.

The Willys-Overland Co., Toledo, O.



NEW-MILLER CARBURETOR

Means New Life for Your Car

Don't "tinker" and worry with carburetor troubles. Find out today about the New-Miller.



- (1) Takes care of any grade fuel from gasoline to distillate.
- (2) Adjust from seat for all weather conditions.
- (3) Throttles down without knocking.
- (4) Gives maximum power on low, intermediate and high.
- (5) Mechanically adjusted by throttle opening or closing.

The slightest movement of the Butterfly throttle moves the "air piston" and "needle" connections, regulating exactly the proportionate supply of gasoline and air, at all speeds.

Once adjusted you never have to change it. It takes care of itself.

Racing, road tests and daily service have proved it. Leading makers of automobiles, trucks and motor boats are adopting it as standard equipment.

Gravity of gasoline is going lower every day and the lower it goes the more apparent be-

comes the necessity for the New-Miller mechanical carburetor.

Pays for Itself

A season's use will easily save you fuel and repair expense to pay for a New-Miller and freedom from carburetor troubles on your car.

We stand ready to prove this.

You can prove it for yourself if you will take the time to send for the New-Miller Booklet.

Go over it carefully. The facts are self-evident.

NEW-MILLER CARBURETOR CO.

514 N. Capitol Ave., Indianapolis, Ind.

FACTORY DISTRIBUTORS:

USE THIS COUPON TODAY!

NEW-MILLER CARBURETOR CO.,

514 N. Capitol Ave., Indianapolis, Ind.

Gentlemen

Send me full particulars on the New-Miller.

My car is

lanifold is

Name

Address

Full Complement of Balls. Solid One-Piece Separator. Uninterrupted Raceways. Full Depth of Raceways, to Resist Thrust.

The absence of any one of these four obvious essentials means a sacrifice of either capacity or endurance. Gurney Ball Bearings are the only ball bearings in

which all of these essentials are always present and which possess raceways of the right contour.

A full complement of large balls—deep, uninterrupted raceways of right contour—and yet a solid, one-piece

Ball Separator

This unique Gurney separator plays a mighty important part in sustaining the Gurney reputation for great capacity and great endurance. It is so sturdy and fool-proof that separator troubles lare never encountered in using Gurney Bearings. Die cast, of special wear resisting alloy, this separator, as the name implies, has no joints, screws or clips to come apart or loosen or otherwise interfere with continuous bearing performance. In fact, the separator will be the last part of the bearing to wear out.

The use of this unique separator does not necessitate a reduction in the number of balls. With it, it is practical and safe to run the balls much closer together than with any other separator ever made. The partition or septum between each pair of balls is so efficient and so durable that it does not have to be so thick as to displace some of the balls and so reduce the capacity of the bearing.

Bear in mind always when considering ball bearings that most important is the question of raceway contour, for just so far as you fall short of right contour, in just so much do you fail to realize the full efficiency to which you are entitled.

Gurney Ball Bearing Co.


Jamestown, New York

GURNEY

Ball Bearing Shaft Hangers

Save power, oil and repairs. Increase your power capacity.

When Writing to Advertisers, Please Mention Metor Age.



For Season of 1914 Deliveries Now

SIX CYLINDERS

SIX-PASSENGER (TYPE 666)

Motor 4½x6 inches; 140-inch wheel base; 39x5-inch tires; four-speed transmission; positive electrical starting and lighting; high-tension ignition (dual system).

Regular equipment includes full electrical outfit, 100-mile Warner speedometer and clock, plate-glass windshield, mohair top and storm curtains, electric horn, shock absorbers, two extra demountable rims, and full set of tools. Colors optional. Price, f. o. b. Indianapolis.

\$4,500

SIX CYLINDERS

FOUR-PASSENGER (TYPE 644)

Motor 4x6 inches; 132-inch wheel base; 38x4½-inch tires; four-speed transmission; positive electrical starting and lighting; high-tension ignition (dual system).

Regular equipment includes full electrical outfit, 60-mile Warner speedometer and clock, plate-glass windshield, mohair top and storm curtains, electric horn, shock absorbers, one extra Q. D. demountable rim, and full tool equipment. Two color options. Type 642—Two-passenger body on same chassis. Price, f. o. b. Indianapolis

\$2,750

FOUR CYLINDERS

TWO-PASSENGER (TYPE 422)

Motor 4x5 inches; 105-inch wheel base; 36x3½-inch tires; three-speed transmission; positive air-starter and electric lighting; high-tension ignition (dual system).

Regular equipment includes positive air-starter, complete electrical outfit, 60-mile Warner speedometer, plate-glass windshield, mohair top and curtains, one extra demountable rim, horn, jack and tool set. Color, American wine with black fenders. Price, f. o. b. Indianapolis.

\$1.550

We are making the greatest announcement ever made by a manufacturer. We want our dealers to have an uninterrupted selling season. Those who contract with us now enjoy the overwhelming advantages of a season—extending over the months when sales are the biggest—without a change of models. ¶ We give you the more important specifications. Read them throughout; study them; compare them. Write us today for territory reservation and details. We cannot begin to explain the proposition here—it is too big.

Interesting booklets to prospective purchasers for the asking: to dealers the fairest sales agreement ever written

Address Dept H

American Motors Company :: Manufacturers :: Indianapolis

Comparison proves the dominating quality of the KisselKar

C OMPARE the KisselKar with cars of highest price and best reputation, and let your comparisons be on quality, not on price.

Such comparison is advantageous to the KisselKar because the KisselKar, beyond doubt, embraces all the quality that modern engineering, modern factory facilities and high standards can put into a car.

It is the maximum product of modern motor car construction, produced by a skilled organization with every facility for economy production, and with no death weight costs to go into the prices.

Every dollar of KisselKar price represents quality in the car — and no car is better con-

structed, and few so liberally designed as the KisselKar.

In appearance the KisselKar is the car of superb distinction.

It offers the widest possible range of throttle control.

It will drive on high (fourth geared-up speed) as fast or slow as you need going in all ordinary driving.

The tonneaus are roomier, the seats deeper than in any other car.

In every refinement of appointment and finish, the KisselKar meets the highest standard.


1500 lb., 1, 1½, 2, 3, 4, 5-Ton Trucks, Delivery Cars, Fire Department Apparatus, etc. Write for special truck catalog.

Kissel Motor Car Co., 121 Kissel Ave., Hartford Wis.

BOSTON NEW YORK CHICAGO MILWAUKEE DALLAS KANSAS CITY LOS ANGELES MINNEAPOLIS ST. PAUL

Philadelphia, Cleveland, Detroit, El Paso, San Antonio, New Orleans, Baltimore, Omaha, Butte, Denver, San Francisco, Seattle, Portland, Duluth, Buffalo, Pittsburgh, Hartford, Conn., New Haven, Albany, Troy, Montreal, Quebec, Toronto, Winnipeg, and two hundred other principal points throughout America.

KISSELKAR



THANK YOU!

We appreciate the instant approval given the new Atwater Kent Ignition System-Silent Type K with Automatic Spark Control-by the many engineers, trade, and motorists who visited our exhibit at the recent Automobile Shows.

In the past eight years we have introduced many notable improvements in the development of scientific ignition-but none of our past achievements has met with more approbation than the Automatic Spark Control feature which entirely eliminates the old method of hand control.

This feature is not only one of convenience, but of logical necessity, as a spark that is always properly timed means a saving in gas and the development of the greatest possible flexibility, power, and speed of which the motor is capable.

Picture the pleasure of driving your present or future car through congested traffic as slowly as three miles per hour "on high" and then speeding up on good stretches of road to the maximum of which the motor is capable without once touching the spark lever, and you will find your desires realized in



Vallet) Ke mijonsystem



We also manufacture Type F System without Automatic Spark Control and Special Outfits for Ford, Buick, Maxwell and Franklin cars.

It will pay you to write for our booklet "A" as there are many other new and exclusive features in the Atwater Kent System which will interest you.


ATER | (ENT | WIFG. W

4934 Stenton Ave., Philadelphia, Pa.

DISTRIBUTORS

New York, E. J. Edmond Co.; Chicago, Motor Car Supply Co., Pellets Magneto Exchange; San Francisco, Chanslor & Lyon Co., Weinstock-Nichols Co.; Los Angeles, E. A. Featherstone; Seattle, Chanslor & Lyon Co.; Portland, Ballou & Wright; Omaha, Omaha Rubber Co., Powell Auto Supply Co.; Dallas and Houston, Fisk Co. of Texas; Wichita, Hockaday Auto Supply Co.; St. Louis, Missouri Auto Specialty Co.; Salina, Lee Hardware Co.; Kansas City, Kansas City Auto Supply Co.; Milwaukee, Julius Andrae & Sons Co.; Detroit, Automobile Equipment Co.; Boston, Motor Supply Shop; Denver, Auto Equipment Co.; Hartford, Post & Lester Co.; Atlanta, Elyea-Austell Co.; Chattanooga, Southern Auto & Supply Co.

"Milwaukee"—the Silent Motor



Milwaukee 4 Cylinder, En Bloc, Unit Power Plant (41/8 x 51/2)

MILWAUKEE Motors are as silent as they are durable. In point of structural achievement they stand unchallenged. They are enclosed throughout—are dust and oil-proof. They are furnished as UNIT POWER PLANTS or without transmission, clutch and control. They are built to accommodate any standard transmission. They can be equipped with any standard electric starting and lighting device. Made in the following sizes—

4-Cylinder Motors
4 5/16 x 4½, UNIT POWER PLANT or alone. Cylinders cast in pairs.
4½ x 5¼, UNIT POWER PLANT or alone. Cylinders cast in pairs.
4½ x 5¼, UNIT POWER PLANT or alone. Cylinders cast in pairs.
4½ x 5½, UNIT POWER PLANT or alone. Cast en bloc. For pleasure cars and light trucks.

6-Cylinder Motor 4%x5½, UNIT POWER PLANT or alone. Cast en bloc.

Write for discriptive matter

MILWAUKEE MOTOR COMPANY, Milwaukee, Wisconsin

JUST OUT

AUTOMOBILES CARE RUNNING AND REPAIR

PRICE \$1.50

Audels Answers on Automobiles

WHAT YOU GET OUT OF A CAR DEPENDS MORE ON THE MAN AT THE WHEEL THAN THE CAR ITSELF

This new book on the practical care and management of Motor Cars, explaining in Questions and Answers the principles of construction and operation in a clear and helpful way, illustrated with 380 diagrams and drawings, making it of great value to the intending purchaser, driver and repair man.

¶ Don't have breakdowns. Keep your machine in perfect adjustment and running order by knowing your car, and that is how "AUDELS ANSWERS ON AUTOMOBILES" can help you.

¶ In this 512 page book the symptoms are diagnosed in such simple language that a beginner can understand the why, and that will enable you to get more service and speed from your machine.

¶ Every rattle—every jar—every noise is a symptom that you can cure, by

¶ With this as a guide you will keep your car in running order 365 days a year—each day you can obtain a greater efficiency from it.

¶ Order today.

Price \$1.50

THE CLASS JOURNAL CO.

910 S. MICHIGAN AVENUE

CHICAGO, ILLINOIS

Marford

\$2750

\$2750

Everything you want in a Six.

Everything, worth while, that has been invented or designed for a Six.

And, in addition, this car has more new and practical improvements and comforts than most other Sixes.

And the price is just about half that of the other high grade sixcylinder cars.

A few of the more important specifications

Electric Starter, which never fails to start instantly—winter or summer All lights are electric

mer All lights are electric Big, single electric parabolic head light, sunk flush with the radiator Electric horn
One piece, all steel body, steel Pullman car construction—no joints, no rivets, no wood
Speedometer driven from the transmission

60 horsepower, long-stroke motor—3¾ in. by 6 in. Wheel Base, 128 inches Tires, 36x4½ Demountable Rims Center Control Left Hand Drive

Four Speed Transmission Full Floating Rear Axle Bosch Magneto Warner Auto-Meter E q u i p m ent—everything complete from tools to

You will be interested in the many new and no vel Garford Six features. Our 1913 catalogue describes and illustrates the entire car. Copy to you gratis.

Please address Dept. 14

The Garford Company, Elyria, Ohio




TRANSMISSIONS

CLUTCHES

STEERING GEARS

"The Value of Our Product Is Not in Its Price-But in the Service Rendered"



WARNER GEAR COMPANY, Muncie, Ind,

DETROIT OFFICE-628 FORD BLDG.

DIFFERENTIALS

PROOF

CONTROL LEVERS



Used by the Con.

Gas Co., N. Y.; I-T-O-A Cab Co., Knox Automobile Co.,

Selden Motor Vehicle Co.,

Western Electric Co., L. I. R. R. Co., Mason-Seamon Trans. Co., U. S. Motor Cab Co., Quaker City Cab Co., Ford Motor Co., N. Y., etc.

The New Carburetion Method-

Mondex-Helix

Used in Combination with Any Carburetor

Reduces Gasoline Bills 25% to 40%.

Now universally used on Auto Trucks, Taxicabs, Pleasure Cars, Motor Cycles and ALL gasoline motors, and giving results that are simply wonderful—actually saving from 25% to 40% gasoline!

It almost doubles the power of poor gasoline. It gives 100% increased flexibility. It increases power on hills and grades, at all speeds—from 10% at high speed, to 50% at low speed—especially with heavy loads. It prolongs the life of a motor, making the noisiest silent and smooth and allowing EASIER starting.

It prevents back-firing and carbonization. It has no moving parts, and is simply inserted in intake of manifold like a cartridge in a gun. Write for booklet "N."

MONDEX SHOCK PREVENTERS

Won the Vanderbilt Cup for Mulford and for R. DePalma, the Grand Prize for the late David Bruce-Brown and for C. Bragg, and the Tiedeman Trophy for Witt.

The Mondex Shock Preventers are superior to and will outlast any others and yet are not more

costly.

"Motor Car Racing" says: "Mondex Shock Preventers proved they are right—in the highest court of mechanical test known to the automobile engineering world." Their use saves wear of tires and eliminates all vibration.

THE ARISTO CO., Dept. "N," 250-8 W. 54th St., New York

When ordering, Address Dept. "N." dress Dept. giving make, model of car or inside diameter of intake manifold. Sent with full instructions, C. O. D. or by mail on receipt of price.

Sizes, 1 inch to \$3

Sizes, 1 % ins. \$4



How the Problem of Modern Springs is Met Only by





Several years of improvement in springs have more than doubled the clearance between top spring and axle.

With modern high-set springs it's not the first compression on striking an obstacle that does the damage; it's the increased momentum on the bumps that follow. After every compression of the springs Snubbers check the rebound, allowing the spring to expand gradually into normal position, preventing the toss-up and bang-down that is so injurious to the


They don't interfere with easy spring action on smooth roads, nor place any extra strain on the tires that the springs ought to bear.

The easiest-riding cars in America—White, Stearns and Peerless — all use Snubbers as standard equipment.

Cost only \$25.00 to \$40.00 per set of four, half that per pair—easiest to attach—require no readjustment—cut down repair bills and add many thousands of miles to car's life.

Let Us Send You Our Trial Proposition and Name of Nearest Dealer.

Gabriel Horn Mfg. Co., 1415 E. 40th St., Cleveland, Ohio



car and occupants.

Can We Send You A Copy of this Booklet?

Our Engineering Department has published the first of a series of booklets discussing the latest developments in the solving of bearing problems.

This first brochure is entitled "Bearing Friction and Its Elimination," and aims to show why balls are superior friction reducers and how their correct application secures maximum conservation of energy.

The types of bearings particularly discussed and compared in this writing are the ball and roller bearings, as applied to all bearing points in the motor car.

It discusses and explains the growing tendency among engineers and manufacturers to favor the ball type of bearing, as evidenced by the summarization figures published by the "Horseless Age" in a review of 1913 pleasure car models. These figures show that ball bearings are used in the differential of 53% of pleasure cars for 1913, as against $37\frac{1}{2}\%$ of the 1912 models; in the transmission of 75%, as against 64%; and in the rear wheel of 52%, as against 42%.

This brochure will interest you. Copy will be mailed you promptly on request.

The New Departure Manufacturing Company Bristol, Conn.

WESTERN BRANCH: 1016-17 Ford Building Detroit



The Flood Won't Stop Us

Only one-fifth of our factory was under water and this is now cleaned up ready for operation. A large part of our finished stock is ready for shipment and our plant is now in full operation.

Send us your orders. We can take care of you.

THE APPLE ELECTRIC COMPANY

15 N. Canal Street

Dayton, Ohio, U.S.A.



Why You Should Buy Guide Headlights

GUIDE Lamps are perfected to a onethousandth of an inch. The reflectors are as perfect as mechanical genius and machinery can construct. Each reflector has a perfect polished surface, heavily coated with silver to make the finish durable.

So constructed that all dust, moisture and foreign substances liable to affect the

silver surface are excluded by sealing the glass against door with an arrangement that can be easily removed. This device we originated. Guide lamp reflectors will maintain their brightness during use of the car. They don't require cleaning.



Guide

The Lamps With the Great White Ray

Write today for Guide Book No. 6, which tells you how to select the right light. It's yours for the asking.

The Guide Motor Lamp Mfg. Co. East Fourth Street CLEVELAND, OHIO

ERAPLUG BLUE ENAMEL STONE BOUGIE HERZ&CO MERCEDES NEW YORK Eventually, you will disregard the cheap hardware commonly called "Spark Plugs," and use the HERZ PLUG—the only Plug that is or can be GUARANTEED A YEAR The usual Spark Plug troubles are unknown to users of the HERZ PLUG. Once installed, it never is taken out. Double Blue Enamel Stone No Sooting — No Cleaning No Porcelain — No Breakage No Experiment: In Its 20th Year Price, \$1.50 postpaid. Ask your dealer, or write us We also make the HERZ MAGNETO ERZ&CO. 295 LafayetteSt.,NewYork



The STUTZ is Quality Built

Every STUTZ car is built with as much care and pains as the costliest watch. Every ounce of material—every detail of workmanship that goes into the STUTZ is absolutely the best.

There are so many satisfied STUTZ owners throughout the country that we are not spending a nickel for national magazine advertising—we have demands for more cars than we can produce under our careful, painstaking system without it. We are putting that cost into STUTZ QUALITY.

We are building less than 1,000 cars—we have demands for three times that many.

If we built more cars we could not give the attention to the many details—such as are easily slighted in a great organization burdened with quantity production.

We could not build in quantities without sacrificing the QUALITY—and we would not sacrifice the QUALITY of one STUTZ car for the greatest quantity production in the industry. We would far rather be known as QUALITY producers.

There is no watered stock—no costly branches to maintain in the STUTZ organization.

Every nickel of STUTZ purchase price is given back to the user in STUTZ QUALITY.

These are the reasons for the superior quality of STUTZ cars—the reasons why the STUTZ gives genuine service—the reasons why every STUTZ owner is proud of his car no matter in what company he associates.

STUTZ MODELS

STUTZ cars are made in five models.

Six-cylinder, six-passenger touring car - \$2300
Six-cylinder, roadster - - - \$2250
Four-cylinder, six-passenger touring car \$2050
Four-cylinder, four-passenger touring car \$2000
Four-cylinder roadster - - \$2000
Write today for advance booklet A-2 Sturdy
STUTZ Announcement, Series B.

THE IDEAL MOTOR CAR COMPANY

Manufacturers of STUTZ Cars

INDIANAPOLIS, INDIANA





The Aristocratic Car —The Electric

THOSE who know the smartest thing to wear, and how to wear it, recognize the Electric as the correct equipage for every occasion.

A T the afternoon tea or matinee—the opera or evening reception, the Electric is the most conspicuous car. And that is because of its distinctly refined appearance, its atmosphere of exclusiveness.

THE Electric is the thoroughbred of motor cars—light, durable and handsome. Even a child may safely operate an Electric—it is so simple, so free from mechanical difficulties. Because of its constant efficiency in all sorts of weather, it is the one desirable car for use in town.

THE cost of maintaining an Electric is less than that for any other type of vehicle—its original cost is well repaid in the pleasure and lasting satisfaction given.

Interesting Literature About Electric Vehicles Gladly Sent

Write today

Before you buy any car consider the Electric



ELECTRIC VEHICLE
ASSOCIATION OF AMERICA
NEW YORK

BOSTON

124 W. 42d St.

CHICAGO

"This top looked shabby and leaked like a sieve—\$50 was the price of a new one, but my neighbor told me how, a year ago, he made his top clean and waterproof as new—for ONLY a \$5 bill. Now you see

"I'm Saving \$45"



Rub-R-Tite

Renews and Rewaterproofs

any worn and leaky top whether Mohair, Pantasote, Leather or Cravenette. It refills and resurfaces the faded, soaked-out fabric; transforms it into practically the same clean-black, watertight top it was when new.

RUB-R-TITE is a scientific laboratory product—decidedly NOT a paint or varnish. It puts an elastic, durable coating on your top. Neither sun, storm or folding will cause it to peel, crack, blister or rot. If occasionally used (reduced) it prolongs the life and wearing qualities of any top indefinitely.

It is applied with a brush, easily and quickly, by your chauffeur, garage man or yourself. It dries quickly. It is economical—\$1.50 to \$5 renews a top (cost depends on size and kind of material.)

Every Can Guaranteed to Satisfy or Money Refunded.

RUB-R-TITE and other Rub-On Auto Aids are carried in stock by most dealers—if yours cannot supply you, send your order to us mentioning his name and we will see you get what you need promptly from him or from us, prepaid. Insist on the original—do not accept so-called substitutes which are, in most cases, only paint or varnish compounds.

Let us convince you that RUB-R-TITE will renew and preserve the appearance of your top at an amazingly low cost. Send For FREE Samples of Work and Information. Use the coupon or drop us a postal today—NOW—lest you forget.

RUB-ON MANUFACTURING CO.

358 Elm St., Buffalo, N. Y.

These Rub-On Auto Aid "smart"—will save you mo keep them on hand as you Rub-On Concentrated Lini ing dye for the inside of y Rub-On Elastic Varnish for	oney, time and trouble. You do gasoline and oil. ng Dye—a permanent no rour top.	ou should n-fad- 358
Stay-On Enamel for Lam	ips, Hoods, Fenders, En	Rub-On
gines, etc. Sta-Fix Radiator Mend Sto	ops leaks without tools	Mfg. Co.
or solder. Col-R-ol Leather Dyes for		Buffalo, N.Y.
ions, back, etc. Auto Turn Jack—lifts, tuminute.	ont a car in 1	Please send me with cost, samples of work full information as to no-Aids.
Dealers!	Name	
Write for trade prices and discounts. Take advantage of our ad-	St. and No	************
vertising to make sales of Rub-On Products.	City	

LL-IN-ONE AND OUT BLOWS THE SOOT ALL-IN-ONE Spark Plugs clean themselves -save you the trouble. They permit you to instantly prime your motor, enable you to find that missing cylinder, make it possible to decarbonize your cylinders without calling in the services of a repair They cost no more than the other kind. Price, \$1.25 Each





on the Application of Electricity in the production of the Ignition Spark in Petrol Motors By T. H. HAWLEY

Author of

"Motors in Principle and Practice," "Petrol Mo-tors Simply Explained," etc.

I. Introduction.
II. Outlines of Electric Ignition.
III. A Brief Explanation of Some Electrical Terms Commonly Used.
IV. An Outline of the Methods by Which the Desired Mixture is Attained and the Spark Produced.
V. Some Methods of Wiring up the Electrical Circuit.
VI. Accumulator Construction.
VII. The Accumulator—Discharging or in Use.
VIII. Accumulator Charging.
IX. Accumulator Charging Boards and Methods of Connecting Up.
X. Sparking Plug Construction.
XI. The Induction Coil.
XII. The Contact Breaker and Advance Spark Mechanism.
XIII. Trembler Coils and the Auto Trembler.
XIV. Magnets and the Magnetic II. Introduction.
II. Outlines of Electric Ignition.
III. A Brief Explanation of Some Electrical Terms Commonly Used.
IV. An Outline of the Methods by Which the Desired Mixture is Attained and the Spark Produced.
V. Some Methods of Wiring up the Electrical Circuit.
VI. Accumulator Construction.
VII. The Accumulator—Discharging or in Use.
VIII. Accumulator Charging Boards and Methods of Connecting Up. X. Sparking Plug Construction.
XI. The Induction Coll.
XII. The Contact Breaker and Advance Spark Mechanism.
XIII. Trembler. Colls and the Autor Trembler.
XIV. Magnets and the Magnetic Size 5½x8½ \$1.50

XV. The Magneto and the Electro

The Class Journal Co., 910 S. Michigan Ave., Chicago, Ill.

Patented



Basline Autowline

Trade Mark Registered

WEIGHS FIVE POUNDS **TOWS 6000-POUND CAR**

Tuck a Basline Autowline under an auto cushion and be prepared. Takes up no room; is clean, neat, compact. Made out of World Famous Yellow Strand wire rope— the record rope on the Panama Canal—built the Wool-worth building, and is used by all big contractors. You can attach

BASLINE AUTOWLINE

for use in a minute and get out of any road difficulty in a jiffy. Read this user's evidence:

Near Princeton, N. J., I saw three automobiles in trouble. One, a seven-passenger car, was up to its hubs in a ditch. The other two were lighter cars. With my Basline Autowline I pulled all three out without any trouble. All were enthusiastic about your Autowline. No touring car should be without one, as you supply it in such a compact manner.

J. NOAH H. SLEE, New York.

FREE Send today for the fully illustrated Autowline Circular.

It's free. Basine Autowline is sold by every good Supply Dealer for \$2.75.

The Little Steel Rope with the Big Pull

Broderick & Bascom Rope Co. 813 N. Second St. LOUIS, MO.

NEW YORK OFFICE, 75 E. Warren St. Sole manufacturers of world-famous Yellow Strand Wire Rope

Electric Lighting Systems and Electric Self-Starters



should be controlled through the use of instruments which have been specially constructed, having reference to the severe vibrations encountered.

WESTON MODEL 267 Dashboard Ammeter.

are peculiarly adapted for this service, as every detail has been subjected to the most careful examination

and tests. They will be found on the best cars. See that yours is so equipped.

Weston Portable Instruments

Model 280 should be in possession of every owner and available in every Garage for testing the condition of batteries.



WESTON MODEL 280 Portable Testing Instrument.

Weston Electrical Instrument Co. NEWARK, N. J.

New York Philadelphia Chicago ,

Boston Denver San Francisco Cleveland St. Louis Detroit

Birmingham Montreal Toronto Paris London Berlin

One Ton Truck Chassis, \$1660 This sturdy truck is actually doing its work at a very low cost. Many its work at a very low cost. Many users are getting fifteen miles per gallon of gasolene consumption. We have a mighty interest-ing proposition to live dealers SANFORD MOTOR TRUCK COMPANY Fayette, St. Marks and Eric Streets SYRACUSE, N. Y. Export Dept., 17 Battery Place, New York

This Spark Plug Does Clean Itself

You can prove it, if you wish, in five minutes.

Soot the plug in a lamp until thoroughly blackened. Then insert it in your engine. Start the engine. Take the plug out in a minute or two and you'll find it as bright as new.

This "Soot-Proof" plug is the final result of twelve solid years spent in solving spark plug problems.

It is guaranteed not to short circuit, not balk, not leak. At all times, under all conditions, it gives the hottest spark your current can supply.

It is built with a double chamber. Thus it offers at least three times the resist-

ance of any other spark plug made.

And it doesn't need frequent replacement. It lasts years and years. Under proper

conditions it ought to last as long as the engine.

The "Soot-Proof" spark plug now is used on hundreds of thousands of the leading cars. Millions are in service.


No man can be tempted to use troublesome plugs after one week with "Soot-Proof."

Prove this for your own sake. Get them from your dealer. If he can't supply, find a dealer who can. Or order from us direct.

Don't bother with carbon, with feeble sparks, with plugs that wear out, when all

these troubles have been ended in this patent plug.

This your dealer will gladly guarantee.



C. A. MEZGER, Inc.,

Philadelphia, 1427 Vine St., Petry-Cassidy Chicago, 1430 Michigan Boulevard, F. E. Sparks Detroit, Ford Building, H. E. Butcher Denver, 15th and Curtis Sts., Hughson & Merton

15 Canal Place. New York

Portland, 329 Ankeny St., Hughson & Merton Seattle, 924 E. Pike St., Hughson & Merton Los Angeles, 1229 So. Olive St., Hughson & Merton San Francisco, 330 Golden Gate Ave., Hughson & Merton

"The Cat Has Been Let Out of the Bag"

The Electric Current is strong in a cat. It is magnetism that draws—and our Latest Cat-a-Log is a Magnet that will bring you closely in touch with us.

In this instance we want this cat just let out of the bag to act as the electric magnet to move every

Automobile Accessory Dealer to immediately request us to send him our Latest Cata-Log. It is a Veritable Encyclopedia of Automobile Equipment. It contains many pear things you will want to new things you will want to handle.

Remember Our **Cardinal Virtues**

We are the Only Exclusively Wholesale Automobile Accessory House in America.

Our prices are right. We will positively not be undersold.


We do not sell goods to other than those houses recognized as legitimate automobile accessory dealers.

Our Service — always up to the minute of promptness — ounts—and this unexcelled service is given every customer.

Send us a letter or postal TODAY, requesting us to send you our latest and most useful Cat-a-Log

THE MOTOR CAR EQUIPMENT CO. 55 Warren Street: **New York City**

"EVERYTHING ELECTRICAL FOR AUTOMOBILES"



Your Engine Is As Efficient As Its Ignition

Your engine may be the best in the world but faulty, unreliable ignition gives the owner the impression that the trouble lies in the engine. Equip your cars with

Western Electric

Ignition Apparatus

Magnetos Spark Plugs Spark Coils Timers Switches

and know they will operate satisfactorily after leaving the factory.

Descriptive booklets on request Write our nearest house today

Manufactured by PITTSFIELD SPARK COIL COMPANY Distributed by WESTERN ELECTRIC COMPANY
OFFICES IN ALL PRINCIPAL CITIES





Guaranteed 5,000 Miles Without Puncture

With Durable Treads we give a written guarantee for 5000 miles without puncture. This is binding whether your tires are new or old, tread-worn, rim-cut or rutworn. They are the only protectors built to do so.

Durable Treads reduce the cost of your tire up-keep 50%. They save delays and troubles. They absolutely prevent skidding, without injuring your tires.

cost half the price of tires. They make your tires wear three seasons instead of one. We let you test Durable Treads at our expense—you send no money—promise nothing. Write us at once for details of test plan, special discount, sample, etc. Learn how Durable nothing. Write us at once for details special discount, sample, etc. Learn harman treads save you \$50 to \$200 each season.

COLORADO TIRE & LEATHER CO.
1128-A Karpen Bldg., Chicago, Ill.
1348-A Acoma St., Denver, Colo. 524-A W. 34th St., New York
435-A Golden Gate Ave., San Francisco, Calif.

THEY PREVENT SKIDDING





Why Bowser Systems Are Safe

Ordinary gasolene boils at 113° F. It throws off power-producing vapor long before it reaches the boiling point and it gets warm enough any day to produce vapor.

That vapor is P-O-W-E-R. To release it requires but a spark. Gasolene stored above ground is subjected to the fluctuating changes in temperature—10° to 20° F. every twenty-four hours—and it is, therefore, constantly throwing off power-producing vapor.

Store this inflammable liquid underground in a

BOWSER SAFE OIL STORAGE SYSTEM

Nature's way—where the temperature hovers close around 57° all the year. It does not matter whether it is "zero" or hot enough to melt the pump, it will not explode.

Over a million satisfied users in twenty-eight years and not a fire traceable, directly or indirectly, to the use of Bowser equipment—they simply cannot explode, because they are built 'o conform to that measure of safety prescribed by the National Board of Fire Underwriters.

When in the market remember the name "Bowser." Send for illustrated booklet, showing some exceptionally severe fire tests. It will interest you. Free for the asking.

S. F. Bowser & Co., Inc.

Home Plant and General Offices Box 2126, Ft. Wayne, Ind.

Sales Offices in All Centers and Representatives Everywhere

Original Patentees and manufacturers of standoriginal Patentees and manufacturers of standard, self-measuring, hand and power driven pumps, large and small tanks, gasolene and oil storage and distributing systems, self-registering pipe line measures, oil filtering and circulating systems, dry cleaner's systems, etc.

ESTABLISHED 1885





SPARK | PLUG

A simple and powerful pump adaptable for use on all cars from the smallest Ford to the largest Lozier. Instantly attached by substituting it for a spark plug. Pumps nothing but pure, fresh air. Inflates the tire in from 2 to 4 minutes. Built with metal rings like your engine and will last as long. Requires no attention other than an occasional drop of oil. Weighs only 2½ pounds. Furnished with adapters to fit any car, 12 feet of hose and connections. Price \$10.00. With Pressure Gauge, \$2.00 extra.

extra.

You can try it on your own motor before purchasing

The Mayo Mfg. Co. 55 E. 18th St., Chicago



can only be faithfully carried out when work performed is strictly tallied. A VEEDER HUB ODOMETER will solve your problems on tire, gasoline or "juice" consumption with a record of exact mileage.

Neat, durable and com-pact, it can be easily at-tached. Price complete

\$25.00

At your dealer's, direct from our factory or at the following agencies:

T. H. Cranston & Co., 56 E. Randolph Street, Chi-cago, Ill.

Bernard I. Bill, 543 Golden Gate Avenue, San Fran-cisco, Cal.



The Veeder Manufacturing Company

C. H. VEEDER, President D. J. POST, treasurer H. W. LESTER, Secretary HARTFORD, CONN.

Makers of Cyclometers, Odometers, Tachometers, Tachodometers, Counters and Small Die Castings



Neither Rain, Mud Nor Dust Can Harm

your luggage when it is carried in the new rain-proof, water-proof

Kamlee Auto

"Made by Trunk Makers Who Are Motorists"

Embodies every desirable feature-strength, lightness, durability, beauty. It adds to rather than detracts from the appearance of any car.

Consider these exclusive Kamlee features before you buy an auto trunk, then you'll surely select a Kamlee: patent drop front—no lifting of lid—patent inter-locking edge makes it air-tight, dust-proof, rain-proof; no straps to bother with in opening; fitted with standard suit-cases permitting removal of one party's luggage without disturbing others.

Ask Your Dealer or write us for price and descriptive circu-lar. If your dealer can't supply you, we'll gladly ship you a Kamlee on approval.

THE KAMLEE CO. 234 Broadway, Milwaukee, Wis.

Look for the Red and Gold Diamond Inlaid Right on Front Cover



Price. \$15.00

Because It Positively Gives

A HOTTER SPARK A SMOOTHER RUNNING ENGINE EASIER STARTING MORE POWER LESS CARBON DEPOSITS

CLEANER SPARK PLUGS Over 38,000 Ford Owners Have Installed

Them and more are doing so every day. Watch the number grow monthly. Our Guarantee: Try the K-W Master Vibrator for 30 days and if you can get along without it return it and we will send you your money back and ask no questions. Send for folder.

and Satisfied Feeling

CLEVELAND, OHIO. U.S.A.

We make a complete line of ignition apparatus. Agents in all Principal Cities

......E. J. Edmond, 1783 BroadwayWalter J. Forbes, 243 Columbus Ave.



Type I-F Ammeter

M ETERS are as essentially a part of the electric lighting equipment as gauges are a part of the steam boiler, and who would think of operating even a small steam heater without suitable gauges?

True, the hazard is greater with the boiler, but the safety valve takes care of that.

By means of the gauges you are enabled to operate your boiler more intelligently and increase its efficiency.

If a manufacturer tells you that meters are unnecessary with his lighting equipment, he deceives himself. If you rely on his statement, you deceive yourself.

Hoyt Meters

are the accepted standard in automobile lighting.

A8K FOR BULLETIN 7

Hoyt Electrical Instrument Works Penacook, N. H.

Old Dutch Cleanser

is the best thing to rout grease and grime, stains, soot, rust, tarnish—any form of uncleanliness from anything.

Old Dutch Cleanser takes hold with vim.

Makes the cleaning easy and quick and does away with hard rubbing with ordinary soaps and powders. The place for Old Dutch Cleanser is everywhere, all the time.

Many Uses and Full Directions on Large Sifter Can—10c.





Spring days are Ford days. When the open road allures, you'll want and need a light, right and economical Ford. But, unless you get yours to-day you're almost sure to be disappointed. The supply is big but the demand is bigger.

Our great factory has produced nearly a quarter of a million Model T's. Prices: Runabout, \$525; Touring Car, \$600; Town Car, \$800—f. o. b. Detroit with all equipment. For particulars get "Ford Times"—an interesting automobile magazine. It's free—Ford Motor Company, Detroit, Mich.

NEW EDITION

The Automobile



OVER 100,000 SOLD

HAND

BOOK


By L. ELLIOTT BROOKES
Assisted by Other Well Known Experts

PRICE \$2.00

Revised and Enlarged New Edition—The largest and most practical work published—Used by all up-to-date automobile schools as their every-day text-book. 16mo, over 650 Pages and over 320 Illustrations. Full Leather Limp, Round Corners, Red Edges.

THE Automobile Hand Book is a work of practical information for the use of owners, operators and automobile mechanics, giving full and concise information on all questions relating to the construction, care and operation of gasoline and electric automobiles, including road troubles, motor troubles, carbureter troubles, ignition troubles, battery troubles, clutch troubles, starting troubles. With numerous tables, useful rules and formulas, wiring diagrams and over 320 illustrations.

The Class Journal Co. 910 S. Michigan Ave., Chicago



It Stops all of Your Ignition Troubles
Uses Ford Magneto Current
No more Sticking of Platinum Points
No more Burned Out Timers
No more Missing. Every miss means a

strain on every part of your car, even to the tires. The "Blitz" is a gear-driven sparking device, w


The "Blitz" is a gear-driven sparking device, which fits on the front of the Ford Engine, connects to one unit of the coil on the Dash, and no machine work is necessary to attach it.

Results Count:—Uniform Spark, Perfect Timing, More Power, Smooth Running, Easier Starting.

Positively Eliminates the Back Kick

If your dealer cannot supply you write us. Delivered to any part of U. S. upon receipt of Price, \$20.00

Electrical Specialties Mfg. Co. Omaha, Nebraska



Johnson Trucks

1-Ton 2-Ton — Chasses 4-Ton

Write for Specifications

JOHNSON SERVICE CO., Milwaukee



Gives a clear, deep, pleasing note — without being abruptly harsh.

The Reacto will clear the way on the busiest thoroughfares. Equally satisfactory for country driving or city use.

A strictly highgrade horn, strong throughout. Dust and waterproof.

> Send for Booklet 158M

The Holtzer-Cabot Electric Co. CHICAGO, ILL. BROOKLINE, MASS.



JUST 45 SECONDS!

One man in 45 seconds can move a PORT-ABLE STEEL GAR-AGE CRANE from a position 15 ft, away from the car, hitch it onto its frame, and raise it as shown in the illustration. No tugging. No lifting. One hand of one man does the business. You can then make all kinds of adjustments on the under side of your car—comfortably—standing up—with the light full on your work.

The Portable Steel Garage Crane

Will handle the largest car made with the greatest ease. With it one man can lift out a motor, take off a body, make a complete tire change in a jiffy. It is over 8 ft. high. It runs between the wheels in front or rear. It overhangs 3½ ft. It won't tip under any load. Its listing chain won't break under a 3 ton strain.

On roller bearing wheels. All structural parts steel. Securely double-locked. Built in 3 sizes.

WRITE FOR PRICES

LAFAYETTE ENGINEERING CO. LAFAYETTE, INDIANA



Durno Mfg. Co. 163 St. Paul Rochester, N. Y.







with an extension shank and seven heavy steel sockets.

Extra sockets of any size may be had by parcel post.

A thoroughly practical set, made of the best material Ask your dealer, or write us

GEO. A. CUTTER, SALES Taunton, Mass.



Twenty-Five" \$900

Long Stroke Motor, Big Roomy English Body, Center Control, Left Hand Drive, Every Necessary Accessory—And a Wonderful Economy Record

Five Passenger Touring Car, 110" wheelbase. . \$ 900 f. o. b. Detroit Two Passenger Roadster, 110" wheelbase.... 900 f. o. b. Detroit Three Passenger Coupe, 110" wheelbase.... 1300 f. o. b. Detroit

R-C-H CORPORATION

101 LYCASTE STREET, DETROIT, MICHIGAN

See the new "Croxton Six" when you are choosing your car this year. It has original features which make it the car you will eventually buy. Write for Booklet A—3. THE CROXTON MOTOR CAR COMPANY Washington, Pa. "Croxton Six"



Statement of the ownership and management of MOTOR AGE, published weekly at Chicago, Ill., required by the Act of August 24, 1912.

Editor—C. G. Sinsabaugh, 910 So. Michigan Ave., Chicago. Managing Editor—David Beecroft, 239 W. 39th St., N. Y. City.
Business Managers—E. E. Haight, 910 So. Michigan Ave., Chicago: Francis L. Wurzburg, 231 W. 39th St., N. Y. Publisher—THE CLASS JOURNAL COMPANY, 231 W. 39th St., New York.

Owners:
United Publishers' Corporation, 243 West 39th St., N. Y. Guaranty Trust Co., Trustee, 30 Nassau St., New York.

Known bondholders, mortgagees, and other security holders, holding 1 per cent or more of total amount of bonds, mortgages, or other securities:

H. M. Swetland, 231 W. 39th St., New York.
W. T. Raiph, 231 W. 39th St., New York.
W. T. Raiph, 231 W. 39th St., New York.
E. M. Corey, 239 W. 39th St., New York.
Emerson P. Harris, 71 West 23rd St., New York.
Sarah A. Johnson, 239 West 39th St., New York.

E. E. HAIGHT, Business Manager.

Sworn to and subscribed before me this 31st day of March, 1913.
[SEAL.] EDNA F. McNULTY, Notary Public.
My commission expires September, 1915.

In offering the PULLMAN car to the motoring public, we have endeavored to supply a quality car at a moderate cost. Our line comprises the following models, each one embodying all the PULLMAN features brought up to perfection by PULLMAN experience: 4-36, \$1.875; 4-44, \$2,150; 6-66, \$2,750. "All our models are equipped with electric self-starter and lighting systems."

We have a wonderful agency proposition. Write today.

PULLMAN MOTOR CAR CO. GEORGE ST. YORK, PA.



THREE EXCEPTIONAL MODELS: Model ED—1,000 lbs. capacity (2 cyl.)..... Model B—1,000 to 2,000 lbs. capacity (4 cyl.) Model C—2,000 to 3,000 lbs. capacity (4 cyl.)

Write us for full information and liberal specifications.

THE DART MOTOR MANUFACTURING CO. WATERLOO, IOWA



Since the announcement of our new THICK TREAD AUTOMOBILE INNER TUBE a few weeks ago, we have been almost flooded with inquiries and orders.

We have established a number of distributing agencies, and are making new connections every day for the sale of this really wonderful tube.

We were convinced by our thorough tests before we offered this tube to the public that it was O. K.

The endorsement's it is receiving, by dealers and users alike, prove to us that there is a demand for a tube of this kind, and that it is filling a long-felt want.

We solicit your inquiries.

Manufactured exclusively by

KOKOMO RUBBER COMPANY KOKOMO, INDIANA

WESTON MOTT O

FLINT, MICH.

AXLES, HUBS, RIMS

Strength and durability are factors of utmost importance, and all our products are made to meet the severest tests.



Save 10 to 30%

of your fuel consumption and increase your power. Prevent back-fire. Wolf Gasoline Mixers do this. No moving parts to loosen. No screens to clog. Inserted in intake manifold. Prices up to 11/2"—\$1.50, 19/16" to 2" -\$2.00. Special for Ford Model T, \$1.00. Agents wanted.

Sent postpaid on receipt of price. Money back if you want it.

Approved Auto Specialties Co. 1731-37 Broadway New York

These famous instruments represent the highest development of accuracy and dependability in automobile equipment.

Hoffecker Speedometers and Waltham 8-Day Timepieces have been invariably selected by car owners who demand the best the world affords. Illustrated literature sent free by

The HOFFECKER CO. WALTHAM WATCH CO. Boston, Mass. Waltham, Mass.

People who advertise in MOTOR AGE Classified Columns think enough of their propositions to tell you about them.

They are willing to submit them to a motor-wise public.

It will pay you to get in touch with them.

WINTON SIX

Great Cars for Little Money

If you want to get a high-grade car for little money, a car you will be happy to own and proud to drive, see the used car bargains at any of our branch houses, or write for descriptions and prices.

> THE WINTON MOTOR CAR COMPANY 424 Berea Road, Cleveland, O.

Branch House Addresses—New York, Boston, Philadelphia, Baltimore, Pittsburgh, Cleveland, Detroit, Chicago, Milwaukee, Minneapolis, St. Paul, Kansas City, San Francisco, Portland, Tacoma, Spokane, Vancouver, Seattle.



Prevents All Wire Troubles

Packard cable brings you back home

on time-every time. The covering never breaks. Oil, water and dirt can't penetrate Packard

If your garage man don't have it, write us, giving his name.

The Packard Electric Company



Marion

Touring Cars Roadsters 30-40 H.P..... 36-A\$1475 Bobcat\$1425 48-A 38-A 48 H.P.....\$1850 30-40 H.P.....\$1475

All cars completely equipped

ELECTRIC STARTER-ELECTRIC LIGHTS

THE MARION MOTOR CAR COMPANY 902 Oliver Avenue, INDIANAPOLIS



Is There a

Dealer In Your Territory?

If not, write or wire us today. The Paige "36" at \$1275 and the Paige "25" at \$950 are the leaders in the popular price field. You want them, if you can get them.

PAIGE-DETROIT MOTOR CAR CO. 304 Twenty-First Street. DETROIT, MICHIGAN





25 H. P. Long Stroke Motor

Enclosed Valves, Three Point Suspension, Unit Power Plant, Plat-form Rear Springs, Full Floating Rear Axie, Left Hand Drive, Center Control, Drop Frame, Large Tires, Complete Ball Bearing Car

BRIGGS-DETROITER COMPANY, 455 HOLBROOK AVE., DETROIT, MICH. WRITE FOR SPECIFICATIONS



Blood Bros. Universal Joints

Style A will run 50,000 miles with one filling of the grease caps

Blood Bros. Machine Co., Kalamazoo, Michigan

Detroit Mechanical Starters

For Ford Model T Cars Are 100 Per Cent Efficient

They are dependable, strong and sure. Do away with that back-breaking job of spinning your engine with a crank.

DETROIT - **MECHANICAL STARTERS** are low priced and easily put on. Write for further information.

DETROIT MECHANICAL STARTER COMPANY 1191 Woodward Avenue Detroit, Michigan



America's First Car-


after twenty years of continuous successful manufacturing

-Still It's Foremost

Wide Line of Models

HAYNES AUTOMOBILE CO.,

Kokomo, Ind.





Touring

Demonstrating Cars, Etc.

Black Enamel....\$1.25 Nickel Finish..... 1.50

Parcels Post on Receipt of Price

THE LEYMAN-BUICK COMPANY Cincinnati, Ohio

American Axles

Found only on high grade cars

THE AMERICAN BALL-BEARING CO., Cleveland, Ohio

High and low tension magnetos, makeand-break coils, dash coils, box coils, motorcycle coils, switches, spark plugs and other ignition specialties. Guaranteed satisfaction. WRITE FOR CATALOG KOKOMO ELECTRIC COMPANY, Kokomo, Ind.

Connections

Master Vibrator For Ford Cars



A dependable master vibrator at a reasonable price. Makes starting easy—motoring becomes a pleasure.

Flush Type—Price \$9.00
Delivered upon receipt of price
Send for Bulletin No. 28

Connecticut Electric Company, Inc., Meriden, Conn.



Mends tube punctures as perfectly as the most elaborate garage outfit. Carry it with your car and be prepared for any emergency. Anyone can use it anywhere. Every motorist needs it.

A real vulcanizer, made by famous vulcanizer specialists. Burns gasoline in a patent generator—not an open receptacle. Cures every repair clear through like large vulcanizers do. Exclusive features—universal clamp to give uniform pressure; asbestos iniaid tube-plate; handle for moving vulcanizer while hot.

Fully nickeled. Price complete with repair material and instructions—\$2.

C. A. SHALER CO., 214 Tenth St., WAUPUN, WIS.

B. A. Gramm's **Motor Trucks**

Newest Designs; Latest Improvements; Built in every detail to insure satisfactory and permanent results.

Write for photographs, descriptive literature and the exceptional values we offer you-far beyond all others.

The Gramm-Bernstein Co.

Exclusive Motor Truck Builders

Lima, Ohio, U.S.A.



Extra strong and heavy. Perfectly simple—only four parts, which are easily taken apart for repairs or replacement. Only highest grade, imported, hard fire porcelains used. Minutely accurate, well finished machine work. No thumb screws—a Rajah Clip Terminal supplied with every Plug. Price, \$1.50 postpaid—the most economical Plug made. Send for catalog.

Rajah Auto Supply Co., Bloomfield, N. J.

John Millen & Son, Ltd. — Montreal, Toronto, Vancouver, Winnipeg.





TUTO 2-Tone HORN ELECTRIC WARNING SYSTEM

Electrically transmits two different and distinct sounds; the degree of sound being regulated by the pressure of the thumb upon one button located on the steering wheel. Sold complete with button and cord,

Elyria-Dean products mfd. only by

THE DEAN ELECTRIC COMPANY 504 OLIVE STREET ELYRIA, OHIO, U. S. A.

"Look for Elyria-Dean where Quality's seen."

Are Your Trucks Efficient?



You can only determine by record of performance. Human records are not reliable—

The Jones Recorder

furnishes reliable performance records. The record is in the form of a graphic chart—easily interpreted and easily understood. The lines on the chart tell the story of speed, of starts, of stops, of distances, of loading and unloading intervals.

It is the means for the elimination of waste in the delivery organization.

Write for further information. THE JONES SPEEDOMETER

Broadway at 76th Street, New York Plants, Bush Terminal, Brooklyn, N. Y., New Rochelle, N. Y.

GILMER Tire Repair Pliers



G. WALKER GILMER, Jr.

53 North 7th Street

Philadelphia, Pa.



When Writing to Advertisers, Please Mention Motor Age.





A roar—a blur—and the limited is almost on top of you! Then is the time to thank your lucky stars that your brakes are lined with J-M Non-Burn.

It grips the drum instantly and brings your car to a quick stop. Never slips. Frictional heat cannot char it. And its gripping power is not impaired by water, oil or acid.

Name on every piece. Sold by most dealers or shipped direct.

Write nearest branch for sample and booklet.

H. W. JOHNS-MANVILLE CO.

Albany Cincinnati Baltimore Cleveland Boston Dalias Louisville Detroit Milwaukee Chicago Indianapolis Management Control Control Chicago Indianapolis Minneapolis New York Seattle St. Louis Philadelphia Syracuse 1949





\$1950

Completely Equipped Electric Self-Starter

Electric Lights

Dreadnought

Moline

Five Passenger Touring Car. Full 40 H. P. Moline Long Stroke Motor. Unit Power Plant three point suspension—124-inch wheel base, top, windshield, speedometer. Send for printed matter.


MOLINE AUTOMOBILE COMPANY 40 Keokuk Street East Moline, Ill.



3%-inch	bore	.5- inch	stroke	4-cylinde
1% -inch	bore	.5- inch	stroke	4-cylinde
1%-inch	bore	.5- inch	stroke	6-cylinde
-inch	bore	.5%-inch	stroke	4-cylinde
14 -inch	bore	.7- inch	stroke	4-cylinde
	TETEGODISTN NOMO	-		

WISCONSIN MOTOR MANUFACTURING COMPANY Dept. 25, Milwaukee

Simplicity, Strength, Durability-



Covert Transmissions

You would not think of putting an inferior motor in your car, would you? Superior transmissions are essential as the best motors.

COVERT MOTOR VEHICLE CO.

Sales Office:

Bull Dog Non-Skid

Ford Building, Detroit

Factory: Lockport, N. Y.

(Patents pending in all leading countries.)

No other air compressor is comparable with the O. B., No other air compressor is comparable with the O. B., considering its size, weight, price and portability. Needs no wiring or piping. Instantly available. Delivers an abundance of absolutely pure air, free from traces of oil or moisture, shocks or impulses. Two cents' worth of gasoline will inflate 50 tires—will inflate an average size tire to full pressure in 18 seconds. No garage complete without one. Let us tell you more about this wonderful air compressor, and of our other types.

Write for prices.

Write for prices.

UNIVERSAL MFG. CO. 308-310-312 Ninth St., Sc MINNEAPOLIS, MINN.



are cheapest on mileage

They are strictly high-grade—built to outlast all others—and they do it.

Ask any user.

Send for price list and full particulars Established Agents Solicited

BRAENDER RUBBER & TIRE CO.

Main Office and Factory RUTHERFORD, N. J.

Salesrooms: 1987 Broadway, N. Y. 1211 Bedford Avenue, Brooklyn, N. Y.




Specify

tire cases on and get the best. Don't let your dealer substitute.

Gilbert Mfg. Co. New Haven, Conn.

New York Store, 2010 Broadway, Cor. 68th St.





KRUPP AUTOMOBILE CRANK SHAFTS. STEEL FORGINGS AND FRAME MEMBERS, GEAR BLANKS, KRUPP BAR STEEL BALL MILLS, TUBE MILLS AND OTHER MACHINERY

KRUPP Chrome Nickel Steel

Round Bars in Stock, having a Minimum Elastic Limit 95,000 lbs. per square inch. This steel can be Oil or Case Hardened so as to have an Elastic Limit of over 200,000 lbs.

Use this "TOUGHEST STUFF" and eliminate the Breakages you are now having

THOMAS PROSSER & SON
28 PLATT STREET NEW YORK

KRUPP STEEL LOCOMOTIVE TIRES AND CAR WHEEL TIRES, CRANK SHAFTS, STELE FORGINGS AND CASTINGS, STEEL TIRED CAR WHEELS, PROSSER BOILER TUBE EXPANDERS







Cut shows TITANIC SPRINGS


which have no hole to break at. If broken at center will replace and no questions asked.

FOR ANY CAR

We make also every pattern of AUTOMOBILE SPRINGS

TUTHILL SPRING COMPANY

762 POLK STREET, CHICAGO



THE THOROUGHBRED CAR

Electric Self-cranking, Electrically Lighted Four Forward Speeds

"Six Thirty-six" Touring Car and Roadster, \$1850 Model 30 Touring Car..\$1350 Model 30 Roadster..\$1250

WRITE FOR UNALLOTTED TERRITORY

HERRESHOFF MOTOR COMPANY
Detroit, Michigan, U. S. A.

FEDERAL TIRES give "Extra Service"

Federal Rubber Mfg. Co. Milwaukee



When Writing to Advertisers, Please Mention Motor Age.

"Hyatt **Ouiet** Bearings"



Hyatt Roller Bearing Co. Detroit, Mich.

BOYER SUSPENSION BEARINGS

Perfectly combine the functions of both thrust and radial bearings

Transmit Most Power Because They Have Least Friction

Users of Thrust Bearings will be interested in knowing that all of our Anti-Friction Bearings receive our own special grinding and heat treat-

These costly processes ensure absolute trueness and exact density of steel with entire freedom from magnetic influences.

Write today for our catalog

The Suspension Roller Bearing Co. SANDUSKY, OHIO

Any Kind Every Kind Stock, or to Blue Print

Clincher Q. D. Demountable

For Automobiles, Motor Trucks Aeroplanes, Motorcycles, Bicycles

We Also Make Axles and Hubs,

MOTT WHEEL WORKS, Utica, N. Y. R. B. ABBOTT SALES CO., Sales Agents, Detroit

AUBURN 1913

38 Years' Manufacturing Experience Built Into Every Model.

Model 33M — Two Passenger Roadster; 33 H. P. long stroke motor 3\% x5\% — Price, \$1150.

Model 40L — Five Passenger Touring Car; 40 H. P. long stroke motor 4½x5 — Price,

Model 33L—Five Passenger Touring Car; 33 H. P. long stroke motor 3½x5½—Price, \$1150.

Model Six—45B—Two Passenger Roadster, 45 H. P. long stroke motor 3 ½ x5 ½ — Price, \$2000.

Model Six—45—Five Passenger Touring Car, 45 H.P. long stroke motor 3% x5% — Price, \$2000.

Model 40A — Two Passenger Roadster; 40 H. P. long stroke motor $4\frac{1}{2}x5$ — Price, \$1650. \$2000. Six—50—Six-Cylinder Touring Car, 50 H.P. long stroke motor $4\frac{1}{2}x5\frac{1}{4}$ — Price, \$3000.

Send for 1913 Catalog

AUBURN AUTOMOBILE COMPANY, Auburn, Ind.

WHERE'S YOUR "SIX" FOR 1913?

Every progressive manufacturer announces a "Six" for 1913. The supremacy of the "Six" is established. It has come to stay. Sooner or later you have got to add a come to stay. Sooner or later you have got to add a "Six" to your line. Competition will force you to it. Why not now? Your 1913 "Six" at from \$1600 to \$2,-900 will prove a self-seller if equipped with a

Beaver "Six" Unit Power Plant

With cylinders 3% x 5 inches this motor has the much desired long stroke and just the right power—40-45 H.P. Valves are extra large, and the enclosed valve action is noiseless. Transmission unit enclosed with motor has plate clutch and 3-speed forward selective sliding gear-set. Write for catalog of motors and prices.

BEAVER MFG. COMPANY

2800 First Avenue.

MILWAUKEE, WIS.

The Kinsey Manufacturing Company, Toledo, Ohio

MANUFACTURERS OF AUTO PARTS

KINWOOD RADIATORS, FENDERS, KINWOOD OILERS, GASKETS, KINWOOD STEEL FRAMES. ETC., ETC.

SPECIAL METAL STAMPINGS

FINISHED GRANK SHAFTS **COMPLETE CONNECTING RODS COLD DRAWN STEEL SHAFTING**

Screw Stock, Flats, Squares, Hexagons and Special Shapes

FINISHED MACHINE KEYS MACHINE RACK

> All material finished to a superior degree of accuracy

STANDARD GAUGE STEEL CO. BEAVER FALLS, PA.

\$2585

A Light Six with ample, but not extravagant power, in five body styles, with separate electric starting and lighting and separate ignition systems, and four speeds forward.

Address Department A for Catalog

KLINE MOTOR CAR CORPORATION RICHMOND, VA YORK, PA MAIN OFFICE AND FACTORY, RICHMOND, VIRGINIA



"INNERSHU" The



A Tire


Reinforcement that is

Guaranteed

Ask Any User

Made of the best, is the best, and recognized the country over as the one that makes good.

INNER SHOE TIRE CO., Grand Rapids, Mich.



A high-class car equipment deserves high-class garage equipment. The quality of these lit-tle compressors is such as to appeal to the most discrimi-nating buyers.

Booklet 608



CHICAGO

Ingersoll-Rand Company New York



Lights your lamps (without battery connection), charges your batteries, operates power-horn, inspection lamp, etc. A complete system—not a makeshift.

Gray & Davis Products

Are supplanting oil and gas lamps wherever automobiles are used. Gray & Davis 6 Voit Electric Starter, Electric Lamps and Dynamo are Standard Equipment on America's leading cars,

GRAY & DAVIS, Inc., 55 Lansdowne St., Boston, Mass. Manufacturers of Automobile Lamps, Dynamos and Electric Starters

NON-SKID TIRES

The Only Non-Skid Tires Guaranteed for 5000 Miles

AJAX-GRIEB RUBBER CO.

General Offices: 1796 Broadway, New York City

Factories: Trenton, N. J.

Branches in Principal Cities

LIGHT OR WATER

We supply you with the one and save you the other. Ham's Truck and Pleasure Car Lamps are America's very best.



Our "Ideal" Carriage Washers and Automatic Water Savers save the water.

C. T. HAM MFG. COMPANY Rochester, N. Y.





BOYCE

ADOPTED AS STANDARD EQUIPMENT

by THE WEBB CO., ALLEN-TOWN, PA., for its entire output of motor fire apparatus. Other large makers plan to do likewise.


You too will recognize its merits the first time you watch the MO-TOMETER operate. Read the (Front radiator temperature right from View)

THE MOTOMETER CO., Inc. 1788 BROADWAY, N. Y. Chleago Branch, 1322 Michigan Ave.



(View from Seat)





"SPICER" on universal joints means quality, and "SPICER" quality has been a standard ever since universal joints have been manufactured.

Let us quote you prices on your requirements.

SPICER MFG CO., Plainfield, N. J.

Domestic Representatives: K. Franklin Peterson, 122 So, Michigan Blvd., Chicago; Thos. J. Wetzel, 17 West 42nd St., New York; L. D. Bolton, 1810 Ford Bldg., Detroit. Foreign Representative: Benjamin Whitaker, 21 State St., New York.



THE KENTUCKY THOROUGHBRED—"AMES 45"

Long stroke, powerful Continental Motor—Electric (Dynamo) Lights—Self Starter—Left Hand Drive — Full Equipment — "Amesbilt" Bodies and Tops. A combination of power, speed, endurance and graceful lines. Price, fully equipped, \$1,635. This is 1913's most remarkable car value. Backed by a reputation of 30 years, it will win you from the first inspection. We have a most liberal proposition for geed, live agents. Send for catalog today.

Ames Motor Car Co., Owensboro, Ky.

THE MASTER 5 15th YEAR

6 Cyl. 50 H. P. \$5000 4 Cyl. 55 H. P. \$4500 4 Cyl. 35 H. P. \$4000

F. I. A. T.

POUCHKEEPSIE

NEW YORK



To build up and increase future business, you should sell a truck that is

Durable, Economical, Neat in Design and will satisfy your customer.

The performance of our truck will bring you easy sales. It is only a matter to put one in service and you will not worry about competition.

A card will bring you details

TRABOLD TRUCK MFG. CO., Johnstown, Pa.

Economy is too big a matter to be found lurking in cheap prices.



NON- FELD DOIL

Costs more than other lubricants for bearings and gears but its use reveals true Econ-

omy in dollars saved on repairs and in Efficiency retained in your car.

NEW YORK & NEW JERSEY LUBRICANT CO.
165 Broadway, New York
Chicago, 1430 Michigan Ave. Philadelphia, 1431 Vine 84.

LAUTH-JUERGENS

One, Two, Three and =Five Ton Trucks=

- "Quaranteed for Life"
- "Guaranteed Service"

The Lauth-Juergens Motor Car Company, Fremont, Ohio

FLEKTRA

FOR BRAKES AND CLUTCHES

Over 1,000,000 feet of material produced by our PAT-ENTED PROCESS in daily use.


High coefficient of friction gives greatest factor of safety in operation of all brakes and clutches and OUR PATENTED PROCESS produces the only HIGH-FRICTION facing.

THIS MATERIAL gives better satisfaction a longer than any other facing and is especially for manufacturers' use; our BAND linings, as well as RINGS and CONES for CLUTCHES, being formed ACCURATELY to shape and size.

F. L. Horton Mfg. Co. 36 Whittier Street, Boston, Mass.

Ames Automatic Shock Absorber

ACTS ONLY ON THE RECOIL



Prevents broken springs due to recoil. Eliminates vibration. A logical device giving real efficiency.

CLARENCE N. PEACOCK & CO.

Exclusive Licensees

New York City

Write For This Franklin Dealer Proposition



FRANKLIN six - cylinder models now equipped with Entz Electric Starting and Lighting. A real self starter with original features. Franklin cars use less gasoline, less oil, no smoke, fewer tires, travels faster, rides easier, silent, powerful, flexible, beautiful. Get the Proposition.

Franklin Automobile Co., 27 Franklin Sq., Syracuse, N.Y.

Stands for Vitality in a Truck

Chase Trucks have the ruggedness of staunch single parts and the efficiency of a perfectly or-ganized whole. Vitality is one reason why we sold more trucks last year than any other manufacturer in the country.

A copy of some profitable literature awaits your request.

6 Efficient Models Every Style of Body Capacities 500 to 4000 Lbs.

Chase Motor Truck Co., Syracuse, N. Y.



INVESTIGATE These Five Great Cars NOW

Imperial Offers Unusual Values for 1913

Supreme in Beauty and in Constructional Merits

Imperial Automobile Co., Jackson, Mich.



THE LIFE OF YOUR CAR

Barring accidents, depends upon the thoroughness of its lubrication and the quality of lubricant used.

DIXON'S MOTOR GRAPHITE AND GRAPHITE GREASES

Are prepared with the idea of furnishing the best lubricant for every motor bearing—for no one lubricant is the best for every purpose. Write for "Lubricating The Motor," No. 82—a book which tells you what lubricants to use in every bearing to get the

longest life and most mileage out of your car. State make, model and year of your car.

JOSEPH DIXON CRUCIBLE CO.

Jersey City

Established 1827

Have You Read This Week's **Classified Columns?**

They contain numerous advertisements of interest to you.

It makes no difference what you are looking for-whether a factory superintendent, salesman, foreman or chauffeur -you will find the man listed in MOTOR AGE classified columns.

LOZIER FOR \$3,250!

(A Self-Seller)

A completely equipped Light Six which will meet the big demand for a really high-class car of this type. Dealers from coast to coast who have investigated the LOZIER "Self-Seller" say it is the greatest motor car value they have ever seen.

Some good territory is still open

Write or wire for our proposition

LOZIER MOTOR CO., DETROIT

This name on Automobile Tires and Rubber Accessories signifies inherent qualities of material and workmanship that insure the maximum of service at the minimum of expense.

THE GOODYEAR TIRE & RUBBER CO. AKRON, OHIO



COMPLETELY EQUIPPED

LEFT-HAND DRIVE CENTER CONTROL

22½ H. P., 4-cylinder water-cooled motor, Bosch magneto, standard artillery wheels, best quality 30°x3° clincher tires, extension top, wind shield, five lamps, gas generator, tools, etc. Makes 5 to 50 miles per hour on the high speed, 28 to 32 miles on 1 gal. of gasoline. A thoroughly practical, fully guaranteed car. You can secure EXCLUSIVE SALE in your territory.

Send for Book "K."

METZ COMPANY, Waltham, Mass., U.S.A.

I Want You to HEAR This Musical Auto Horn

I know there isn't anybody who can describe the chime-like signal of the Aermore Horn to you. So I want you to hear it—



-the horn harmonious

I want you to write me and I'll tell you where and how you can hear the singing, organ-like tones of the Aermore. Just drop me a postal.

G. V. P. Lansing, President.

AERMORE MANUFACTURING COMPANY Dept. 5578, 1586 Michigan Blvd. CHICAGO, U. S. A.

"32" Touring Car\$10	000
6-Passenger Touring Car 12	200
"32" Roadster 10	
"32" Covered Delivery 1	
20 H. P. Runabout	750

All Models F. O. B. Detroit. Fully Equipped. Literature sent upon request

HUPP MOTOR CAR COMPANY

1228 Milwaukee Avenue Detroit, Mich.

WOODSTOCK The Hotel of Comfort 43rd St., Just East of Broadway, New York Our new addition is ready

for occupancy. We now have 360 rooms with 265 baths. Write us for descriptive folder with typical floor plan and rate card. Wire for reservation at our expense.

Rates From \$2.50 to \$4.00 Per Day W. H. VALIQUETTE MANAGER

Also The Berwick, Rutland, Vt.

Gives the motor the right mixture at varying speeds, is the most economical, re-

ducing gasoline expense a full 25 percent. And with the MAYER you can get from 15 to 30 percent more power from your motor than with 90 percent of the other carburetors on the market.

Write for catalogue No. 26E and learn the merits of the MAYER

MAYER CARBURETOR COMPANY 2673 Main Street, Buffalo, N. Y.

STAR BALL RETAINERS are famous wherever ball bearings are known. The best bearing service attends the car equipped with STAR BALL RETAINERS. We also manufacture more thrust bearings than any concern on the market. Send us your requirements.

THE STAR BALL RETAINER CO. LANCASTER, PA.



The Crowe Non-Adjustable MASTER VIBRATOR FOR FORD CARS

Here's something new—A vibrator that NEVER needs adjustment—that's ALWAYS right under ALL conditions.

Gives a quick hot spark absolutely uniform in all cylinders.

Eliminates missing and late sparks.

Eliminates missing sparks.

Makes your engine start easier, run smoother, pull steadler and DEVELOP MORE POWER.

Ends all vibrator troubles.

Works on magneto or battery current. GUARANT PERIOR to all high-priced adjustable vibrators.

Measures only 2½" in diameter. Neat in appearance.

Price. Only \$10.50 GUARANTEED SU-

Price, Only \$10.50

Sold by garages and accessory dealers everywhere or sent prepaid on receipt of price.

DEALERS: Here is something that will SELL—big field, big demand. Ask your jobber or write us for terms.

FORD OWNERS: Investigate. Write today.

LISLE MFG. CO., 100 MAIN ST., CLARINDA, IOWA

three standard equipment for most of the leading cars,



pumps only clean, free air to any desired pressure and inflates the largest tires in less than three minutes. Attachments are ready for the HUDSON "33"-

Ask your agent or write us

KELLOGG MANUFACTURING COMPANY Rochester, N. Y. 43 Circle Street



Oldest and Leading European

Ball Bearing

a Magneto

Write for Particulars and List of Users

MARBURG BROTHERS, Inc.

Sole Importers

1790 Broadway, New York Chicago Detroit

Detroit Demountable Rims



"Positive"

Absolutely self - centering, and held so by V-blocks on felloe band and on rim.

DETROIT DEMOUNTABLE RIM CO. DETROIT, MICH. 247 Jefferson Avenue

SOLAR LAMPS

A discriminating public has voted in favor of Solars-the quality motor lamps.

Backed by 15 years of specialization. Found on more high-grade cars than all other makes of lamps.

A Solar Lamp for every motor need.

WRITE FOR CATALOG

THE BADGER BRASS MFG. CO. KENOSHA, WIS. **NEW YORK CITY**



AHEAD"

Three Great Models: Pilot 40—Four cylinders, 4½x5; brake test; 53 horse-power; 120" wheel base; price, \$2000. Pilot 50—Four cylinders, 4½x6; brake test, 59 horse-power; 126" wheel base; price, \$2250. Pilot 60—Six cylinder, 4x6; brake test, 67 horse-power; 182" wheel base; price, \$2500.

The Car Without a Mechanical Defect

Teetor "T" head motors, full floating rear axles, Brown-Lipe dif-ferential, Warner transmission, Eisemann magneto, Stromberg car-burster, handsome jewel bodies with ventilating windshield. Cem-pletaly equipped, with every convenience and comfort. Dyname electric lighting and electric starter (Gray & Davis system), power tire pump. We have the greatest agency proposition in the United

Write for our beautiful art book showing cars in detail PILOT CAR SALES COMPANY. Richmond, Indiana



The only demountable rims that positively prevent tire wobbling. No special tools needed for operation. No unnecessary loose parts. Detaching feature independent of demounting mechanism. Will accept either straight side or clincher tires. Used as standard equipment on America's finest cars.

THE STANDARD WELDING CO CLEVELAND O



If you are not satisfied with the mileage your present tires est branch agent and ask him the mileage you The Republic Rubber Co- Jumpton. O







THE ROBBINS SEDAN BODY

You have seen it—and admired it. Probably you did not know that it was a Robbins body. Probably you have wondered whose design and construction produced that handsome Sedan.

For your own comfort, you will need a Sedan body this winter.

LET US DESIGN IT

IRVIN ROBBINS & COMPANY

Address Sedan Dept.

10th and Canal, Indianapolis, Ind.

Cut Gears of Quality Complete Differentials

The **NEW PROCESS GEAR CORPORATION** SYRACUSE, N. Y.

Best Grade: "Chrome Vanadium."

from Chrome Vanadium Steel

STRENGTH from Chrome Vanadium Steel costing us many times ordinary steel prices; oil tempered, not merely flashed in oil or chilled in water, the old wrong way for tempering. Tested physically to withstand 40 tons to the square inch without taking a permanent set, there is no equal to

Cleveland-Canton "Chrome Vanadium" **Automobile Springs**

Combine flexibility and strength to best meet all strains, jars or vibration from load, road, or engine. For Motor Trucks, Tractor Engines, Auto Cabs and all Motor Vehicles. Give Longest Service and

Next Best: "Special Analysis."

THE CLEVELAND-CANTON SPRING CO., Canton, Ohio

WARNER

We Specialize in High-grade Automobile Parts

Transmissions
Steering Gears
Gear Shift Levers
Differentials
Electric Starters

The Warner Manufacturing Co.

You can take a thousand miles of service out of a set of tires by driving them insufficiently inflated over ten miles of road.

Use the New Positive Lock Stop

TWITCHELL AIR GAUGE

and save your tires



"TIRE INSURANCE FOR \$1.00"

Simple, Accurate, Durable and Easily Read
For sale by Jobbers, Dealers, Garages, or

The Twichell Gauge Co.

1201 Michigan Avenue

Chicago, Illinois

Model Motors



Afford the utmost in reliability and power—with the least weight and fuel consumption. You can add much value to your car by using the Model Motor. We make them better and at less cost than you can, because we specialize in motors and power units.

Write us for facts.

Model Gas Engine Works

PERU, INDIANA

Look At Our New Middle Name

PENNSYLVANIA Oilproof VACUUM CUPTIRES

Pennsylvania Rubber Company JEANNETTE, PA.

Branches-Coast to Coast

HESS AXLES

¶ HESS Axles have been on the market but 2 years. Fourteen car manufacturers in that short time exclusively adopted them as regular equipment.

¶ Renewals of HESS contracts for 1913 from past users and an increasing HESS demand among new manufacturers, is ample proof of the stability of HESS Quality.

¶ May we be of service to you? Write us.

THE HESS SPRING & AXLE COMPANY

CARTHAGE, OHIO, U. S. A.







Eliminate Your Tire Trouble

You can have the same riding comfort in your electric as you have now and without the constant dread of punctures and blowouts, by using

Ideal Steel Wheels

"It's in the Spokes"

(Resilient)

Equipped with solid rubber tires they make any car ride as easily as wooden wheels and pneumatic tires. The shocks are absorbed through a series of elliptical spokes of chrome vanadium steel.

Guaranteed to double the life of any tire, pneumatic or solid Furnished for any motor driven vehicle. Write for literature today Ideal Steel Wheel Co., 1809 First Nat'l Bank Bldg., Cincinnati, O.

The Easiest Riding Car in The World

Marmon "32"
Four cylinders, 32-40
h.p., 120-inch wheelbase, electric starting
and lighting system,
left-hand drive, center
control, nickel trimmings, with newest
body types to meet
every requirement and
corresponding equipment.
\$2,850 to \$4,100

Marmon "48"

Six cylinders, 48-80 h. p., 145-inch wheel-base, electric starting and lighting system, left-hand drive, center control, nickel trimmings, with body types to meet every requirement and corresponding equipment.

70 70 70 70



\$5,000 to \$6,350 Detailed Information on Request Nordyke & Marmon Company Indianapolis (Established 1851) Indiana Sixty Years of Successful Manufacturing



The U-S-L Electric Starter & Lighter takes

The U-S-L Storage Battery (vehicle type)

The U-S-L Storage Battery (sparker type) means a never failing spark for engine

The U. S. Light & Heating Co.

General Offices: 30 Church St., NEW YORK CITY

BRANCH OFFICES AND SERVICE DEPOTS NEW YORK BUFFALO DETROIT ST. LOUIS CLEVELAND CHICAGO

insures lively electric cars and powerful

the place of the fly-wheel.

and economical trucks.

ignition.

SPLITDORF "TS" COILS are the newest and most serviceable transformers on the market today. Equally effective with the older as well as the latest SPLITDORF magnetos, the "TS" COILS can be relied upon at all times.

Write TO-DAY for new catalogue

SPLITDORF ELECTRICAL CO. 98 Warren Street, Newark, N. J.



"The Car of Your Dreams"

Six Models \$1,285 to \$1,685



HERE is truly a car of today. Such features as Ward Leonard Electric Self-Starter, Dynamo Electric Lights, Single Lever Center Control. Left Side Drive and Gasoline Tank Under Cowl, are all built into the car. They are not "afterthoughts"—tacked on. Henderson Wire Wheel models are designed with special hubs making them interchangeable with wood wheels. The automobile buying public is not slow to appreciate such cars at such prices. This is evidenced by our dealers everywhere.

Some territory still open - write for terms.

Henderson Motor Car Co. of Indianapolis, U. S. A.



MODEL 45, \$2750

6 Cylinder, Left-hand Drive, Center Control. 132-inch Wheel Base.

INTER-STATE AUTOMOBILE CO. MUNCIE, INDIANA



Air Compressors

For Private and Public

Garages

Single and Double Cylinders Air and Water Cooled Types

Jacobson Machine Mfg. Co., Warren, Pa. HASTINGS & ANDERSON CO. Chicago, Ill. Western Representatives

Manufacturers
of 1913 Models: WITHINGTON
Fan from your 1913 specifications. Our
One-Plece blade, ball-bearing, radiator fan
assemblies cool the motors of more high-class
cars than any other fan on the market. There's
SPARKS-WITHINGTON Fans deliver the greatest
volume of air with the least H. P. consumption of any fan
obtainable. Furthermore, their one-plece construction is positive
nsurance against blades which loosen, become detached and fly off.
Undoubtedly one of our ten standard models is just what you have
been looking for. Catalogue and detailed blue-prints on request.

Get in touch with us. Don't omit The Sparks-Withington

JACKSON MICHIGAN - WALKERVILLE CAN

BUFFALO ELECTRICS

PLEASURE CARS.

Model 29-Runabout.....\$2,600 Model 30-B-Brougham...... 3,000

TRUCKS.

2,000-lb. Chassis.....\$2,200 F. O. B. Buffalo.

Buffalo Electric Vehicle Company

1220 Main Street

Buffalo, N. Y.

Correspondence with dealers solicited

YWOOD STEAM VULCANI



SOLID PADS and HEAVY CLAMPS the means are through pressure is generated.

> Plants from \$25 to \$500

Write for Catalog B. TIRE & EQUIPMENT COMPANY 524 N. Capitol, Indianapolis, Ind. YWOOD



Marathon Automobiles

America's most comprehensive line. Every car completely equipped. 3 sizes chassis—10 body styles. Price range from \$875 to \$1800

Write for Catalogue M-A

MARATHON MOTOR WORKS, Nashville, Tenn



All Makes of Cars All Kinds of Weather All Grades of Gasoline

FINDEISEN & KROPF MFG. CO. 21st and Rockwell Sts., Chicago, Ill.



Has Always Led

Ask us to tell you about the wonderful new pole pieces and the Automatic Control Magneto.

THE EISEMANN MAGNETO COMPANY

Indianapolis, Ind.

New York

rcoran

Detroit, Mich.

514 N. Capitol Avc. General and Sales Office 802 Woodward Ave. 225-227 West 57th St.

Wasting Tire Money That's what you're doing when you allow water and sand to work into the fabric through small cuts and bruises, rotting them and causing blow-outs.

THE GIBNEY Eleck-Trick Vulcanizer

seals these cuts and makes tubes and tires run double and treble the usual time

Easy to Operate-It Operates Itself An illustrated book, telling how to double the life of your tires, awaits your request for it.

JAMES L. GIBNEY & BRO. 215-217 North Broad Street, PHILADELPHIA, PA.
248-252 West 54th Street, NEW YORK CITY



Michener's Chain Carbon Remover

GAS, OIL, AND ELECTRIC



This carbon remover is a small, flexible chain, made of tough soft wire, 90% copper, manufactured especially for this device; is as flexible as a piece of twine and I guarantee it absolutely harmless to the motor.

This device saves the expense of tearing down the motor, eliminates disturbing the bearings and adjustments which are difficult to secure again; does not scratch or nick the cylinders which as sharp edge tool is likely to do in the old hand scraping way.

Pat. April 2, 1912

Has had the most wonderful sale of any accessory on the market the past three years and steadily increasing.

Recommended by manufacturers and garages. Get two to clean your or quickly—you can clean two cylinders at one time. State kind of the when ordering. motor quickly—you ca motor when ordering.

Price 75c; 3 for \$2.00

Get them from your Dealer

Now sold everywhere Or if your dealer cannot supply you I will send direct, postpaid.

E. S. MICHENER, Washington St., New Castle, Pa.

The Searchlight Gas Co.

1016 Karpen Building Chicago, Illinois

Stronger than ever, legally, financially and in the esteem of the trade. Watch us grow.

BRANCHES AND REFILLING STATIONS:

Ban Francisco, Calif. Buffalo, N. Y. Atlanta, Ga. Dallas, Texas.

Los Angeles, Calif. New York City. Syracuse, N. Y. Minneapolis, Mina. Toronto, Canada.

THE ONE-MAN TOP



CAN BE HANDLED BY ONE PERSON AS EASILY & QUICKLY AS AN UMBRELLA INSTANTANEOUS PROTECTION PROTECTION ORDER ST. NEW YORK.

The New

KEATON NON-SKID TREAD
has four times the wearing service of the ordinary non-skid. Users will tell you that they
have run Swinshart Keaton Non-Skid Tread
Tires a whole season without having them
lose their anti-skid effectiveness. Call at any
one of our stores and investigate them. We
also make a complete line of Smeeth Freematic Tires of best quality. Branches and
distributing agencies in all leading edities.

SWINEHART TIRE & EUBBER COMPANY
1906 North St., Akrea, Ohio



Electric Starting and Lighting

MERCER

THE CHAMPION LIGHT CAR

When motor car efficiency, power, durability, and speed are pentioned, all eyes focus on the Mercer.

Descriptive literature sent on request

Mercer Automobile Co.

800 Whitehead Read TRENTON, N. J.

SCHAFER BEARINGS MADE IN GERMANY SOLD IN AMERICA

When you buy SCHAFER BALL BEARINGS you are not experimenting because SCHAFER BALL BEARINGS have for years been recognized as the standard of bearing quality. They are made in Germany of the best steel, and are now in universal use throughout the world.

BARTHEL & DALY

42 BROADWAY

NEW YORK

TIMES SQ. AUTO CO.

NEW YORK
1710-1718
BROADWAY

CHICAGO
1210 to 1212
MICHIGAN AVENUE

NEW CARS
USED CARS
MOTORS
BODIES
TOPS AND
EVERY
ACCESSORY
FOR THE
AUTOMOBILE

From 20c to 50c on the dollar

We are the
Largest Dealers in the
World
in
New & Used Cars
and
Factory Cleanups

Chicago, Kansas City, Atlanta





Get acquainted with the standardized "Cole"

the car that is writing gasoline history.

Learn what the

Cole franchise for dealers

will mean to you if you happen to be located in open territory.

Cole Motor Car Co. of Indianapolis

Prest-O-Starter


Starts your motor, old or new, with utmost ease

This simple, efficient gas starter costs little to install and operate. Unlike some starters, it works in winter as well as summer.

Write for literature

THE PREST-O-LITE CO. 233 East South St., Indianapolis, Ind. CANADIAN MAIN OFFICE AND FACTORY, MERRITTON, ONT.

Keep Your Car Looking Like New



An hour's easy work once a month keeps a car shining and new looking. keeps a car shining and new looking. Body Gloss is a wonderful varnish renewer. The only perfect refinisher. Easy to apply. Simply pour on cloth and rub on. Finish with dry cloth. Economical. A pint goes over any touring car twice. BODY-GLOSS will not restore the factory finish to a body that needs painting. But its a body that needs painting. But its use will preserve for an indefinite period the original luster of a well finished car. Use BODY-GLOSS and your new car will always look new.

At your dealer's or sent express pre-paid upon receipt of price. Pint can, 75 cents; quart can, \$1.25. Money back if not satisfied.

ATLAS AUTO SUPPLY COMPANY, 3243 W. LAKE ST., CHICAGO



NOTICE

The service department and the repair-parts de-partment of the E. R. Thomas Motor Car Com-pany have been purchased by C. A. Finnegan, Buf-falo, N. Y. These departments will be continued in full operation at the old address, 1200 Niagara Street, Buffalo, N. Y. All orders for

Parts and Repairing

will receive careful and prompt attention.

Save This Notice

This advertisement will NOT appear again. Either make a permanent note of the address or save the whole notice.

Address all communications and requests to

E. R. THOMAS MOTOR CAR CO. 1200 Niagara St. BUFFALO,





AND HERE'S THE FACT: THE BUDA IS

THE PART THAT SELLS THE CAR"

We are constantly adding standard makes to our list of customers. When may we show YOU the reasons WHY!

BRANDENBURG & CO.

1108 S. MICHIGAN AVE.

Made by

Chicago.

57th and Broadway New York, N. Y.

FORD BUILDING DETROIT, MICH.

RUDGE-WHITWORTH DETACHABLE WIRE WHEELS

Fitted With HOUK Quick Detachable Rims

Make for greater resiliency, smoother rid-ing. Save tires. Are quickly and easily re-moved. Practically indestructible. Absolutely rust-proof. Now being manufactured in America by the Standard Roller Bearing Company, of Philadelphia.

GEO. W. HOUK CO. 5002 LANCASTER AVE., PHILADELPHIA, PA.

AXLES & SPRINGS

SHELDON AXLE CO. WILKES-BARRE, PA.
O OFFICE.
DETROIT OFFICE
12th Street.
12th Street.
DETROIT OFFICE
12th Street. CHICAGO OFFICE.

Absolutely Prevent Skidding

Necessary on Rear Wheels Advisable on Front Wheels.

For your own safety-for the safety of the public, fully equip your car with Weed Chains

AT ALL DEALERS

Weed Chain Tire Grip Co. 28 Moore St. New York



We Ship On Approval PREPAY EXPRESS AND ALLOW 30 Days' Free Trial

The best "Nonskid" puncture-proof device for automobiles, commercial cars and motorcycles.

Try Them At Our Expense
Be your own judge—don't take any one's word
for it. "The proof of the pudding is in the eating."
Perfect Score in 4 Gildden Tours

Twin Cities to Helena, Mont., 1911.
Twin Cities to Helena, Mont., 1911.
Twin Cities to Winnipeg, 1912.

It only costs one cent to learn our prices and guarantee on "Brictson" Detachable Treads. Write Today for Full Particulars

The Brictson Mfg. Co. BROOKINGS, S. D.



Reo the Fifth

Final and crowning achievement of R. E. Olds, pioneer designer of autos. A standard size 30 to 35 horsepower four-cyinder car of modern refinements priced at only \$1095.

R. M. OWEN & CO., General Sales Agents REO MOTOR CAR CO., LANSING, MICH.

McFARLAN

Electric SIX

Self Starting

SERIES "S"—45 H. P., 2, 4 and 5 Pass.—\$2,300 SERIES "T"—50 H. P., 2, 4 and 5 Pass.—\$2,500 SERIES "M"—60 H. P., 2, 4, 5 and 7 Pass.—\$2,750

New Six Passenger, Coupe and Limousine Bodies slightly higher.

TERRITORY OPEN FOR PROGRESSIVE DEALERS

Pioneer Six-Cylinder Cur Builders of America

McFARLAN MOTOR CAR CO., Connersville, Ind.

No Automobile is Completely Equipped without it.

The Stewart Pisto

The Stewart Piston
Gasoline Saver

Saves up to 40%

(20% Guaranteed)

INCREASES POWER INCREASES SPEED SAVES YOUR BRAKES

Price \$6.50 Anywhere in the U. S. Ask your dealer, or write us.

HALLIWELL CO.

408 West Pico Street, Los Angeles, Calif.

And the state of the supplemental and the state of the supplemental st





Equip Your Car with ELECTRIC LIGHTS through the

WELLS GENERATOR


operated by button from driver's seat.

It is Cheaper than Gas and More Reliable

It always produces correct amount of current at all speeds and protects battery by means of special Magnetic Shunt. Write for Booklet.

R. C. WELLS MFG. CO., Wells Bldg., FOND du LAC, WIS.







The "Yankee" Slient Muffler has no complicated parts to become clogged. No back pressure, and silent. Made in various sizes. Write for free catalog.


Manufactured by
THE "YANKEE" CO., Utica, N. Y., U. S. A.

300 PAGES Now Ready

WHOLESALE ONLY DEALERS GET

MOTOR CAR SUPPLY COMPANY 1451-1453-1455 Michigan Ave., Chicage





25% to 50% more mileage

for illustrated descriptive booklet

Schoen Jackson Company, Media, Pa.



catalogue and prices.

OILDAG

is the only oil lubricant that contains deflocculated Graphite. It will save oil and afford increased power. Try it.

Send address for Booklet 458P INTERNATIONAL ACHESON GRAPHITE CO. Niagara Falls, N. Y.

Automobile, Motorcycle and Bicycle Supplies

Ask for catalog "M" Dealers only

THE BECKLEY-RALSTON CO. Mich. Ave. & Randolph St., Chicago



Windshields of Character

About half of the representative cars of the United States are equipped with Troy Windshields. Write for literature.

FROY CARRIAGE SUN SHADE COMPANY Dept. C, Troy, Ohio



Want to Buy a Used Car?

See those listed on first page of Classified Columns

State distributors, exclusive rights, excellent proposition.

STURDY MFG. CHICAGO 2639 Michigan Ave.

AUTO-TOP FABRICS OF EVERY DESCRIPTION

SAMPLES AND PRICES ON REQUEST

L. J. MUTTY CO., Boston

Co. Perfection Spring MANUFACTURERS

High Grade Automobile Springs

Central Ave., Cor. E. 65th St., Cleveland, O.

SPROCKETS



Chains and Differential In Stock or Order Send for New Catalo

CULLMAN WHEEL CO

Ten Eyck Pump

Only Automatic Air Pump

For Tires or Tank Gear or Friction Drive Send for illustrated booklet

541 Tremont Street, BOSTON, MASS.



The Hand Actuated Warning Signal.

It Never Fails G. PIEL CO., Long Island City, N. Y.

DEALERS

Have you received our new 1913 auto supply catalogue? Full line new goods and new prices.

Prompt shipments—our policy Chicago Automobile Supply House 1355 So. Michigan Boulevard, Chicago

)AKES RADIATOR ANS

The Oakes Co. Indianapolis Ind.

North East Electric Co.



ROCHESTER, N. Y. Combination Electric Starting

and Lighting Systems

Coils, Magnetos, Timers, Spark Plugs

Catalogue on Request SALES OFFICE, DETROIT, MICHIGAN

HEINZE ELECTRIC COMPANY Lowell, Mass.

The PARISH & BINGHAM CO.

CLASSIFIED ADVERTISEMENTS

The Trading Center Motor Car Industry

Rates-25 per line Minimum Charge 100 6 words to a line

Cars For Sale

A ONE AND ONE-HALF TON TRUCK for sale—A rapid truck; just been over-hauled and in good running condition; price \$700. Apply to W. W. Chapman, 86 Spring St., Stoneham, Mass.

A 7 PASSENGER, 40 HORSE POWER White Steamer and one 20 h. p. 4 pass. Both machines like new. Joy valve engines, kerosene burners, operating for one-half cent per mile. Address Box D 151, clo Motor Age.

BARGAINS! BARGAINS! BARGAINS!

Stoddard-Dayton 50 raceabout 1909,... 475.00
Pope Hartford 1909, fore-door, 7 pass. 600.00
Pope Hartford 1911, 50 h. p., fore-door
Berliet Alco 70 h. p. raceabout.... 575.00
Amplex five passenger touring... 700.00
Peerless 1910 touring, fully equipped. 900.00
Plerce 30 with 1912 fore-door body... 750.00
Packard 1908, late improvement, fully equipped. 900.00
Plate 40, fore-door, double chain... 800.00
Flat 40, fore-door, double chain... 800.00
Itala 30 h. p. touring, seven passenger 750.00
250 tops, Mohair and Pantasote, from \$10
to \$35, all new, for every make car.
Also motors, transmissions and different parts for all makes of cars at 50% off the list price.
Bodles, new and used, touring and runabouts, wrecking prices.

PACIFIC MOTOR CAR EXCHANGE CO., 10 West 62nd St., New York.

Steams 30-60, will BUY A 1911 Steams 30-60, shaft drive, seven passenger touring car. Equipped with Republic Staggard Tread tires, two extra tires, demountable rims, top, wind shield, speedometer, seat covers, extra seats, complete set of lamps, Prest-O-Lite tank, tools, etc. The entire outfit in excellent condition in every respect. The body is a special one built by Brewster of New York. This is one of the best values for the money to be found anywhere. Packard Motor Car Co., 2359 Michigan Ave., Chicago.

CHALMERS SIX TORPEDO 1913.
On account of investment will sell a Chalmers Six 4-Passenger Torpedo, run less than 1,000 miles, at a liberal discount. Don't write unless you live in western Iowa and will come and see the car. Address Box D 304, c|o Motor Age.

ELMORE TOURING CAR, LATE 1912 model, used 1,800 miles; top, speedometer, and full equipment; price, \$700; warranted perfect condition; fine roadster, H. J. Daniels, Norwich, N. Y.

FAL CARS AND REPAIRS
F. A. L. Auto Co., 4052 Princeton Ave.,
Chicago. Phone Drover 1712.

FOR SALE—ALL KIND OF AUTOS, NEW and used. Worth the money. Write us. The Reliable Brokerage Co., Box 318, Windsor, Mo.

FOR SALE CHEAP

1—Stevens-Duryea. 6-cylinder, 7 passenger touring car.

1—Thomas 6-70, 7-passenger touring car.

1—Hudson "33" 5-passenger touring car.

1—Mercer 4-passenger pony tonneau.

1—EMF Thirty 4-passenger car.

1—Waverly electric 4-passenger.

All in good condition. Address, Lucia Bros.

Motor Car Co., Green Bay, Wis.

FOR SALE—NATIONAL FORTY. RUN less than 9,000 miles. Just overhauled at factory. Extra tires and full equipment. Box D 340, c|o Motor Age.

FOR SALE—NEW AUTOMOBILE. BRAND new Chalmers No. 36 5-passenger, touring car. 1913 model. Will sell this car at cost, less agent's commission. Cash only. G. F. S., Box 53, Newport, Tenn.

FOR SALE—WHITE STEAM CARS, VARI-ous models, in excellent condition; also parts for steamer engines and generators. We specialize in steamers. Joseph Libal, 3145-53 N. Halsted St., Chicago.

FOR SALE—1 MODEL 17 BUICK, A1 CONdition, fully equipped, \$750.00. 1 Overland Model 56. A1 condition, \$450.00. Latest Model F Buick with mag., \$300.00. 1 Maxwell roadster, fine shape, \$250.00. 1 Model T Ford, in good shape, and other bargains.

Rivers & Petrie, Battle Creek, Mich.

FOR SALE—5 PASSENGER MODEL O White Steamer; fully equipped; good tires and in good running order, \$175. Fred Stoll, 1849 Oakwood Ave., Toledo, Ohio.

FOR SALE—ONE 1911 FORD ROADSTER with detachable double seat, excellent running shape, completely equipped, including electric lights, for \$295. Box 84, Blountville,



Second Time Within a Year

"Kindly discontinue my ad. in MOTOR AGE. I have sold the car. This is the second time within a year I have advertised in this paper with the best of results."—P. S. W.

FOR IMMEDIATE DISPOSAL—1 SLIGHT-ly used, 3-passenger, Stoddard-Dayton; coupe and full equipment. A fine looking car and as good as it looks. A good buy at \$900.00

Downer Place Garage Co., Aurora, Ill.

GLIDE FIVE-PASSENGER, NEW TRANSmission and differential, new engine run
only eight miles. Rebuilt at cost of about
\$400, worth \$800; traded for it and will sell
for \$400.

New steam vulcanizer, cost \$25 at wholesale. Have quit repair business; price, \$15.
One 6-voit storage battery, \$16 for \$10;
never used. Henley Eversole, Newman, Ili.

G. J. G. SPECIAL RACING MACHINE, capable of doing better than 70 miles per hour, mounted on English style of wire wheels, with Bosch racing magneto and motor modeled so as to have minimum of friction to the maximum of speed. Equipped new with any make selected of standard tire equipment. Write for photograph and specifications to G. J. G. Motor Car Company, White Plains, N. Y.

MITCHELLS REBUILT, GUARANTEED.
These cars are fully equipped. Call or write for further particulars.
Mitchell Automobile Co.,
2334-36-38 Michigan Ave., Chicago.

ONE REO FIFTH, COMPLETE, USED some last fall demonstrating; look as though it had never been used; \$850; Box D, 339 c|o Motor Age.

NEW CARS AT THE PRICE OF OLD

We have made arrangements with some of the leading factories to handle their slightly used and rebuilt cars. Manufacturer's guarantee back of all cars sold by us. A chance in a lifetime for real bargains.

Write stating size car wanted, and let us send you list of cars on hand.

THE REBUILT CAR CO., Indianapolis, Ind. Box 9.

ONE MODEL U FORD RUNABOUT IN good shape; all complete, \$125.00. H. Kaskel, Spencerville, Ohio.

ONE-TON MONITOR TRUCK; USED LESS than 3 months, covered body screened sides; new solid tires; a real bargain. The White Co., 2635 Wabash Ave., Chicago, Ill.

ONE 4-PASSENGER FLANDERS 20 CAR equipped with lights, glass front and speedometer. Write Ward & Dorr, Whitewater, Wis.

ONE 16 AND ONE 20-PASS, AUTO BUSES. Have been run only a short time. At a

bargain.

Beck & Son, Cedar Rapids, Iowa.

ONE 1912 PACKARD SIX PHAETON—IN addition to standard equipment has wind shield and speedometer; run less than eleven thousand miles; color of body and gears maroon, fenders and hood black. Reason for selling, going abroad. Delivery after May 7th. Price \$2,500.00. Address Box D 329, c|o Motor Age.

OVERLAND USED CARS.

If you are going to buy a light, used car it will pay you to see what we have. You will not be urged to buy, the cars and prices do the selling.

OVERLAND USED CAR DEPT.,
2426 Michigan Ave.,
Chicago, Ill.

TENNANT MOTOR LIMITED, 2447 MICHIgan Ave., Chicago, offer one "1908" Winton, 6-cyl., 7-pass. Touring Car, which is short half crank case and other aluminum parts (car having been robbed). Bargain for some Winton Dealer.

TWO ONE-TON GRABOWSKY DELIVERY wagons in perfect condition; have just been completely overhauled; large panel body; will sell cheap, though only run about 10 months, as they are too large for our purposes. HEYN'S BAZAAR, 147-151 Woodward Ave., Detroit, Mich.

WELCH PONTIAC; 4 CYL., 50 H. P., 7 passenger; new body, top and paint; full equipment; first-class condition; a bargain. Albert Schrieber, 3916 Washington Ave., St. Louis, Mo.

3-TON- 4-CYLINDER KELLY TRUCK, express body, cab over driver's seat. Will sacrifice if taken at once. The White Co., 2635 Wabash Ave., Chicago, Ill.

1912 STEARNS-KNIGHT, 5-PASSENGER four cylinder, selfstarter, and full equip-ment, including seat covers. Can be pur-chased at a bargain. G. L. McMannus, 1717 McGee St., Kansas City, Mo.

2-TON GRABOWSKY; IN GOOD CONDI-tion, equipped with furniture body and new tires all around. Will sacrifice if taken im-mediately. The White Co., 2635 Wabash Ave., Chicago, Ill.

Parts and Accessories FOR SALE

A BATTERY BARGAIN—6-80 STORAGE batteries. Exide, Vesta, National, Univer-sal, for auto igniting and lighting, \$1.50 to \$7.50. 4105 Cottage Grove Ave., Chicago. a

A COMPLETE STOCK OF ONE AND TWO Cylinder Reo Parts, which we offer at a discount of 40% from factory list on business amounting to \$20.00 or more. Address Box D 279, c|o Motor Age.

HIGH PRESSURE AUTO WHISTLE.

Something new and novel. Gives an abrupt loud noise surpassing anything now on the market at a price within reason. Write for descriptive circular. Buell Auto Co., 6051 Cottage Grove Ave., Chicago.

ACCESSORY CATALOGS FOR

AUTO SUPPLY DEALERS

Boom your business by issuing a catalog of your own. Be a live wire. We can furnish 128-page catalogs at 5c per copy in quantities of 250 upwards. Here is an opportunity to increase your sales. All standard items illustrated. Catalogs ready for delivery. Send for sample copy.

CATALOG PRINTING CO.,

132 Nassau St., N. Y. City, N. Y.

ANY ACCESSORY FOR YOUR CAR.

Will you let us show you how actual dol-lars can be saved on Ford equipment?

READ THIS LIST.

Mahogany moulding, ventilators, bumpers, electric lighting outfits, robe rails, tool boxes, muffler cut outs, trunk racks, tire-holders, and many others.

Special Commercial Bodies.

Be sure and send for our catalog and description of the now famous "Remotop."

Address Dept. P.

AUTO REMODELING CO., 1827-1829-1831 Michigan Ave., Chicago.

ATTENTION-HENRY OWNERS

Having purchased the repair business of the Henry Motor Co., we are prepared to fill orders promptly for repairs for Henry cars. Muskegon Automobile Co., Muskegon, Mich.

AUTOISTS—BROWN SCIENTIFIC TUBES.
Self-closing and will not deflate when
punctured; tread puncture immune; write
for prices; agents wanted. Distributors for
Wisconsin, Badger Sales Co., Beaver Dam,

AUTO OWNERS IN SMALL TOWNS.

You can save one-half your tire expense and nearly all your tire trouble by using Security Reliners. Many of our customers run their cars the entire season without blowout or puncture and without spending a cent for tire repairs.

YOU CAN DO IT YOURSELF.

If we have no dealer in your town you can get a trial order at the dealer's price, and make a good profit selling to your neigh-bors. If you run your own car write at once for our plan.

SECURITY RELINER CO., 301 Spring St., Montgomery, N. Y.

AUTOMOBILE BODIES, PLEASURE AND

Commercial.

Foredoors for open-front cars.

Write for prices.

Auto Specialty Mfg. Co., 326 E. Market St.,
Indianapolis, Ind.

AUTOMOBILE PARTS AND SUPPLIES.

THESE BARGAIN PRICES WILL HOLD GOOD FOR TEN DAYS FROM DATE.

Trucks. Our 1913 catalogue will be out in two

Write for one. Send for our No. 700 Bargain Sheet.

AUTO PARTS CO., 513-31 Jackson Blvd., CHICAGO.

AVOID ACCIDENTS—DIM-A-LIGHT THE new device for controlling the glare of electric headlamps. Pellets Magneto Ex-change, 1463 Michigan Ave., Chicago, Ill.

A WHITE STEAMER GENERATOR AND burner, almost new. Will sell cheap. Ad-dress Box D 245, c|o Motor Age. w

BARGAINS FOR FORD OWNERS

In equipment for 4 and 5 pass, cars

Price \$23.00 23.00 15.00

BATTERIES GUARANTEED 2 YEARS

 Volts, 60 Amperes
 \$15.00

 Volts, 80 Amperes
 17.50

 Volts, 120 Amperes
 19,75

R. B. Lacey & Co.,

1467-69 Michigan Ave., Chicago, Ill.

BE YOUR OWN PAINTER

It is a waste of time and money for a motorist to sacrifice his car to the paint shop for an indefinite period and to pay outrageous prices for the complete job. What's the use?

PROVE TO YOURSELF

RESULTS GUARANTEED

If this Refinisher doesn't increase the value and looks of your car 100%, and you are not satisfied, write us and your money will be cheerfully refunded.

Send for circular at once.

R. B. LACEY CO.,
Sales Agent.

Trumbley Auto Top & Equipment Co.,
1467-9 Michigan Ave.,
Chicago, Ill.

BODIES

At less than cost.

New fore-door touring bodies, \$45, \$55 and \$75 New Racy Runabout bodies, \$30, \$43 and \$50

Jandorf Automobile Co., Body Dept., 3-5-7 W. 61st St., New York City.

BEST SPARK PLUG MADE FOR FORD. No porcelain or mica, gas-tight, no pack-ing, special insulation; \$3 per set, prepaid via mail. Overland Spark Plug Co., Box 2628, Boston, Mass.

BLOOM OUT IN THE SPRING

with silver plated trimmings. AR-GEN-TOR, the only reliable compound; will plate them all in a few moments. You do it yourself at home. Deposits a permanent plate. There is no other like it, none just as good. Remember, please, that it contains no mercury or cyanide. Readily plates on brass, copper, steel, etc.

Thousands have used it and success is assured. We guarantee it. Full size, \$1.00, prepaid.

Forest City Sales Co.,

Fremont, Nebr.

BRAND NEW 6 CYL. U. & H. HIGH TEN-sion magnetos complete with terminals, \$35; brand new 1 cyl. U. & H. high tension magnetos, \$15; Warner steering gears, brand new, complete with spark and throttle levers, \$14; new double bucket seats with cushions, \$20. Send for Bulletin No. 12.

AUTOMOBILE APPLIANCE CO., 1712 Michigan Ave., Chicago, Ill.

BRAND NEW 35-40 H. P. FOUR CYLIN-der motors, with fan, pump, clutch, mag-neto and coil. Price \$222.50. Not old, dis-continued models, but up-to-date in every way. F. E. Alford, Goshen, Ind.

COMBINATION IGNITION LOCKS

STOP THE AUTO THIEF. .

Your car cannot be stolen if equipped with a Combination Ignition Lock. Chicago auto thieves stole \$260,000 worth of automobiles last year.

PROTECT YOUR CAR a Combination Ignition Lock. With a

Inexpensive; easily applied to any car; convenient; simple; no keys; works like the dial on a safe; far cheaper and better than

Details and catalog on request.

The Auto Combination Mfg. Co., 1467 Michigan Ave., Chicago.

E.M.F., Flanders, Buick, Regal, etc. Com-plete outift with brass lock, open pedal, \$1.50. Lincoln Machine Shop, Lincoln, Ill.

DETROIT FORE-DOORS

for

E-M-F, Ford and Hudson. One piece aluminum; immediate shipment subject to inspection. Detroit Fore-Door Co.

66 Fort St. E.

Detroit, Mich.

DISCO SELF-STARTERS
For Sale. Only a few. Equip your car
with a self-starter for this winter. Guaranteed new stock. List price, \$50; our price,
\$12.50. Parsons Sales Co., 1817 Grand, Kansas City, Mo.

ELECTRIC HORNS COMPLETE \$3.00; vulcanizers complete 90 cents. The new catalogue ready March 15. Fred Allen Auto Supply Co., 1610 Michigan Ave., Chicago, Ill.

DRAGON REPAIR PARTS. We manufacture and keep on hand all repair parts for the Dragon cars. We make a specialty of repairing this machine. Philadelphia Machine Works, 67 Laurel St., Philadelphia, Pa.

FORD FAN BELTS, WOVEN COTTON AND silk outlast six regular belts. Postpaid, 75c. Dealers, write. Angler's, Streator, Ill.

E. M. F. PUSH ROD ADJUSTERS

\$1.50 for complete set delivered. Money back guarantee. Auto Parts Co., Providence, R. I.

FORD AGENTS—WE MAKE A SPECIALTY of Dust Hoods to cover top when clashed down, for Model T Ford 1910-1911-1912-1913 cars. Write for prices. Will save you money. The H. A. Hawes Storm Front Co., Coldwater, Mich.

FORD OWNERS

A postal brings you our 1912 catalog of 22 necessities for your car. Auto Parts Co., Providence, R. I.

FORD OWNERS AND DEALERS!

You will save trouble and money by installing our timer elevating device.

Ford Parts Specialty Co.,
1211 Main St., Richmond, Ind.

FORD LIGHTING OUTFIT \$5.50 Includes parabolic reflectors, tungsten bulbs, wiring, switch and free delivery. Truscott Auto Supply Co., St. Joseph, Mich.

FORD, HUPP AND MAXWELL Muffler cut-out machined ready to attach, including lock, open pedal string and cables, \$1.35. Lincoln Machine Shop, Lincoln, Ill. c

FORD OWNERS—WE CAN IMPROVE THE appearance of your Ford car 25% by adding to the top of the doors a set of mahogany moulding, stained to match the dash, at a very small cost to you. Write today for particulars. The Specialty Co., 2220 Calumet Ava. Chicago. Ave., Chicago.

FORD OWNERS—YOU CAN INCREASE the life of your tires 25% by fitting your car with Wire Wheels. Will also improve riding qualities of your car and make it upto-date. Write Racine Auto Parts Co., Box 86, Racine Jct., Wis.

FORD OWNERS WANTING FIVE ELEC-tric lights using Ford magneto for charg-ing a storage battery (self contained sys-tem), write American Battery Co., 1124 Ful-ton St., Chicago.

FORD OWNERS—OUR SPARE DEMOUNT-able wheel cures tire trouble on road. Doc-tors attention. Write Angier's, Streator, Ill.

FORD T OWNERS
Foot throttle or accelerators, \$1.50. Lincoln Machine Shop, Lincoln, Ill.

FORE-DOORS.

Bring your open-front car up-to-date. We make fore-doors to fit all standard makes of automobiles. We carry large stock and guarantee prompt shipments.

Write for prices and description.

Pioneer Fore-Door Mfg. Co.,

211-217 W. Georgia St. Indianapolis, Ind.

FORE DOORS

Doors made for all makes of cars. Guaranteed prompt shipment and a very good fit. We have patterns for most every car. F. E. Lortz Co., 2503 E. 55th St., Cleveland, Ohio.

FOR SALE—BRASS AND BRONZE AUTO-mobile monograms, original and artistic combinations of letters. Any size up to nine inches high; regular \$12.00 value for only \$5.00. George W. Unger, Columbus, Ind.

FOR SALE—NO. 2 WILLIAMS VULCAN-izing Kettle, in first-class condition. C. L. Post, No. 86 Gay St., Stamford, Conn.

FOR SALE—ONE LIMOUSINE BODY FOR Stearns 30-60 chassis. Body cost \$1,750 when new; used one season and in perfect condition. Price, \$800 f. o. b. Louisville.

Louisville Lozler Company
Louisville, Ky.

FOR SALE—UP-TO-DATE NEW FOUR-door touring bodies, trimmed and painted; while they last, \$75, untrimmed; unpainted, \$25; Splitdorf spark plugs, \$1.60 per set of four; side oil lamps, per set, while they last, \$3; Goodyea r Q. D. side rings, 34x3½ clincher, 25c each. Martindale & Millikan, successors to Ind. Motor and Mfg. Company, Franklin, Ind.

FOR SALE—TWO TOURING CAR BODIES in good condition for Model K 1910 Chal-mers "30," at \$50.00 each. E. S. YOUSE CO., READING, PA.

GUARANTEED.

Radiators for all cars.

The following is our stock list of radiators for the cars mentioned, subject to immediate shipment. Compare our prices with other lists:

Ford Model "T"	.\$18.00
Ford Model N-R-&-S	
Buick 10-32-33-14	
Buick F-16-17-19-26-27-28	
Buick B-K-S-38-39	
Hudson 20	
Chalmers F-40	
Lion 40	
Warren 40	
E. M. F. 30	. 30.00

Terms: One-third cash with order, balance C. O. D., or five per cent discount for cash with order.

Autoparts Manufacturing Co., Detroit, Michigan.



Bargains

Every week motorists find parts and accessory bargains in MOTOR AGE classified columns which prove of lasting benefit to their pocket-books.

Look for them

FOR SALE—60 H. P. NASH GAS ENGINE and 100 H. P. Smith gas producer. This power plant cost us \$4,500 three years ago. It is in perfect condition and we will sell it for less than half its original cost, as we have no use for it in our present plant, where our power equipment is 1,000 H. P. Full particulars on request.

Harley-Davidson Motor Co., 3703 Chestnut St., Milwaukee, Wis.

GUARANTEED, 6-VOLT, 140-AMPERE Storage Batteries, \$36.00. Special Sale. Now., \$16.00. The Ampvo Battery Co., 1607 Michigan Ave., Chicago, Ill.

HUPP OWNERS.

Write for our parts list; save you 1/2 on repair parts. Autoparts Mfg. Co., Cor. Trombley and Orleans, Detroit, Mich.

IS THE FINISH ON YOUR CAR DULL?

Apply Boyer's Automatic Re-Finisher to your Automobile today. To-morrow it will look as though it just came from the factory. Finest thing in the world for dull hoods. One application lasts a year.

Particulars free

Boyer Chemical Laboratory Co. 2 E. Michigan St., Chicago.

LATEST FORD TOURING CAR BODY, \$90.00. Latest Ford roadster body, \$35.00. Tops, curtains included. Box D 303, clo Motor Age.

KASTNER TIRE AND RIM CO.,

2112 Michigan Ave., Chicago.
Standard Universal, quick detachable rims in sizes 30x3, 34x3½, 32x4 at \$5.00 a set of four, absolutely new. Also 30x3 one-piece clincher rims at 50 cents each. Send for cut of quick detachable rim and our new rims part catalogue.

KEROSENE FOR AUTOMOBILES
Our new Model B uses successfully half and
half mixture lowest grades kerosene and
gasoline. Satisfaction guaranteed or money
refunded. Greatly increased power; very
slow speed on high. Starts easy at zero.
Special agents' prices. Dept. B,
The Air-Friction Carburetor Co.,
Dayton, Ohio.

LIGHT - ANYONE USING ACETYLENE,

either generator or gas tank, should attach a White Light Gas Refiner to same. It will eliminate all trouble and increase brilliancy of lights by removing all acetone, water and dust from gas. Price, \$1.50, complete. Write-for circular. for circular

BARNARD BRASS WORKS, Rockford, Ill.

LIMOUSINE BODY — 7-SEATED; HAND-buffed leather cushions; complete; nearly new. Cincinnati Hide and Leather Co., Sta-tion B, Cincinnati, Ohio.

MACHINE SHOPS AND GARAGE—OUR WELD IT ALL machines will weld perfectly any broken casting that has a melting point. Full particulars on Oxy-Acetylene welding machines sent on receipt of your address. Every machine fully guaranteed. H. D. Prose & Co., Wichita, Kansas.

MAKE YOUR DOLLARS HAVE CENTS.

\$150.00	rear	axles															. 4	45.50
50.00	wind	shield	8									0		9.4		0		10.00
Wheel						:							•					2.50
Transr Silk M																		
		real b								568	·C	LI	0	0 0	0	0		10.00
		Purite	an	M	[a	c]	hi	n	е	(C	٥.	2					

MAXWELL PUSH ROD ADJUSTERS

\$1.50 for complete set delivered. Money back guarantee. Auto Parts Co., Providence, R. I.

We purchased the repair business of the Mora Company and have in stock repair parts for all models of Mora cars. Philadelphia Machine Works, 67 Laurel St., Philadelphia, Pa.

MR. (FORD) OWNER AND GARAGE MAN—The Townsan Valve Adjuster has a cushion for your valve-stems. Takes away the click, absolutely silencing the valves. No screws or burrs to work loose. Saves putting in new push-rods and valve-stems. They never wear out. Price \$1.50 by mail. Ask your jobber, or address Townsan Auto-Specialty Co., Mitchell, S. D.

NEW 4 CYLINDER MOTORS 20-22 H. P. CYLINDERS CAST IN PAIRS; 3½" BORE, 4" STROKE, AT \$75.00 EACH. BLÜE PRINT ON REQUEST. ADDRESS BOX D 320, C|O MOTOR AGE.

NICKEL PLATE YOUR AUTO TRIMMINGS with Electro-Knickel. Prevents brass from tarnishing, iron from rusting. This is not a silver or mercury wash. We guarantee it plates (without a battery). Price \$1.00, express prepaid. Write for information. Gun Metal Finish Co., 313 Powers Block, Decatur, Ill.

NEW AUTO PARTS FOR SALE.

NOTICE CLARK CAR OWNERS.

We have a full line of repair parts for all models of Clark Cars.

Write us for low prices on tires.

Clark-Moody Automobile Co.,

Anderson, Indiana

OXY - ACETYLENE WELDING PLANTS.

The Admiral Welding Machine is the ideal welding device; large capacity; self-generating throughout; portable; complete in every detail; a perfect machine for all work, large or small. Send for our booklet, "Welding," and full description. Price, \$200 f. o. b. Kansas City. Admiral Mfg. Co., 715 Lydia Ave., Kansas City, Mo.

PEERLESS BACK AND CUSHION DRESSING

For leather seats and cushions. Dries hard on clean leather. The color does not come off. Renews the finish. Ask your dealer.

The Columbus Varnish Co., Columbus, Ohio,

PENNANTS FOR AUTOMOBILES MADE in rights and lefts from any colored felts desired; size 12x30. Price \$1.00 per pair. Cash with order. Liberal discount to deal-ers. J. C. Orcutt Co., Inc., Lincoln, Neb.

PUNCTURFIX SEALS PUNCTURES AUtomatically—fixes punctures while riding,
without loss of air; increases mileage of tires
and pleasure of riding 100%. Call and witness demonstration or write. Money making
territory now open to hustlers. Chicago
Motor Co., 1157 S. Wabash Ave., Chicago.

PEERLESS EXTRA FINE BLACK JAPAN.

For all metal, lamps, radiators, fenders, etc. ir dries in 10 to 12 hours with a high gloss nish. Elastic, tough, durable; no primer; ne coat covers solid. Ask your dealer.

The Columbus Varnish Co., Columbus, Ohio.

PRESTO SELF STARTERS—WE HAVE A few upon which snap price will be given.
Algona Auto & Mch. Co.,
Algona, Ia.

PRICES THAT TALK.

Flanders "20" tops	13.50
Carburetors 14" (Mayer or Holley)	3.50
Barnes Steering Gears	
Splitdorf magnetos and coil	
Trunks (size 31x17x12)	4.00
Side lamps (black and brass) per pair	
E. M. F. springs (rear)	2.50
Universal foints ¼"	5.00
16" ball bearing lans	2.25 1.50
12" ball bearing fans	1.50
Head-light brackets 7" spana pair	1.50
ricad-usur prachers t span a pan	.00

Write for our new bargain sheets.

Autoparts Mfg. Co., Detroit, Mich.

PEERLESS EXTRA FINE BLACK BAKING JAPAN.

For baking on all metals, no primer, one coat covering solid. Bakes to a high gloss finish in 2 to 3 hours. Can also bake to a semi-gloss and dulf finish. Ask your dealer. The Columbus Varnish Co., Columbus, Ohio.

SCHEBLER MODEL "L" CARBURETORS, new, 1¼ or 1½-inch, \$8.00 each. Order early. Kent Motor Car Co., Kenosha, Wis.

RE-MAT YOUR CAR.

SAVE 80%

I have on hand a large consignment of assorted sizes High-Grade, White-Face, Pyramid Rubber Mats for floor boards and running boards, suitable for any car; fifteen thousand; while they last:

																	 . ,														\$0.40
			*				*		*		*							0,				•	•								.50
28 34 x34	4																											0			.50
71/2 x32 1/2																															.20
																															.20
81/2×29											*																				.20
8 1/2 x33 7 x33							•		-	-	0	•	~	-		-					,			-	-		-	-			.20
	۰									۰																					.20
23 % x33 1/2	1			31																											.50
27 1/2 x32		(9																.60
71/2×44		(Ŀ	51	11	le	3	K,)										9 1	9 1					0	4		b	0	0	.25

Terms: Express, C. O. D.; Parcel Post, cash with order, including postage.

A. W. Voege,

811 Woodward Ave., Detroit Mich.

REPAINT YOUR CAR YOURSELF—WITH our materials and full instructions, you can repaint your car as well as a regular painter and save from \$25 to \$50, depending on its size. Previous experience unnecessary. Latest colors. Write today for full information and color cards. We also make Liquid Gun Metal, the National Brass Enamel, \$1 a can express prepaid. The only articles of proven merit for lamps, radiators, etc. No polishing. Arsenal Varnish Co., Automobile Dept., Rock Island, Ill.

SEAT COVERS FOR ALL CARS—SPECIAL price on Fords. We clean old covers; make them look like new. Auto Cape Top Co., 2334 Michigan Ave., Chicago.

SOME NEW AND USED REPAIR PARTS for Model 10 Buick, 38 Overland and R. and T. Mitchell at one-half price. Ben Cloyd, McKinney, Texas.

STEVENS AUTO TIRE VALVE
Adopted by Ralph De Palma, winner of the
Vanderbilt Cup at Milwaukee, 1912. Can be
attached instantly without any expense to
any inner tube stem on any car. Saves onehalf the time and labor necessary to inflate
tires by any other method. Easily adjusted.
Warranted not to leak. 200,000 in use. Send
\$1.00 for set of four. Try them 30 days and
if not satisfactory money will be cheerfully
refunded. Stevens Manufacturing & Supply
Co., 504 Fisher Bldg., Chicago.

STOP, MECHANICS! WAKE UP! SEND 50 cents for hand-soap receipt and make it yourself; practice cleanliness; don't pay for fancy cans. A. G. Jung, 450 W. Main St., Madison, Wis.

TAKE THE RATTLE OUT OF YOUR CAR.
Make it quiet. Anti-Rattle used, as directed on all worn parts and loose connections, will do it. Send \$1.00 for package with full directions to Anti-Rattle Co., Wallingford. Conn.

OPS BUILT, RECOVERED AND RE-paired. C. G. Meyer & Son, Tiffin, Ohio.

TOURING, ROADSTER, RACING BODIES. Seats, special and stock sizes. Radiators, hoods, tanks and fenders for any car. Get our prices.

Auto Sheet Metal Works, 2228 Michigan Ave., Chicago.

TWO MODEL B AIR FRICTION CARburetors. Size 1 inch and 11/4. These carburetors are new and the latest improved. \$4.00 each. J. L. Wilson, Mangum, Okla.

automobile into beautiful, lasting, shining sliver plate, easily and quickly, with Orient "Mystic" Sliver Plater; to introduce to every automobile owner quickly we will send, prepaid, "concentrate" to make quart of this wonderful plater for \$1, which in bulk costs \$4; satisfaction guaranteed or money back. Orient Chemical Co., 467 Gumbel Bldg., Kansas City, Mo.

\$325.00 36 H. P. MOTORS, \$150.00.
4-cylinder, twin construction, aluminum crank case, 3 bearing crank shaft, 1 piece cam shaft. Completely equipped. Guaranteed 1 year. Full details on application.
Oakbrook Motor Mfg. Co.
Reading, Pa.

UNHEARD OF BARGAINS.

UNEQUALLED PRICES

....\$10.00

BODIES.

NEW ENGINES.

2	cylinder	vertical, 14 h. p\$	75.00
4	cylinder	Mora, 20 h. p 1	25.00
4	cylinder	Maxwell, 20 h. p 1	175.00
4		Chester, 25 h. p	
4		Buda, 35 h. p	
			250.00
		Poss, 25 h. p	
		Welsh, 60 h. p. racing motor	
		Herschell-Spellman, 45 h. p.	
2		opposed unit power plant	
		Reliance, 45 h. p	
4		Reliance, 60 h. p	
		ve some slightly used 4 cyli	
		Herschell-Spellman motors the	it we
8	re offeri	ng for \$125.00 each.	

RADIATORS.

Ford, model T, \$16.00; Chalmers-Detroit, \$20.00; Buick, model 10, \$22.00; Stoddard-Dayton, \$25.00; Buick, model F, \$25.00.
Abbott Detroit "44"—Abbott Detroit "30"

— Case — Studebaker — Paige — Mitchell—Cutting — Autocar — Garford — Courier — Pullman — and others. Your choice at \$25.00 each.

CARBURETORS.
Many different makes; prices range from \$2.50 each to \$12.50 each.

Rear Axles—Weston Mott geared 4 to 1; complete with wheels. Regular price \$120.00. Our price \$35.00.
Steering Column—Complete; \$15.00 each. Steering Gears—Alone: \$4.00 each.
Large auto trunks \$6.50 each. Trunk racks \$1.50 each.

TOPS.
All makes of tops. Roadster tops \$15 each.
Touring car tops from \$18 to \$35 each.

One piece roadster shields. Regular price \$25.00. Our price \$12.50 each.

All brass folding wind shields \$8.00 to \$15.00 each.

MAGNETOS Splitdorf 2 cylinder; complete; \$15.00 each. Splitdorf 4 cylinder; complete; 25.00 each. Splitdorf 6 cylinder; complete; 30.00 each. Simms-Bosch high tension; complete; \$25.00

Remy 4 cylinder; complete; \$25.00 each Jacobson-Brandon 1 cylinder \$6.50 each

TIRES.
Write for catalog and circulars with prices.

SPEEDOMETERS.
"Standard" high grade instruments, regularly sold for \$25.00. Our price \$6.50. We have them only for 34 and 36 inch wheels.

We carry a full line of side oil lamps and gas headlights. They consist of jobs that we pick up at the different automobile factories and include some of the best makes. Side lamps—Prices from \$2.75 to \$5.00 a

Side lamps—Prices from \$2.75 to \$5.00 a pair.

Head Lights—Prices from \$5.00 to \$15.00 a pair.

Tail Lights—Prices from \$2.00 to \$3.50 each.

each.
PRESTO TANKS.
We have just secured a job lot of model
"B" tanks filled and complete with brackets.
Regular price \$25.00. Our price \$13.50 each.

TIMES SQUARE AUTOMOBILE CO., 1210-1212 MICHIGAN AVE., CHICAGO. 1743 Broadway, near 56th St., New York City.

TO DOUBLE LIFE OF AUTO TOPS

USE GLAZENE.

Prevents sun rot and leaks
On tops and on seats.
Costs \$1.00, delivered. Satisfaction guaranteed or money back.
The Glazene Co.,
1328 Jackson Blvd., Chicago.

Ball Bearings

BALL BEARINGS REGROUND.

RIGHT NOW.

Give us a chance to demonstrate that bearings reground by the Ahlberg process are as serviceable as new ones. Three years of Test and Success stand back of us and our bona fide guarantee accompanies all work. We carry in stock at all times complete line of Annular, Thrust, Radax and Double-Row Bearings. Facilities enable us to make special size bearings to your specifications.

Witte Now.

Ahlberg Bearing Co.,
2640 Michigan Ave., Chicago.

New York. Branches Detroit.

BALL & ROLLER BEARINGS, ALL TYPES.

Distributors of

"F & S" Ball Bearings.

"New Departure" Ball Bearings.

"Pressed Steel" Ball Bearings.

"Standard" Ball and Roller Bearings.

BALL BEARINGS REPAIRED.

THE GWILLIAM COMPANY,
New York—Broadway, at 58th St.

Phlladelphia—1314 Arch St.

Cars Wanted

NEED AN AUTOMOBILE; HAVE equity of \$2,000 in 100 acre farm a hundred miles from Kansas City; will trade this for a good car, balance cash. Address J. Pohl, 612 East 9th St., Kansas City, Mo.

MY KINGDOM FOR A CAR
160 Acres fine Oklahoma land; level; soil black loam; all fenced; house; at \$20,00 per acre, worth more, but I want a car; what have you in exchange?

A. L. Stone, Texline, Tex.

WANTED—LATE MODEL T FORD TOUR-ing Car for cash. Give lowest cash price in first letter. Blank & Six, Ashland, Ill

WANTED—SECOND-HAND AUTO IN EX-change for stock of talking machines. etc Address H. S. Sanborn, Middleport, O.

WANTED — SECOND-HAND SMALL CAR. State description and lowest price in first

Leo Baldauf, Oskaloosa, Ia.

WANTED—1912 AUTO IN EXCHANGE for 160 acres good Minnesota land. Ad-dress Box 414, Marshalltown, Iowa. k

Parts and Accessories WANTED

WANTED—RAMBLER SPARE WHEEL for model 54; tools not wanted. H. J. Jewitt, Fairdale, Ill.

Auto Wearing Apparel

ATTENTION AUTO OWNERS

A genuine English slip-on Auto Rain Coat.
Guaranteed waterproof at \$6.00. You are
buying direct from manufacturer. Send
money order. Express prepaid. National
Rubber Rain Coat Co., 310 E. State St., Rockford, Ill.

Situations Wanted

CHAUFFEUR WISHES POSITION WITH private party about May 1, 1913. Young man; have had 4 years' experience driving and repairing; at present in auto factory; strictly sober. Box D 338, c|o Motor Age.

A LIVE, HUSTLING, UP-TO-DATE AMERican seeks position with going automobile concern as service manager, in repair parts department at factory or at service station. Ten years with four America's leading builders, as chief inspector, experiment superintendent, service manager. Have salesmanship ability, handle men. Executive ability and greatest efficiency in maintenance and operation. At present manager of business in which my interest is being disposed of. Address Box D 310, c|o Motor Age.

AMERICAN HIGH SCHOOL TEACHER, spending year in Europe, desires position as chauffeur to tour Europe during summer of 1913. Speaks German and French. Expert driver. American and European references. For particulars address Box D 312, Motor Age, or directly to Manly C. Wareham, 10 Rue Victor Hugo, Croix, Nord, France.

CHAUFFEUR DESIRES PERMANENT position with party requiring thoroughly reliable driver and repairman. No objection traveling or final location, as I have had raveling experience in nearly every part of the world. Salary not less than \$150.00 per month. For particulars address Box D 323, c o Motor Age.



Out of a Job?

MOTOR AGE classified columns find the job for the man and the man for the

This proposition holds good from sales managers to factory mechanics.

CHIEF ENGINEER WANTS CHANGE position; with 20 years' practical experience; thoroughly posted in Auto design, experimenting and manufacture; is good executive with original idea; have passed the experimenting stage and can assure you success. Write Box D 343, c|o Motor Age. z

POSITION AS DESIGNER AND DRAFTS-man; ten years' experience in automobile business; thoroughly familiar with shop work and all kinds of drawings. Address Box D 290, c|o Motor Age.

ENGINEER—HAVE HAD 8 YEARS' EX-rience in the design of pleasure and com-mercial cars; am open for engagement. Box D 341, c|o Motor Age.

FIVE YEARS' EXPERIENCE, THREE FIVE YEARS' EXPERIENCE, THREE AS secretary concern selling over hundred cars annually. Have done the bookkeeping, systematizing, contracting, buying, advertising and selling cars; know the game from A to Z. Also other executive experience. Can take charge of any department or entire business and make it a go. Young man, energetic, healthy, sober, with personality, vim and experience. Postoffice Box 466, San Antonio, Texas.

SITUATION WANTED—AS CHAUFFEUR by man who is capable of acting as secre-tary or instructor to children. References. T. Andersen, 11640 Yale Ave., Chicago, Ili.

TRUCK ENGINEER, WITH CONSIDER-able experience, would consider a change. Address Box D 328, c|o Motor Age.

SALESMAN OF EIGHT YEARS OF EXPErience and of wide acquaintance desires to make connection with a live firm where experience and hard work will be appreciated. Until recently was employed by firm manufacturing medium-priced car as assistant sales manager. Had best of reason for leaving their employ.

Can furnish best of referenes as to my ability and reliability. Address Box D 337, c o Motor Age.

SALES EXECUTIVE.

Opportunity wanted to make permanent connections with responsible manufacturing concern. Twelve years' selling experience; am also a mechanical engineer and conversant with production costs; willing to start from below if there is opportunity to work into a permanent executive position. Address Box D 296, clo Motor Age.

SALES MANAGER.

Experienced business man with very wide trade acquaintance wishes to market output of truck factory on salary and commission basis. Box D, 238, c|o Motor Age.

WANTED—POSITION AS CHAUFFEUR for automobile party going West or North for summer outing of one or two months. Al references as to driving and mechanical ability. Address Box D 314, Motor Age. r

WANTED—POSITION AS FIELD AUTO salesman in Michigan. Have thorough knowledge of both retail and wholesale methods; am considered to be a first-class, resourceful business producer; will guarantee to make good. Desire connection with first-class house where the services of a high-class man will be appreciated.

Address Box D 289, clo Motor Age. m

Help Wanted

AAA OPEN POSITIONS.

17 Draftsmen, Detailers and Designers, \$900-\$2,500; Technical Advg. Man, \$1,200-\$1,800, machinery; Tool Designer, \$1,200-\$1,800, petailer and Stock Biller, \$1,200; Idacksmith Foreman, \$1,500-\$1,800; Metal 'atternmakers, best wages; Sr. Accountant, \$2,000; Trav. Auditor, \$1,500; 14 Bkkprs., \$780-\$1,500; Cost Acct., \$1,040-\$1,500; (orresp., \$1,040-\$1,200, engraving; District Mgr., \$5,000-\$6,000, packing house; 23 Stenogs, \$780-\$31,040.

Every position open, besides many more not listed. Write us immediately. Always glad to explain.

BUSINESS MEN'S CLEARING HOUSE, 323, 108 La Salle St., Chicago,

HELP WANTED—WELL EXPERIENCED electrician and automobile mechanic, steady employment, good wages; married man preferred. J. O. Yahn, Ohio City, Ohio.

MECHANICAL ENGINEERS, SUPERIN-tendents, works managers and designers wanted. The Engineering Agency, Inc., Monadnock Bik., Chicago.

WANTED—AN AUTOMOBILE ACCESSORY salesman with a proven record of results in introducing new auto accessories, as sales manager for an entirely new article of great merit and value to motorists. Device a proven necessity and only needs a producer behind it. A man who would, after being "Shown," invest in company preferred. Give concise history of past connections, volume of sales made, qualifications, references, etc., in first letter. Address Specialty Machine Co., 95 Liberty St., New York City.

WANTED—MALE HELP—THOROUGHLY competent man to act as final inspector and production man in old established auto body factory producing closed and open bodies painted and trimmed. An excellent apportunity for live man. Address Box D 342, c|o Motor Age.

WANTED 50 HIGH GRADE MEN
Managers, Engineers, Superintendents, and
Draftsmen with Automobile Experience.
The Toledo Engineering Agency,
1228 Ohio Bidg., Toledo, Ohio.

Salesmen Wanted

SALESMAN—ONE WHO IS NOW VISITING automobile trade or owners. Good money made on a very attractive proposition. Sturdy Mfg. Co., 2637 Michigan Av., Chicago.

SALESMAN—ONE WHO IS NOW VISIT-ing the automobile and truck manufac-turers, or the jobbers of automobile acces-sories, or jobbers of hardware. We have a very attractive proposition. Correspond-ence solicited and confidential. Sioux City Machine & Tool Co., Sioux City, Iowa.

WANTED—A FIRST CLASS SALESMAN to take charge of the sales of gear plant. Product of proven merit. Opportunity also for investment. Good chance for the right party if competent. Address Box D 306, clo Motor Age.

SALESMAN WANTED — EXPERIENCED man to travel western states to sell line of Automobile and Carriage Hardware. One familiar with Automobile Trade preferred. Address, stating age, experience and salary expected.

John F. Galvin, 165 Broadway, New York City, N. Y.

SALESMEN WANTED

to represent us in territory not now contracted to sell our Auto Combination Ignition Locks; inexpensive, convenient, simple, readily applied to any car. Excellent proposition for your entire time, but can be handled as side-line by salesmen calling on automobile trade and owners. Exclusive territory; terms, etc.

Auto Combination Mfg. Co., 1467 Michigan Ave., Chicago.

SALES AGENTS—ONE WHO IS NOW visiting the Automobile and Truck manufacturers, or the Jobbers of Automobile Accessories or Jobbers of Hardware. We have a very attractive proposition. Correspondence solicited and confidential. Sioux City Machine & Tool Co., Sioux City, Iowa.

Business Opportunities

A NOTICE TO THE TRADE

BOYER'S AUTOMOBILE REFINISHER

Has taken the motor car industry by storm. Live dealers, write or wire for particulars.

Boyer Chemical Co., 2 E. Michigan St., Chicago

FIRST-CLASS AUTOMOBILE MAN WANTS partner with some money to open garage and shop in good automobile town; have had twelve years' experience; can deliver the goods. Address Postoffice box 319, Fort Worth, Texas.

FOR SALE—FULLY EQUIPPED AUTO RE-pair shop in city of 45,000. Good reason for selling. Legal News. Topeka, Kansas.

FOR SALE—GARAGE, CENTRAL OHIO. Finest of any in the state in a city of 25,000. Address Box D 333, c|o Motor Age. s

FOR SALE—HAYWOOD VULCANIZER, Model H. Used three months. Perfect condition. Price low. Box D 335, c|o Motor Age.

FOR SALE—MOST THOROUGH EQUIPPED garage and general repair shop in Iowa at a bargain. Address Box D 336, c|o Motor fxe.

FOR SALE-ON ACCOUNT OF OTHER

business interests we offer our entire manufacturing plant, building a full line of commercial vehicles and auto trucks, at par value, in a city of 35,000, in the state of Iowa. The business is well established and enjoying a good trade; this is a gilt edge proposition; will invoice about \$50,000. Address Box D 332, c|o Motor Age.

FOR SALE—TIRE FILLING PLANT: COMplete, with formula and instruction for filling; absolutely non-puncturable; a real money maker; investigate. Box 7, Phoenix-ville, Pa.

PLANT FOR SALE CHEAP.
Suitable for auto bodies (especially Limousine) and accessories. Power, lights, water, dry kilns. sprinklers, side tracks, abundant storage. The A. J. Phillips Co., Fenton, Mich.

MINNEAPOLIS.

Wholesale Automobile Agency, garage and stock for sale at invoice price. Business paying good profits and right in every way. Doing business all over Northwest with sole agency for two standard cars. Will take \$5.000 cash or trade and balance in payments. Will invoice near \$50,000. Good reasons for selling.

HUDSON INVESTMENT CO.,

346 McKnight Bldg.,

Minneapolls.

WANTED—COMPETENT MAN WITH \$5,000.00 or \$10,000.00 to increase the capacity of a concern manufacturing parts and to take charge of the sale of entire product. Good opportunity for right party. Address Box D 334, c|o Motor Age.

Agency Wanted

A SPECIAL NOTICE TO THE TRADE.

GASOLETTE.

Saves 40% to 60% gasoline.

Has taken the Motor Car Industry by storm; the live dealer will have to be quick to secure open territory. Write or wire at once for particulars.

United Products Mfg. Co.,

2314 Wabash Ave.,

Chicago, Ill.

Magnetos

MAGNETOS Repaired, remagnetized; prompt service on

Repaired, remagnetized; prompt servant makes.

Get our exchange proposition on new K-W for old equipment.

Spark Coil, Storage Battery and Carburetor Repairs.

Northwestern distributors.

K-W magnetos, Schebler carburetors, Vesta lighting equipments.

Reinhard Brothers Co., Successors to Hollis Electric Co., Minneapolis, Minn.

Tires

ENGLEBERT TYRES.
(Made in Belgium.)
Standard in all sizes. Guaranteed 4,000
miles. New and second-hand thres at a great
reduction. Send for circular on repair work.
Colonial Rubber Works,
46-52 East 28th St., Chicago.

28x3, \$7.20; tube, \$2.40. 30x3, \$7.85; tube, \$2.50. 30x3½, \$11.00; tube, \$3.35. 32x3½, \$12.00; tube, \$3.35. 32x3½, \$12.00; tube, \$3.35. 32x3½, \$17.25; tubes, \$4.60. Tubes guaranteed; other sizes accordingly. Get price list, 10% with orders, balance C. O. D. Examination allowed.

Para Auto Tire Co., 1419 Michigan Ave., Chicago.

READ THIS.

New and second-hand tires ready for immediate delivery at prices that will vitally interest you.

Do not delay, but send for our price list.

And remember, we do repairing that is fully guaranteed.

Lake Shore Tire Co., 120-124 E. Ontario St., Chicago.

TIRES, TUBES AND AUTO LAMPS

New and slightly used. Special price on all repair work.

MONARCH TIRE AND REPAIR CO.,
1151 Wabash Ave., Chicago. Phone Har. 1440.

800-TIRES-800

One-half price; new and slightly used; 1912 stock just received from manufacturers in Akron, Ohio. All the stock must be sold

in Akron, Chic.
to make room.
Serlin Tire Co.,
1073 14th Place, Chicago.
Phone, Canal 2191.

3,500 MILE GUARANTEED CASING AND tubes, 20% discount; new second casings, 40% off; also good used casings cheap; send for bulletin. Auto Tire Sales Co., 1346-48 Michigan Ave., Chicago.

Rebuilding and Repairing

ANDRE G. CATELAIN
Automobile Garage and
General Machine Work
For Foreign and American Cars
Welding all kinds of metal
Manufacturer Catelain Hose Coupling.
1446-8 Indiana Ave. Tel. Calumet 1187
Chicago.

AUTOMOBILE CYLINDERS REGROUND, new pistons and rings fitted. Garage Air Compressors. Cast Iron Brazing Co., Man-chester, N. H.

CYLINDERS REGROUND AND FITTED with new pistons and rings from \$7 to \$11 per cylinder. Gear cutting in steel, brass, rawhide, fiber, etc. Send us your old parts and we will make you new ones like originals, often cheaper than you can get them from the manufacturer. The Crown Machine Shop, Crown Point, Ind.

AUTOMOBILES REPAIRED, RADIATORS, shields, and all kinds of metal work on automobiles made and repaired. Moran, Hudson Ave. and Eagle St., Albany, N. Y.

BROKEN CYLINDERS AND CRANK-cases—Send them to be made good as new at fraction of replacement cost. Scored cylinders repaired, \$12. No new pistons and rings required because bore not enlarged. Where cylinders are worn (not scored from loose wrist pin) reboring is only remedy. We do it expertly. Write for complete information and estimates. Waterbury Welding Company, Waterbury, Conn.

CYLINDERS REGROUND, NEW PISTONS

and rings fitted, gear cutting of all kinds and materials, transmission and bevel gears, piston pins and push rods of chrome nicklesteel hardened, tempered and ground; guaranteed better than factory; old piston pins reground and fitted to your new pistons; old push rods reground and furnished with new guides, crank shafts, connecting rods, valves, crank cases; any part for your auto or motor reproduced same as original but better; phosphor bronze bushings carried in stock. Send old or broken parts to go by. The shop of quality.

McCadden Machine Works,

St. Cloud, Minn.

CYLINDERS REGROUND and fitted with new pistons and rings for \$15 per cylinder. We make parts and cut gears of all kinds. Send us your old parts and we will repair or duplicate them in record time. Cracked cylinders, gear cases, etc., welded and made good as new. Aluminum, bronze and brass castings of every description. The Adapt Machinery Co., 1624 Wabash Ave., Chicago, Ill.

POWERFUL AND QUIETER MOTORS ARE guaranteed by us where we regrind your cylinders, with new pistons and rings to fit; the charge is \$10 complete per hole; accuracy guaranteed. Merritt Co., 311 West Fifty-ninth St., New York City.

WABASH AUTO CONSTRUCTION WORKS

1523 Wabash Ave.,
Chicago.
The leaders in overhauling and repairing automobiles. Our plant is completely equipped with machinery and welding outfit. A trial will convince you. All work is guaranteed. Telephone Calumet 670.

Ignition Repairing

ALL MAKES OF MAGNETOS REPAIRED and remagnetized; prompt service; parts for all makes on hand; all work guaranteed. S. Ostewig & Co., Lee, Ill.

IGNITION AND LIGHTING APPARATUS repaired successfully where others fail. Parts in stock for all makes. Send your next work to us and be convinced. Catalogue sent free. Pellet's Magneto Exchange, 1463 Michigan Ave., Chicago, Ill.

Radiator and Lamp Repairing

A-A-A RADIATORS MANUFACTURED and repaired. Radiators of any make repaired and returned same day. We can make any style radiator and ship in three days. Sheppard Co., 1331 Jackson Blvd., Chicago.

AA1 AUTO LAMP REPAIRING
All Radiators Repaired
by expert workmen.
All work guaranteed by the
Michaud Metal Works, 1615 Wabash Ave.,
Chicago. Tel. Cal. 5286; Auto. 67-337.

ALL KINDS OF AUTO RADIATORS, hoods, fenders and lamps, etc., rebuilt and repaired. Also general sheet metal work. Phone or mall order. L. Blumenfeld & Co., 1919 Wabash Ave., Chicago. Tel. Cal. 4583.

ARROW RADIATOR REPAIR CO., 1331 Wabash Ave., Chicago. Expert repair work on Radiators, Hoods, Fenders, Dashes, Tanks and Drip Pans. We guarantee all our work. Phone Cal. 1995.

CHICAGO MANUFACTURING COMPANY, 1466 Michigan Ave., Chicago. Manufacturers of Radiators, Hoods, Fend-ers and Tanks. New Cores placed in old radiators. First-class repairing. All work guaranteed.

ILLINOIS AUTO SHEET METAL WORKS

The leaders in the repairing and manufacturing of radiators, hoods, fenders, etc. A trial will convince you. Orders shipped 3 days after receipt.

Phone Calumet 1191.

only radiator factory in Northwest. Eleven years' knowing how. Why send your radiator down East when you can ship it to us; save Time, Express, Freight, Money, and get best workmanship. Prices right. Make new Radiators; allow for old

Todd Manufacturing Co., 820 Mary Pl., Minneapolis, Minn.

RADIATOR AND ALL METAL REPAIRING

QUICKLY DONE.

Repairs to Radiators, Hoods, Fenders, etc., our specialty. Best workmanship. If in a hurry for your car, try us. Quick and satisfactory service guaranteed.

Auto Combination M'f'g Co., 1467-69 Michigan Ave., Chicago. Phone Calumet 3433.

THE M. & L. AUTO SHEET METAL Works rebuild and repair radiators, hoods, fenders, tanks, lamps, etc. 1551 Michigan Ave., Chicago, Ill. Tel. Cal. 2348.

Welding

AMERICAN WELDING CO., 2637 Michigan Ave., Chicago. Autogenous welding of all metals, such as crankcases, cylinders, etc. We positively guarantee all work. Tel Calumet 3563.

Automobile cylinders and crankcases specialty. We guarantee the welds.
C. Sorensen, 18 East 16th St., Chicago.

BRAZING AND WELDING CO.
of Chicago.
All metals brazed and welded are guaranteed. Experts in aluminum welding. Send for circular on aluminum welding. 1615 Wabash Ave. Tel. Calumet 5286.

WELDING AND CUTTING OF METALS-automobile work a specialty; all kinds of broken machinery repaired; chassis length ened and repaired; all kinds of brazing. Wi cut designs out of steel plates. E. W. Soleau, 264 DeWitt Ave., Belleville, N. J.

BROKEN CRANKSHAFTS, CRANKCASES, cylinders, flywheels, gearteeth, pistons, perfectly welded and machined, ready to replace. Scored cylinders made new. Booklet. Atlas Welding Works, Rahway, N. J.

Cast Iron, aluminum and all metals. National Welding & Mfg. Co., Inc., 523 Jackson Blvd., Chicago, Ill.

WE WELD AND ABSOLUTELY
Guarantee
our welds to hold, cylinders (cracked in or
outside), crankshafts, aluminum crankcases,
transmission cases, housings, etc., by the Oxweld process of welding and cutting metals.
Estimates furnished for job or repair welding and cutting operations of all kinds. Oxweld Acetylene Co., 37th St. and Jasper Pl.,
Chicago, Illinois. Downtown receiving station, 557-561 W. Jackson Blvd.

WELDING—CYLINDER CRANKCASE AND Crankshaft. Welded cylinders rebored, \$7.00 to \$11.00 a cylinder, including piston, 8 rings. Sterling Engine Company, 331-333 S. *Clinton St., Chicago, Ill.

Garages

PORTABLE AUTOMOBILE GARAGES, portable summer cottages, all descriptions. Allfo. Cons. Co., 3652 Armitage Ave., Chicago.

Patent Attorneys

ATTENTION—PATENT YOUR INVENTION
Free search and opinion. Send for inventor's Primer free. Milo B. Stevens & Co.,
312 S. Dearborn St., Chicago. Established
1864. Main office, Washington.

C. L. PARKER, PATENT ATTORNEY, Formerly member Examining Corps, U. S. Patent Office, 960 G St., Washington, D. C. Pamphlet of instruction sent upon request.

Automobile Schools

AA1 IS HOW OUR STUDENTS STAND with auto owners. Our school is the oldest, best equipped, most practical and successful in America. Write, phone or call for particulars. Auto School of America, Dept. M, 1600 Mich. Ave., Chicago. Tel. 1088 Cal.

AUTOMOBILE INSTRUCTIONS
Send for catalogue of the best equipped and
most prominent institution in the country.
WOLVERINE AUTOMOBILE COLLEGE
940-2 Jefferson Ave.
Detroit, Mich.

GREER COLLEGE OF MOTORING
Opposite Coliseum, 1459 Wabash Ave.,
Chicago. A practical education; 100 automobiles, 2 entire floors, 8 instructors; day
and evening classes. Free booklet. Phone
Calumet 327.

\$35 PAYS FOR COMPLETE UNLIMITED course on automobiles. Actual repair work and road lessons daily. Best equipped school and shop in Chicago. Evening classes also. Call or write, 1454 S. Michigan Ave., Chicago. Academy of Automobile Engineering.

AUTOMOBILE SCHOOL AUTOMOBILE SCHOOL

If you only want to learn to drive a car or to take a car to pieces or to clean up dirty parts, don't come to my school.

But if you want to learn the Automobile Construction in all its phases thoroughly, then come to the Reliable School.

The F. E. Edwards Automobile School, 1427 Wabash Ave., Chicago.

WANTED-400 MEN AT ONCE; EARN while you learn; oldest, first chartered in the United States; free employment bureau; no classes; open year round. Special shorttime offer. Mack's Auto School, Salem, N. Y.

Automobile Books and Maps for Motorists

"FORD MODEL T REFERENCE BOOK" was written by an expert, being prompted by the numerous inquiries by Ford owners in the "Trouble Departments" of Auto Journals. It answers every question that can arise regarding Ford Model T, and covers its complete care and repair. Write for full descriptive circular or sent postpaid for \$1.00. Ford Reference Book Co., 57 W. 125th St., New York.

A. L. DYKE'S AUTO INSTRUCTION—A new idea of instructing you to run and re-pair automobiles at home with working mod-els (from London), charts, etc. Indorsed by Duryea, Oldfield, Splitdorf. Send for free 32-page illustrated and interesting book. A. L. Dyke, Box 16, Roe Bldg., St. Louis, Mo.

GAS ENGINE TROUBLES AND INSTALlation. Cloth, \$1.00; flexible leather, \$1.50.
Automobile Troubles and How to Remedy
Them. Cloth, \$1.00; leather, \$1.50. Ten other
practical and reliable mechanical books.
Send for circular.
Charles C. Thompson Co.,
1128 S. Wabash Ave., Chicago.

PARTS AND ACCESSORY MAKERS
The motorcycle field is well worth your attention; 75,000 new machines in 1912. Leading medium Motorcycle illustrated, 51 Chambers St., New York City. Paid circulation over 8,600.

SPEED SPEED SPEED

Speed: Written by a racing driver, gives you the "dope" for making your car "fast." Postpaid upon receipt of \$1.00.

Speed Publishing Co., 207 Bell Block, Cincinnati, O.

Insurance

AUTOMOBILES INSURED AGAINST FIRE, theft, collision and liability. Covers anywhere. Old line company—lowest rates. Alfon E. Bahr, 1929 Insurance Exchange, Chicago.

For Sale or Exchange

FOR SALE OR TRADE.

One 12 E M F foredoor touring body, like new, for 12 E M F roadster foredoor body. Louis Barger, Burtonview, Ill.

Mailing Lists

AUTOMOBILE MAILING LISTS

13,191	Automobile	Dealers Garages	\$25.00 20.00	
5.681	4.6	Repairs		
3,541	44	Supplies	10.00	

Neatly typewritten, showing Financial Reting in dollars of each one, alphabetically by States and Towns, 1913 compilation.

Ask for certain States if you do not want all

all.

877,000 Automobile Owners by States.

Price on application.

Ask for our "Silent Salesman" showing
2,000 other lists, etc.

Send check with order.

TRADE CIRCULAR ADDRESSING CO., 166 West Adams Street, Chicago. Established 1880. Phone Franklin 1183.

AUTOMOBILE LISTS OF OWNERS, dealers, etc.; any state. Auto Directories Co., 1717 Broadway, New York City.

AUTO LISTS—OWNERS, ETC., OF ANY State. S. H. Carroll, Jr., Albany, N. Y.

AUTOMOBILE ADDRESSING AND MAILing lists; card systems; any section any make. Auto List & Addressing Co., Buick Bldg., New York City, N. Y.

MAILING LISTS AND STATISTICS.
Owners or dealers, any state, county, city;
weekly and monthly supplements at lowest
prices. Special lists of Electrics, Trucks,
Fords, Studebaker, Overland, etc.
MOTOR LIST CO. OF AMERICA,
220 News Arcade, Des Moines, Iowa.

NEW ENGLAND AUTO LIST AND TOUR-ist includes weekly list of all N. E. Auto Owners, Garages, Dealers, etc., with maps. Selected N. E. routes and motor news, \$10.00 yearly. 138 Pearl St., Boston, Mass.

Miscellaneous

A FIRST-CLASS 1912 PEERLESS MOTOR-cycle, single cylinder, belt drive, used very little at \$70.00. Mr. R. E. Myers, Highland Park St., Des Moines, Ia.

MANUFACTURING.
Our facilities cover drop forgings, stamping, machining, finishing and assembling.
Correspondence solicited.
Century Telephone Construction Co.,
1738 Elmwood Ave., Buffalo, N. Y.

WANTED—A THREE-TON FREIGHT ELE-vator. Must be in good condition, with large platform for Motor Cars. Address, 173 Lock Box, Green Bay, Wis.

Hotels

HOTEL WYCHMERE, EUROPEAN, Indiana Ave. and Eighteenth St., Chicago. In the very center of automobile district; 75c to \$1.50 per day; with bath, \$1.00 to \$2.00. Clean, comfortable rooms. Fine 40c table d'hote. Take South Side trolley to door.

Automobile School

F. E. EDWARDS, Automebile School and Cellege of Motoring 1427 Wabash Ave., Chicage Write for Particulars RELIABLE SCHOOL THE

Overhaul Your Brakes—

Make your car SAFE. See that the brake-lining is in good condition, for upon the lining will depend the safety of your car.

If you need NEW lining, be sure to buy the best—it's by far the cheapest in the long run. Get the Standard brake lining—get

Raybestos REO. J. U.B. PAT. OFF

"THE ORIGINAL AND BEST ASBESTOS BRAKE LINING"

Used and recommended by all motorists, dealers and manufacturers who are not swayed by "price."

RAYBESTOS is made of genuine LONG FIBRE asbestos, and we pay a premium to secure this high grade, for nothing goes into RAYBESTOS that is not of the very best quality.

If your brakes need re-lining—get RAYBESTOS. All reliable dealers sell it. It grips and holds in ANY emergency and makes EVERY automobile safe. We stamp the name in every foot for YOUR protection.

THE ROYAL EQUIPMENT COMPANY

Railroad & Bostwick Aves. BRIDGEPORT, CONN.

We also make Duples and Raymond Brakes and Gyres the Miser.



Index to Advertisements

A		Electric Veh. Assn. of Am Electrical Specialties Mfg. Co.	86 93
Abbott Motor Co	60		
Acheson Graphite Co., Inter-	114	F	
national	105	F. I. A. T	103
Ajax-Grieb Rubber Co	102	Federal Rubber Mfg. Co	100
American Ball Bearing Co	97	Ford Motor Co	92
American Motors Co	77	Franklin Automobile Co	104 87
Ames Motor Car Co	103	Frontier Specialty Co	31
Approved Auto Specialties	04	G	
Co	95	Cabulal Hann Man Co	0.9
Aristos, The, Co	82	Gabriel Horn Mfg. Co Garford Co	83 81
Atlas Auto Supply Co Atwater Kent Mfg. Works	112 79	Gibney, Jas, L., & Bros	110
Auburn Automobile Co	101	Gilbert Mfg. Co	99
Auburn Auto Pump Co	114	Gilmer, J. Walker, Jr	98
Automobile Supply Mfg. Co.	59	Golde-Patent Mfg. Co Goodyear Tire & Rubber Co	111
		Gramm-Bernstein Co	98
В		Gray & Davis	102
Badger Brass Mfg. Co	106	Great Western Automobile	
Barthel & Daly	111	Co	108
Beaver Motor Mfg. Co	101	Guide Motor Lamp Mfg. Co.	94 85
Beckley-Ralston Co Big Four Horn Co	61	Gurney Ball Bearing Co	76
Blood Bros. Machine Co	97		
Borland-Grannis, The, Co	102	н	
Bosch Magneto Co	69	Halliwell Co	113
Bowser, S. F., & Co Braender Rubber & Tire Co	99	Ham, C. T., Mfg. Co	102
Bretz, J. S. Co	94	Hartford Suspension Co	2
Brictson Mfg. Co	113	Haynes Automobile Co Haywood Tire & Equipment	97
Bridgeport Brass Co	98	Co	110
Briggs-Detroiter Co	96	Heald Machine Co	
Broderick & Bascom Rope Co. Buckeye Mfg. Co	88 112	Heinze Electric Co	114
Buda Co	112	Henderson Motor Car Co Herreshoff Motor Co	109
Buffalo Electric Vehicle Co.	109	Herz & Co	100
Buob & Scheu	114	Hess-Bright Mfg. Co	84
C		Hess Spring & Axle Co	108
0		Holler Pros. Co.	96
Cartercar Co	111	Holley Bros Co	53 93
Chase Motor Truck Co	104	Horton, F. L., Mfg. Co	104
Chicago Automobile Supply House	114	Hotel La Salle	90
Classified		Hotel Woodstock	105
115-116-117-118-119-120		Houk, Geo. W., Co Hoyt Electrical Inst. Works.	112 92
Cleveland-Canton Spring Co Cole Motor Car Co	107	Hunn Moton Con Co	105
Colorado Tire & Leather Co.	90	Hyatt Roller Bearing Co	101
Connecticut Telephone & Elec.			
Continental Water Mar Co	97	I	
Continental Motor Mfg. Co Corbin Screw Corp	97 52	Ideal Motor Car Co	86
Corcoran Lamp Co	110	Ideal Steel Wheel Co	108
Covert Motor Vehicle Co	99	Imperial Automobile Co	104
Croxton Motor Car Co	94	Ingersoll-Rand Co Inner-Shoe Tire Co	102 102
Cullman Wheel Co	114	Inter-State Automobile Co	109
Cutting Motor Car Co	95		1
		J	
D		Tackson Automobile Co	101
Deet Mater Mr. Co		Jackson Automobile Co Jacobson Machine Mfg. Co	104
Dart Motor Mfg Co Dean Electric Co	95 98	Jenkins Mfg. Co	100
De Soto Motor Car Co	113	Jericho Horns & Jubilee	
Detroit Demountable Rim Co.	106	Horns	94
Detroit Mechanical Starter	-	Johns, H. WManville Co Johnson Service Co	99
Co	97	Jones Speedometer, The	98
Disco, The, Co	4		
Dixon, Joseph, Crucible Co.	104	K	
Dorris Motor Car Co	111		
Double-Fabric Tire Co	199	K-W Ignition Co	91
Dover Stamping & Mfg. Co Durno Mfg. Co	128 94	Kamlee Co	91 113
	9.8	Kellogg Mfg. Co	106
E		Kimball Tire Case Co	107
	110	Kinsey Mfg. Co	101
Eagle Oil & Supply Co Eisemann Magneto Co	118		78 101

Index to Advertisements

Knox Automobile Co	100	Rayfield Carburetor	110
Kokomo Electric Co	97	Remy Electric Co	62
Kokomo Rubber Co	95	Republic Rubber Co	107
		Rhineland Machine Works Co.	3
L		Robbins, Irvin, & Co	107
La Couette Engineering Co	93	Roper, C. F., & Co	70
LaFayette Engineering Co Lauth-Juergens Motor Car	90	Royal Equipment Co	122
Co	103	Rub-On Mfg. Co	87
Leather Tire Goods Co	123	Rutenber Motor Co	107
Leyman-Buick Co	97		
Lisle Mfg. Co	106	8	
Lovell-McConnell Mfg. Co	49	-	
Lozier Motor Co	105	Salisbury Wheel & Mfg. Co	106
		Sanford Motor Truck Co	88
M		Schacht Motor Car Co	100
		Schoen-Jackson Co	114
	6-57	Schrader's, A., Sons	114
McFarlan Motor Car Co	113	Searchlight Gas Co	110
McQuay-Norris Mfg. Co	63	Shaler, C. A., Co	98
Marathon Motor Works	110	Sheldon Axle Co	112
Marburg Bros., Inc	106	Sparks-Withington Co	
Marion Motor Car Co	96	Spicer Mfg. Co	103
Maxwell Motor Co65 t		Splitdorf Electrical Co	109
Mayer Carburetor Co Mayo Mfg. Co	105 91	Standard, The, Co	108
Mercer Automobile Co	111	Standard Gauge Steel Co	101 73
Metz Co	105	Standard Oil Co Standard Welding Co	106
Mezger, C. A., Inc	89	Standard Weiding Co	107
Michener, E. S	110	Star Ball Retainer Co	105
Milwaukee Motor Co	80	Stearns, F. B., Co	72
Model Gas Engine Works	108	Stromberg Motor Devices Co.	47
Moline Automobile Co	99	Sturdy Mfg. Co	114
Moon Motor Car CoC	over	Suspension Roller Bearing Co.	101
Mosler, A. R., & Co	107	Swinehart Tire & Rubber Co.	111
Motometer, The, Co	102		
Motor Car Equipment Co	89	T	
Motor Car Mfg. Co	100	•	
Motor Car Supply Co	114	Thomas, E. R., Motor Car Co.	112
Mott Wheel Works	101	Times Square Auto Co	111
Mutty, L. J., Co	114	Timken Roller Bearing Co	Cover
		Timken-Detroit Axle Co	
N		Trabold Truck Mfg. Co	103
National Motor Vehicle Co	50	Troy Carriage Sunshade Co	114
National Rubber Co	55	Tuthill Spring Co	100
New Departure Mfg. Co	83	Twichell Gauge Co	108
New Miller Carburetor Co	75		
New Process Gear Corp	107	σ	
New York & New Jersey			
Lubricant Co	103	United States Light & Heat-	400
Nordyke & Marmon Co	109	ing Co.	109
North East Electric Co	114	United States Tire Co	103
Northwestern Chemical Co Nyberg Automobile Works	90	Universal Mfg. Co	99
Myberg Automobile Works	103		
0		▼	
		Vacuum Oil Co	64
Oakes Co	114	Veeder Mfg. Co	91
Old Dutch Classes	71		
Old Dutch Cleanser	92	W	
Owen, R. M., & Co	113		
P		Waltham Watch Co	96
		Ward Leonard Electric Co	
Packard Electric Co	96	Back (-
Packard Motor Car Co	124	Warner Auto-Meter Factory	54
Paige-Detroit Motor Car Co	96	Warner Gear Co	82
Parish & Bingham Co	114	Warner Mfg. Co	108
Peacock, Clarence N., & Co	104	Weed Chain Tire Grip Co	112
Peerless Motor Car Co	1	Wester Floring Inst Co	113
Pennsylvania Rubber Co	108	Weston Electrical Inst. Co	88
Perfection Spring Co	114	Weston-Mott Co	95
Piel, G., Co	114	Willard Storage Battery Co	48 51
Pittsfield Spark Coil Co	106	Willys-Overland Co	74
Premier Motor Mfg. Co	98	Winton Motor Car Co	96
Prest-O-Lite Co	112	Wisconsin Motor Mfg. Co	99
Prosser, Thos., & Son	100		
Pullman Motor Car Co	95	Y	
E		Yankee Co	114
R. C. H. Corp R. I. V. Co	94	Z	
Rajah Auto Supply Co	114	Zonith Cashanatas C.	
nate capping co	98	Zenith Carburetor Co	96
		When Western A. A.	

It's Always = Fair Weather

When Your Tires Carry

Woodworth Treads.

They prevent skidding on wet roads, but they are equally useful on dry roads.

They prevent cuts, punctures, and the resultant rotting of fabric. They multiply the life of new tires three-fold by utilizing the full natural endurance of the fabric, and they abolish tire repair.

Road wear is minimized. With Woodworth Treads to protect your tires, you can run 10,000 to 20,000 miles with the same air.


On all roads, Woodworth Treads are desirable. Get rid of your tire troubles by applying them now.

Write to us or to the nearest distributor.

LEATHER TIRE COODS CO. Niagara Falls, N.Y.

D. A. FALKINBURG & CO. 1210 Webster Ave., Chicago, Ill.





THE GENTLEWOMAN'S MOTOR CARRIAGE

The New Packard "38" answers the demand for easy, safe and restful travel over any road. It combines the acknowledged advantages of left drive with electric starting, electric lighting and centralized control.

Centralized control is an improvement enjoyed exclusively by owners of Packard carriages. The control board is on the steering column and the controls are operated without leaning forward or moving in any way from the driving position. This perfect mastery of the car gives a new sense of security and means entire freedom from fatigue and the nerve tension experienced when operating an ordinary car.

A row of buttons gives instant control of the electric lights. Another button actuates the magnetic inter-lock of the electric starter. The Bosch coil switch controls the ignition and a simple hand wheel adjusts the carburetor to meet all requirements.

Every detail of operation is at the driver's finger tips. There is no stooping or fumbling for switches on the dash.

You enter the front compartment from the curb and start the motor without stepping into the road. You have the added advantage of the full view ahead and greater assurance in driving through traffic.

Owing to the unparalleled demand for Packard Sixes this spring, it is necessary to act promptly in order to secure a desirable date of delivery.

Ask the man who owns one

COLOR CATALOG ON REQUEST

Packard Motor Car Company, Detroit

TIMICEN



Unseen Wonders of Motor-Car Axles

THEY are not complicated, yet each Timken-Detroit Axle is a mechanical marvel.

In the two axles shown on this page there are 848 pieces, counting each Timken Roller Bearing as one. Of these 848 pieces, 723 are in the rear axle.

That is because the rear axle must drive the car, allow the rear wheels to turn at different speeds in rounding corners, and through its brakes take the stresses of stopping.

It, with the front axle, must carry the whole load and take all the shocks and vibrations of hard travel.

Every part in these axles has a duty to perform. Every part must be correctly designed for that duty.

It is one thing to make these hundreds of pieces of metal right. It is another—and just as essential—to prove them right after they are made.

Both are equally important to your satisfaction—and to your safety.

You must be able to put your reliance on the steel—on the skill with which it is fashioned into the axle-parts—on the proper heat-treating of these parts—on the unerring, unchanging accuracy with which they are assembled—on the unfailing thoroughness with which they are tested.

It's impossible for you to prove that each part and piece is rightly made.


But you can prove that it has been made by men whom you can trust—if it's a Timken-Detroit Axle.

"Timken" stands for an organization devoted wholly to one ideal—the building of good motor-car axles.

And "Timken" stands also for another organization, whose product is the Timken Tapered Roller Bearing—the one type of motor-car bearing that combines greatest capacity for vertical load, and for end-thrust; least tendency to wear, and perfect adjustment for wear.

You can get the full details of axle and bearing importance by writing for the Timken Primer's T-7 'On the Anatomy of Automobile Axles," and T-8 'On the Care and Character of Bearings." Sent free postpaid from either address below.





The most critical automobile engineers in the world, men who have heretofore insisted that crankless cars were impossible, now admit the correctness of the WARD LEONARD Lighting and Starting System and its faultless operation.

European car manufacturers like to believe that all real automobile improvements and innovations emanate from Europe, and they have refused starting devices until one was put on the market which would coincide thoroughly with their technical ideas of design and operation. Every Renault sold in America is equipped with the WARD LEONARD System.

WARD LEONARD ELECTRIC BRONXVILLE, NEW YOR



Read this one

Renault Selling Branch Lic.

729 Pitch Av., B. Y.

that the Ward-Zeonard lichting and starting system which you had a carting system which you had that the Ward-Leonard lighting and starting evotes which you had a cart the car.

Ly dear Mr. Mason:

Pice, and never Table to start the car.

and starting eyetem is the beet that he has ever seen.

Car, to Jour thin the next few days, to have the Ward-Leonard

that analy the Ward-Leonard

the same and and any the same and the same I have therefore decided to send my 14/20 henault town

cer, to you within the next few days, to have the Ward-Leonard the edge es you did on the

Many thanks for your attending to this, with kindes:

RENAULT SELLING BRANCH INC.

MAIN OFFICE 214 & 216 WEST GOT STREET

REPAIR & SPACE PARTS DEPT SALESROOMS

NEW YORK | March 17, 1915.

The Tard-Leonard Electric Co. Bronxville, S. Y.

Gentlemen:
Enclosed you will find a very complimentary letter addressed to us, praising your lighting and starting eyester cylinder Chesels. It gives us great pleasure in forwarding a letter of this kind to you, as your system cannot be too highly praised in our estimation.